MATERIAL SAFETY DATA SHEET MF 1200 A 40 HS NATURAL

Version Number 1.0 Revision Date 09/24/2003

Page 1 of 5 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MF 1200 A 40 HS NATURAL
Product code	:	EM10004770
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET MF 1200 A 40 HS NATURAL

Version Number 1.0 Revision Date 09/24/2003 Page 2 of 5 Print Date 11/12/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	3
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not relevant	
Suitable extinguishing media		
Suitable extinguishing media	: water, dry powder, foam, carbon dioxide (CO2)none.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: None	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
	mpervious groves, boots and coverans.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.	t
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	n

2/5

PolyOne.

MATERIAL SAFETY DATA SHEET MF 1200 A 40 HS NATURAL

Version Number 1.0 Revision Date 09/24/2003 Page 3 of 5 Print Date 11/12/2011

8. EXP	OSURE CONTROLS /	PERSONAL PROTECTIO	DN
Respiratory protection	: No personal resp	iratory protective equipment	normally required.
Eye/Face Protection	: Safety glasses wi	th side-shields.	
Hand protection	: Protective gloves	. Refer to equipment supplier	r to ensure protection.
Skin and body protection	: Long sleeved clo	thing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		ance with good industrial hyg re breaks and at the end of w	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
9.	PHYSICAL AND CHI	EMICAL PROPERTIES	
_			
Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets, slabs	Evaporation rate Specific Gravity	: Not determined
Appearance Color	Pellets, slabsNO PIGMENT	Evaporation rate Specific Gravity Bulk density	Not determinedNot established
Appearance Color Odor	Pellets, slabsNO PIGMENTVery faint	Evaporation rate Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable
Appearance Color Odor Melting point/range	 Pellets, slabs NO PIGMENT Very faint Not determined 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor	Pellets, slabsNO PIGMENTVery faint	Evaporation rate Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable
Appearance Color Odor Melting point/range Boiling Point:	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point:	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY AI	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY AI Stable. Will not occur. 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH	 Not determined Not established Not applicable Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY AI Stable. Will not occur. To avoid thermal 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH	 Not determined Not established Not applicable Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY AI Stable. Will not occur. To avoid thermal Strong acids, oxid Carbon dioxide (6) 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapour density pH ND REACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable

PolyOne

MATERIAL SAFETY DATA SHEET MF 1200 A 40 HS NATURAL

Version Number 1.0 Revision Date 09/24/2003 Page 4 of 5 Print Date 11/12/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET MF 1200 A 40 HS NATURAL

Version Number 1.0
Revision Date 09/24/2003

Page 5 of 5 Print Date 11/12/2011

California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
SARA Title III Section 302 Extremely Hazardous Substance					
Not applicable					
SARA Title III Section 313 Toxi	c C	Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
Not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			
		16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.