MATERIAL SAFETY DATA SHEET MF 600 A 40 HS NATURAL

Version Number 1.1 Revision Date 02/06/2012 Page 1 of 5 Print Date 2/6/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MF 600 A 40 HS NATURAL
Product code	:	EM10004780
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **MF 600 A 40 HS NATURAL**

Version Number 1.1 Revision Date 02/06/2012 Page 2 of 5 Print Date 2/6/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit	:	not applicable
Lower explosion limit	:	not applicable
Autoignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **MF 600 A 40 HS NATURAL**

Version Number 1.1 Revision Date 02/06/2012 Page 3 of 5 Print Date 2/6/2012

8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection	: No personal respira	tory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with	side-shields		
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved cloth	ing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		ce with good industrial hygiene and safety ads before breaks and at the end of workday.		
Engineering measures	2	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
9.	is components above regula			
9. Form Appearance Colour Odour Melting point/range Boiling Point:		-		
9. Form Appearance Colour Odour Melting point/range	 PHYSICAL AND CHEM solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 	MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity : Not determine Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI	MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity : Not determine Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEM solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 	MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity : Not determine Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI	MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity : Not determine Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEM : solid : pellets, Slabs : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY ANI : Stable : Will not occur.	MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity : Not determine Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM : solid : pellets, Slabs : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY ANI : Stable : Will not occur. : To avoid thermal determined	MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity : Not determine Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable DREACTIVITY		

PolyOne.

MATERIAL SAFETY DATA SHEET **MF 600 A 40 HS NATURAL**

Version Number 1.1 Revision Date 02/06/2012 Page 4 of 5 Print Date 2/6/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

MATERIAL SAFETY DATA SHEET **MF 600 A 40 HS NATURAL**

Version Number 1.1 Revision Date 02/06/2012 Page 5 of 5 Print Date 2/6/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.