### MATERIAL SAFETY DATA SHEET 2050 A BLACK 13

Version Number 1.1 Revision Date 04/10/2013

Page 1 of 5 Print Date 4/10/2013

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number		1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	2050 A BLACK 13
Product code	:	EM10005551
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET 2050 A BLACK 13

Version Number 1.1 Revision Date 04/10/2013 Page 2 of 5 Print Date 4/10/2013

Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIREFIGHTING MEASURES			
Flash point	: not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>			
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			

2/5

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **2050 A BLACK 13**

Version Number 1.1 Revision Date 04/10/2013 Page 3 of 5 Print Date 4/10/2013

D	No nonconstances						
Respiratory protection	: No personal respirato	ry protective equipment normally required.					
Eye/Face Protection	: Safety glasses with si	Safety glasses with side-shields					
Hand protection	: Protective gloves	Protective gloves					
Skin and body protection	: Long sleeved clothing	Long sleeved clothing					
Additional Protective Measures	: Safety shoes	Safety shoes					
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)							
There are no known hazardou	is components above regulato	bry thresholds in this product.					
	is components above regulato						
9.	PHYSICAL AND CHEMI	CAL PROPERTIES					
<b>9.</b> Form	PHYSICAL AND CHEMI	CAL PROPERTIES Evaporation rate : Not applicable					
<b>9.</b> Form Appearance	PHYSICAL AND CHEMI : solid : pellets, Slabs	CAL PROPERTIES         Evaporation rate       : Not applicat         Specific Gravity       : Not determine					
<b>9.</b> Form Appearance Colour	PHYSICAL AND CHEMI : solid : pellets, Slabs : BLACK	CAL PROPERTIES         Evaporation rate       : Not applicab         Specific Gravity       : Not determine         Bulk density       : Not establish					
<b>9.</b> Form Appearance Colour Odour	<ul> <li>PHYSICAL AND CHEMIC</li> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> </ul>	CAL PROPERTIESEvaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapour pressure: not applicab					
<b>9.</b> Form Appearance Colour Odour Melting point/range	<ul> <li>PHYSICAL AND CHEMIC</li> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> </ul>	CAL PROPERTIESEvaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapour pressure: not applicabVapour density: not applicab					
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEMI</li> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	CAL PROPERTIESEvaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapour pressure: not applicab					
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEMIC</li> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> </ul>	CAL PROPERTIESEvaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapour pressure: not applicabVapour density: not applicab					
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEMI</li> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	CAL PROPERTIESEvaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapour pressure: not applicabVapour density: not applicabpH: not applicab					
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEMIE</li> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND I	CAL PROPERTIESEvaporation rate: Not applicabSpecific Gravity: Not determinBulk density: Not establishVapour pressure: not applicabVapour density: not applicabpH: not applicab					
<b>9.</b> Form Appearance Colour Odour Melting point/range	<ul> <li>PHYSICAL AND CHEMIE</li> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND I	CAL PROPERTIES         Evaporation rate       : Not applicab         Specific Gravity       : Not determine         Bulk density       : Not establish         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab         REACTIVITY					
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEMIE         : solid         : pellets, Slabs         : BLACK         : very faint         : Not determined         : not applicable         : insoluble         10. STABILITY AND I         : The product is stable         : Will not occur.	CAL PROPERTIES         Evaporation rate       : Not applicab         Specific Gravity       : Not determine         Bulk density       : Not establish         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab         REACTIVITY					
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEMI         : solid         : pellets, Slabs         : BLACK         : very faint         : Not determined         : not applicable         : insoluble         10. STABILITY AND I         : The product is stable         : Will not occur.         : To avoid thermal decomposition	CAL PROPERTIES         Evaporation rate       : Not applicab         Specific Gravity       : Not determin         Bulk density       : Not establish         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab         REACTIVITY         if stored and handled as prescribed.					
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>PHYSICAL AND CHEMIE</li> <li>solid</li> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND I <ul> <li>The product is stable</li> <li>Will not occur.</li> <li>To avoid thermal decord</li> <li>Strong acids, oxidizing</li> </ul>	CAL PROPERTIES         Evaporation rate       : Not applicab         Specific Gravity       : Not determin         Bulk density       : Not establish         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab         REACTIVITY         if stored and handled as prescribed.         omposition, do not overheat.					

There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

# MATERIAL SAFETY DATA SHEET 2050 A BLACK 13

Version Number 1.1 Revision Date 04/10/2013 Page 4 of 5 Print Date *4/10/2013* 

Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: not applicable				
	13. DISPOSAL CONSIDERATIONS				
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPORT INFORMATION				
U.S. DOT Classification	: Not regulated for transportation.				
ICAO/IATA	: Refer to specific regulation.				
IMO/IMDG (maritime)	: Refer to specific regulation.				
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.				
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous	Substances (40 CFR 302)				
not applicable					

PolvOn<u>e</u>

### MATERIAL SAFETY DATA SHEET 2050 A BLACK 13

Version Number 1.1 Revision Date 04/10/2013 Page 5 of 5 Print Date 4/10/2013

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name			CAS-No.	Weight	NPRI ID#
Maleic anhydride			108-31-6	0.10 - 1.00	
WHMIS Classification	:			are on the Canadia empt.	n Domestic
ational Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			
Philippines PICCS	:	Not determined			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.