PolvOne

MATERIAL SAFETY DATA SHEET **PP-C-40G BLACK**

Version Number 1.1 Revision Date 06/04/2013

Page 1 of 6 Print Date 6/11/2013

POLYONE CORPORATI 33587 Walker Road, Avoi		ОН 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PP-C-40G BLACK
Product code	:	EM10005764
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

ComponentsCAS-No.Weight percentGlass, oxide65997-17-330 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **PP-C-40G BLACK**

Version Number 1.1 Revision Date 06/04/2013 Page 2 of 6 Print Date 6/11/2013

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	on : Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.				
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.			
kin		: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIREFIGHTING MEASURES			
Flash point	:	not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting	:::::::::::::::::::::::::::::::::::::::	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive			
Procedures Unusual Fire/Explosion Hazards		 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
(6. A(CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **PP-C-40G BLACK**

Version Number 1.1 Revision Date 06/04/2013 Page 3 of 6 Print Date 6/11/2013

	POSURE CONTROLS/PE					
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: Protective gloves	: Protective gloves				
Skin and body protection	: Long sleeved clothin	Long sleeved clothing				
Additional Protective Measures	: Safety shoes	Safety shoes				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
9	. PHYSICAL AND CHEM	ICAL PROPERTIES				
9	. PHYSICAL AND CHEM	ICAL PROPERTIES				
9 Form	: solid	Evapouration rate : Not applicable				
Form Appearance	: solid : pellets, Slabs	Evapouration rate : Not applicable Specific Gravity : Not determined				
Form Appearance Colour	: solid : pellets, Slabs : BLACK	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not established				
Form Appearance Colour Odour	: solid : pellets, Slabs : BLACK : very faint	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable				
Form Appearance Colour Odour Melting point/range	 solid pellets, Slabs BLACK very faint Not determined 	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable				
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable 	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable				
Form Appearance Colour Odour Melting point/range	 solid pellets, Slabs BLACK very faint Not determined 	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable				
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable 	Evapouration rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable				
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AND	Evapouration rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable				
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AND	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableREACTIVITY				
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AND The product is stable Will not occur. 	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableREACTIVITY				
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AND The product is stable Will not occur. To avoid thermal decomposition 	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable REACTIVITY e if stored and handled as prescribed.				

PolyOne

MATERIAL SAFETY DATA SHEET **PP-C-40G BLACK**

Version Number 1.1 Revision Date 06/04/2013 Page 4 of 6 Print Date 6/11/2013

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
	12. ECOLOGIC	AL INFORMATIO	ON			
Persistence and degradabilit	y : Not readily bi	odegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential	: Chemicals are not readily available as they are bound withi polymer matrix.					
Additional advice	: not applicable	: not applicable				
	13. DISPOSAL	CONSIDERATIO	NS			
Product	possible recyc generator of w classification,	ling is preferred to o vaste material has th transportation and o	he product can be recycled. Whe disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations.			
Contaminated packaging	material has the transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPOI	RT INFORMATIO	N			
U.S. DOT Classification	: Not regulated	for transportation.				
ICAO/IATA	: Refer to speci	fic regulation.				
IMO/IMDG (maritime)	: Refer to speci	fic regulation.				
	15. REGULATO	RY INFORMATI	ON			
US Regulations:						
OSHA Status	: Classified as h	azardous based on o	components.			
TSCA Status	: All componer TSCA Invento		re listed on or exempt from the			

PolyOne

MATERIAL SAFETY DATA SHEET **PP-C-40G BLACK**

Version Number 1.1 Revision Date 06/04/2013 Page 5 of 6 Print Date 6/11/2013

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

MATERIAL SAFETY DATA SHEET **PP-C-40G BLACK**

Version Number 1.1 Revision Date 06/04/2013 Page 6 of 6 Print Date 6/11/2013

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.