

MATERIAL SAFETY DATA SHEET

PP-H-30G NAT

Version Number 1.0 Revision Date 03/11/2004

Page 1 of 5 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395	
Emergency telephone	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	PP-H-30G NAT	
Product code	:	EM10005786	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET **PP-H-30G NAT**

on Number 1.0 sion Date 03/11/2004	Page 2 Print Date 11/14/2			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.			
Ingestion	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits				
Upper explosion limit	: Not applicable			
Lower explosion limit	: Not applicable			
Autoignition temperature	: Not applicable			
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.			
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne			
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			



MATERIAL SAFETY DATA SHEET **PP-H-30G NAT**

Version Number 1.0 Revision Date 03/11/2004 Page 3 of 5 Print Date 11/14/2011

	POSURE CONTROLS / P	PERSONAL PROTECTIO	DN		
Respiratory protection	: No personal respira	atory protective equipment	normally required.		
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
	. PHYSICAL AND CHEN				
Eorm	: Solid	Evaporation rate	: Not applicable		
Form					
Appearance	: Pellets, slabs	Specific Gravity:	: Not determined		
Appearance Color	Pellets, slabsNO PIGMENT	Specific Gravity: Bulk density	Not determinedNot established		
Appearance Color Odor	Pellets, slabsNO PIGMENTVery faint	Specific Gravity: Bulk density Vapor pressure	Not determinedNot establishedNot applicable		
Appearance Color Odor Melting point/range	 Pellets, slabs NO PIGMENT Very faint Not determined 	Specific Gravity: Bulk density Vapor pressure Vapour density	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odor	Pellets, slabsNO PIGMENTVery faint	Specific Gravity: Bulk density Vapor pressure	Not determinedNot establishedNot applicable		
Appearance Color Odor Melting point/range Boiling Point:	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable 	Specific Gravity: Bulk density Vapor pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odor Melting point/range Boiling Point:	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 	Specific Gravity: Bulk density Vapor pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY AND	Specific Gravity: Bulk density Vapor pressure Vapour density pH	Not determinedNot establishedNot applicableNot applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. 	Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not determined Not established Not applicable Not applicable Not applicable 		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. To avoid thermal d 	Specific Gravity: Bulk density Vapor pressure Vapour density pH DREACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable 		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Pellets, slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. To avoid thermal d Strong acids, oxid Carbon dioxide (Columna) 	Specific Gravity: Bulk density Vapor pressure Vapour density pH DREACTIVITY	 Not determined Not established Not applicable Not applicable Not applicable 		

There are no known hazardous components above regulatory thresholds in this product.



MATERIAL SAFETY DATA SHEET **PP-H-30G NAT**

Version Number 1.0 Revision Date 03/11/2004 Page 4 of 5 Print Date 11/14/2011

Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Chemicals are not readily available as they are bound within the mat of the polymer.			
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the matr of the polymer.			
Additional advice	: Not applicable			
	13. DISPOSAL CONSIDERATIONS			
Product	: Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	re		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA (air)	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.			
TSCA Status	: All components of this product are listed on or exempt from the TSO Inventory.	CA		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)			
Not applicable				



MATERIAL SAFETY DATA SHEET **PP-H-30G NAT**

Version Number 1.0 Revision Date 03/11/2004			Print Date	Page 5 of 5 11/14/2011
California Proposition 65	:	This product does not contain a substance listed	l by California	a Prop 65.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	ic (Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Release	se Iı	ventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Can Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.