

MATERIAL SAFETY DATA SHEET PP-40GF/000 HS BLACK

Version Number 1.0 Revision Date 03/15/2004

Page 1 of 5 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PP-40GF/000 HS BLACK
Product code	:	EM10005905
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET PP-40GF/000 HS BLACK

ion Number 1.0 sion Date 03/15/2004	Page Print Date 11/14,			
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 			
Special Fire Fighting Procedures	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne			
Unusual Fire/Explosion Hazards	contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			



MATERIAL SAFETY DATA SHEET PP-40GF/000 HS BLACK

Version Number 1.0 Revision Date 03/15/2004 Page 3 of 5 Print Date 11/14/2011

0. LAI	OSURE	CONTROLS / P	PERSONAL PROTECTIO	Ν	
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
There are no known hazardou 9.	-		atory thresholds in this prod	uct.	
Form Appearance	: Solic : Pelle	ts, slabs	Evaporation rate Specific Gravity:	: Not applicable : Not determined	
Color Odor Melting point/range Boiling Point: Water solubility		faint determined applicable	Bulk density Vapor pressure Vapour density pH	Not establishedNot applicableNot applicableNot applicable	
Odor Melting point/range Boiling Point:	: Very : Not : Not : Insol	faint letermined applicable uble	Bulk density Vapor pressure Vapour density	Not applicableNot applicable	
Odor Melting point/range Boiling Point:	: Very : Not (: Not ; : Insol	faint letermined applicable uble	Bulk density Vapor pressure Vapour density pH	Not applicableNot applicable	
Odor Melting point/range Boiling Point: Water solubility	: Very : Not (: Not : : Insol 10. S : S	faint determined applicable uble TABILITY AN	Bulk density Vapor pressure Vapour density pH	Not applicableNot applicable	
Odor Melting point/range Boiling Point: Water solubility Stability	: Very : Not (: Not : : Insol 10. § : S : V	faint determined applicable uble STABILITY ANI table. /ill not occur.	Bulk density Vapor pressure Vapour density pH	 Not applicable Not applicable Not applicable 	
Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Very : Not a : Not a : Insol 10. S : S : V : T	faint determined applicable uble STABILITY ANI table. /ill not occur. o avoid thermal d	Bulk density Vapor pressure Vapour density pH DREACTIVITY	 Not applicable Not applicable Not applicable 	
Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: Very : Not of : Not : : Insol : Insol : S : V : T : S : S : C	faint determined applicable uble STABILITY ANI table. /ill not occur. o avoid thermal d trong acids, oxid: arbon dioxide (CO	Bulk density Vapor pressure Vapour density pH DREACTIVITY	 Not applicable Not applicable Not applicable 	

There are no known hazardous components above regulatory thresholds in this product.



MATERIAL SAFETY DATA SHEET **PP-40GF/000 HS BLACK**

Version Number 1.0 Revision Date 03/15/2004 Page 4 of 5 Print Date 11/14/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
	Not see 1.4.1 Containing dation
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolyOne

MATERIAL SAFETY DATA SHEET **PP-40GF/000 HS BLACK**

Version Number 1.0 Revision Date 03/15/2004			Print Date	Page 5 of 5 11/14/2011
California Proposition 65	:	This product does not contain a substance listed	l by Californi	a Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	kic (hemicals:		
Not applicable Canadian Regulations:				
National Pollutant Relea	se Iı	aventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Can Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.