MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 149B SHALE

Version Number 1.0 Revision Date 05/12/2004

Page 1 of 5 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GF 600 A 33 HS7 149B SHALE
Product code	:	EM10006258
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:		:	Inhalation, Ingestion, Skin contact	
	Acute exposure			
	Inhalation Ingestion Eyes Skin	:	Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.	
	Chronic exposure	:	Refer to Section 11 for Toxicological Information.	
	Medical Conditions Aggravated by Exposure:	:	None known.	
				-

4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 149B SHALE

sion Number 1.0 ision Date 05/12/2004	Page 2 Print Date 11/14/2		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXP(OSURE CONTROLS / PERSONAL PROTECTION		

PolyOne.

MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 149B SHALE

Version Number 1.0 Revision Date 05/12/2004 Page 3 of 5 Print Date 11/14/2011

Respiratory protection	: No personal respira	atory protective equipment normally requir	ed.	
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.	: Protective gloves.		
Skin and body protection	: Long sleeved cloth	: Long sleeved clothing.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations		ce with good industrial hygiene and safety breaks and at the end of workday.	practice.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
There are no known hazardo	us components above regul	atory thresholds in this product.		
9	. PHYSICAL AND CHEM	AICAL PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets, slabs GREY Very faint Not determined Not applicable Insoluble 	Evaporation rate: Not appliSpecific Gravity:: Not deterBulk density: Not estabVapor pressure: Not appliVapour density: Not applipH: Not appli	mined blished cable cable	
	10. STABILITY AN	D REACTIVITY		
Stability	: Stable.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	Conditions to avoid : To avoid thermal decomposition, do not overheat.			
Incompatible Materials	Materials : Strong acids, oxidizing and reducing agents			
Hazardous decomposition products				
	11. TOXICOLOGICA	L INFORMATION		
There are no known hazardo	There are no known hazardous components above regulatory thresholds in this product.			

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 149B SHALE

Version Number 1.0 Revision Date 05/12/2004 Page 4 of 5 Print Date 11/14/2011

Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.		
Additional advice	: Not applicable		
	13. DISPOSAL CONSIDERATIONS		
Product : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			

MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 149B SHALE

Version Number 1.0 Revision Date 05/12/2004 Page 5 of 5 Print Date 11/14/2011

California Proposition : This product does not contain a substance listed by California Prop 65. 65

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)
--	---

Chemical Name	CAS-No.	Weight %	NPRI ID#
Rutile, antimony chromium buff	68186-90-3	0.18	68
Rutile, antimony chromium buff	68186-90-3	0.18	17

WHMIS Classification : Not controlled.

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.