

## MATERIAL SAFETY DATA SHEET **MB50LB**

### WIDJULD

Version Number 1.0 Revision Date 06/18/2004 Page 1 of 7 Print Date 11/14/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	MB50LB
Product code :	EM10006491
Chemical Name :	Mixture
CAS-No.	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Talc	14807-96-6	1 - 5
Zinc oxide	1314-13-2	1 - 5
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.



# MATERIAL SAFETY DATA SHEET **MB50LB**

Version Number 1.0 Revision Date 06/18/2004 Page 2 of 7 Print Date 11/14/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



### MATERIAL SAFETY DATA SHEET MB50LB

### Version Number 1.0 Revision Date 06/18/2004

Storage

Page 3 of 7 Print Date 11/14/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average	Total dust. as carbon	ACGIH
		(TWA):	black	
	3.5 mg/m3	PEL:	Total dust. as carbon	OSHA Z1
			black	
Petroleum distillates,	500 ppm	PEL:	Vapor.	OSHA Z1
solvent dewaxed heavy	2,000			
paraffinic	mg/m3			
Talc	2 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
Zinc oxide	10 mg/m3	Time Weighted Average	Total dust. as Zn	ACGIH
		(TWA):		
	5 mg/m3	PEL:	Respirable dust. as Zn	OSHA Z1
	15 mg/m3	PEL:	Total dust. as Zn	OSHA Z1
	2 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	Respirable fraction.	ACGIH
	_	(STEL):		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color

: Solid : Pellets, slabs : BLACK

Bulk density

Evaporation rate:Not applicableSpecific Gravity::Not determined : Not established



## MATERIAL SAFETY DATA SHEET **MB50LB**

### Version Number 1.0 Revision Date 06/18/2004

Page 4 of 7 Print Date *11/14/2011* 

Odor Melting point/range Boiling Point: Water solubility	<ul><li>Very faint</li><li>Not determined</li><li>Not applicable</li><li>Insoluble</li></ul>	Vapor pressure Vapour density pH	<ul><li>Not applicable</li><li>Not applicable</li><li>Not applicable</li></ul>
	10. STABILITY AND	REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: To avoid thermal de	ecomposition, do not ove	rheat.
Incompatible Materials	: Strong acids, oxidiz	zing and reducing agent	S
Hazardous decomposition products		02), carbon monoxide (C lous materials, and smok	e e

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
14807-96-6	Talc	Systemic effects	Eyes, Respiratory system, Skin.
1314-13-2	Zinc oxide	Systemic effects	Respiratory system.
64742-65-0	Petroleum distillates,	Irritant	Eyes, Skin.
	solvent dewaxed heavy		
	paraffinic		

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit
1314-13-2	Zinc oxide	LC50	2500 mg/m3	mouse
		Oral LD50	7,950 mg/kg	mouse

### Additional Health Hazard Information:



## MATERIAL SAFETY DATA SHEET **MB50LB**

Version Number 1.0 Revision Date 06/18/2004

Page 5 of 7 Print Date 11/14/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### **12. ECOLOGICAL INFORMATION**

Environmental Toxicity       : Chemicals are not readily available as they are bound within polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within polymer matrix.         Additional advice       : Not applicable         Image: state of the state o	
Additional advice       : Not applicable         13. DISPOSAL CONSIDERATIONS         Product       : Like most thermoplastic plastics the product can be recycle possible recycling is preferred to disposal or incineration. I generator of waste material has the responsibility for prope classification, transportation and disposal in accordance wi applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transpand disposal in accordance with applicable federal, state/pr and local regulations.         14. TRANSPORT INFORMATION	nin the
11 <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycle possible recycling is preferred to disposal or incineration. I generator of waste material has the responsibility for prope classification, transportation and disposal in accordance wi applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of was has the responsibility for proper waste classification, transpand disposal in accordance with applicable federal, state/pr and local regulations. <b>14. TRANSPORT INFORMATION</b>	nin the
Product       : Like most thermoplastic plastics the product can be recycled possible recycling is preferred to disposal or incineration. I generator of waste material has the responsibility for proper classification, transportation and disposal in accordance wit applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transprand disposal in accordance with applicable federal, state/provincial and local regulations. <b>14. TRANSPORT INFORMATION</b>	
possible recycling is preferred to disposal or incineration.         generator of waste material has the responsibility for prope classification, transportation and disposal in accordance wi applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transprand disposal in accordance with applicable federal, state/pr and local regulations. <b>14. TRANSPORT INFORMATION</b>	
has the responsibility for proper waste classification, transp and disposal in accordance with applicable federal, state/pr and local regulations. 14. TRANSPORT INFORMATION	The er waste
	sportation
U.S. DOT Classification : Not regulated for transportation.	
U.S. DOT Classification : Not regulated for transportation.	
ICAO/IATA (air) : Refer to specific regulation.	
IMO / IMDG (maritime) : Refer to specific regulation.	
15. REGULATORY INFORMATION	
US Regulations:	



# MATERIAL SAFETY DATA SHEET **MB50LB**

/ersion Number 1.0 Revision Date 06/18/2004						Prin	t Date	Page 6 of 7 11/14/2011
OSHA Status	: C	lassified as hazardou	is b	ased on comp	onent	s.		
TSCA Status		All components of thi nventory.	s pr	oduct are liste	ed on	or exemp	ot from	the TSCA
US. EPA CERCLA Hazardous S	ubsta	nces (40 CFR 302)						
Not applicable								
California Proposition 65		VARNING! This pro California to cause car			chemi	cal know	n to the	e State of
SARA Title III Section 302 Extre	emely	Hazardous Substanc	e					
Not applicable								
SARA Title III Section 313 Toxid	ic Che	emicals:						
Chemical Name				CAS No		Waiaht	0/	
ZINC COMPOUNDS				CAS-No. 1314-13-2		Weight 1.99	%	
ZINC COMPOUNDS				67762-34-9		0.50		
National Pollutant Release	e Inve	entory (NPRI)	0	A.C. M.		. 1 . 0/	NDDI	10 //
Chemical Name Zinc oxide				AS-No. 14-13-2		eight %	NPRI 241	ID#
Fatty acids, C8-18 and C18-	uncat	td zinc salts		<u>14-13-2</u> 762-34-9	1.9		241	
				<u>, , , , , , , , , , , , , , , , , , , </u>				
WHMIS Classification	: D	02A						
WHMIS Ingredient Disclo	osure	List						
CAS-No. 1333-86-4 14807-96-6 1314-13-2								
DSL		DSL status has not be estricted by regulation		determined.	Quant	ity use in	n Canad	la may be
National Inventories:								
Australia AICS	: N	Not determined						



## MATERIAL SAFETY DATA SHEET **MB50LB**

Version Number 1.0 Page 7 of 7 Print Date 11/14/2011 Revision Date 06/18/2004 China IECS : Not determined : Not determined Europe EINECS Japan ENCS : Not determined Korea KECI Not determined : **Philippines PICCS** Not determined : **16. OTHER INFORMATION** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.