MATERIAL SAFETY DATA SHEET TPE-S F 85A-3E1678 Transparent

Version Number 1.1 Revision Date 01/21/2011 Page 1 of 6 Print Date 1/17/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TPE-S F 85A-3E1678 Transparent
Product code	:	EM10007110
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous, precipitated and gel	112926-00-8	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET TPE-S F 85A-3E1678 Transparent

Version Number 1.1 Revision Date 01/21/2011 Page 2 of 6 Print Date 1/17/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5	5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET TPE-S F 85A-3E1678 Transparent

Version Number 1.1 Revision Date 01/21/2011 Page 3 of 6 Print Date 1/17/2012

8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		landle in accordance with good ractice. Wash hands before br		
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
	X7 . 1			-
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous,	6 mg/m3	Time Weighted Average	Exposure type	
-		Time Weighted Average (TWA): Time Weighted Average	Exposure type	
Silica, amorphous,	6 mg/m3	Time Weighted Average (TWA):	Exposure type	OSHA Z1A
Silica, amorphous,	6 mg/m3 10 mg/m3 0.8 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):		OSHA Z1A MX OEL
Silica, amorphous,	6 mg/m3 10 mg/m3 0.8 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average		OSHA Z1A MX OEL
Silica, amorphous, precipitated and gel	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	DPERTIES	OSHA Z1A MX OEL Z3
Silica, amorphous, precipitated and gel Form Appearance	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO	DPERTIES ration rate : Not ic Gravity : Not	OSHA Z1A MX OEL Z3 t applicable t determined
Silica, amorphous, precipitated and gel Form Appearance Colour	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : NO H	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts, Slabs Specifi PIGMENT Bulk d	DPERTIES ration rate : Not ic Gravity : Not lensity : Not	OSHA Z1A MX OEL Z3 t applicable t determined t established
Silica, amorphous, precipitated and gel Form Appearance Colour Odour	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : NO I : very	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO ts, Slabs Specif PIGMENT Bulk d faint Vapou	DPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not	A contract of the stablished applicable appl
Silica, amorphous, precipitated and gel Form Appearance Colour Odour Melting point/range	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : NO H : very : No to	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts, Slabs Specif PIGMENT Bulk d faint Vapou determined Vapou	OPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not	OSHA Z1A MX OEL Z3 t applicable t determined t established applicable applicable applicable
Silica, amorphous, precipitated and gel Form Appearance Colour Odour Melting point/range Boiling Point:	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : NO H : very : Not c : not a	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts, Slabs Specif PIGMENT Bulk d faint Vapou determined Vapou pplicable pH	OPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not	A contract of the stablished applicable appl
Silica, amorphous, precipitated and gel Form Appearance Colour Odour Melting point/range Boiling Point:	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : NO H : very : No to	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts, Slabs Specif PIGMENT Bulk d faint Vapou determined Vapou pplicable pH	OPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not	OSHA Z1A MX OEL Z3 t applicable t determined t established applicable applicable applicable
Silica, amorphous, precipitated and gel Form Appearance Colour Odour Melting point/range	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : NO I : very : Not c : not a : insol	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts, Slabs Specif PIGMENT Bulk d faint Vapou determined Vapou pplicable pH	DPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not : not	OSHA Z1A MX OEL Z3 t applicable t determined t established applicable applicable applicable
Silica, amorphous, precipitated and gel Form Appearance Colour Odour Melting point/range Boiling Point:	6 mg/m3 10 mg/m3 0.8 mg/m3 9. PHYSIC : solid : pelle : NO H : very : Not c : not a : insol 10. §	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapo ts, Slabs Specif PIGMENT Bulk d faint Vapou pelicable pH uble	DPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not : not	OSHA Z1A MX OEL Z3 t applicable t determined t established applicable applicable applicable

MATERIAL SAFETY DATA SHEET TPE-S F 85A-3E1678 Transparent

Version Numb	er 1.1
Revision Date	01/21/2011

Page 4 of 6 Print Date 1/17/2012

Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112926-00-8	Silica, amorphous,	Irritant	Respiratory system, Eyes.
	precipitated and gel		

Carcinogenicity

_

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne.

MATERIAL SAFETY DATA SHEET TPE-S F 85A-3E1678 Transparent

sion Number 1.1 ision Date 01/21/2011		Page 5 of e Print Date 1/17/2012
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15.	REGULATORY INFORMATION
US Regulations:		
OSHA Status		Classified as hazardous based on components.
	•	
TSCA Status	•	All components of this product are listed on or exempt from the
TSCA Status	·	TSCA Inventory.
US. EPA CERCLA Hazardou	s Subs	TSCA Inventory.
	s Subs	TSCA Inventory.
US. EPA CERCLA Hazardou	s Subs	TSCA Inventory.
US. EPA CERCLA Hazardou		TSCA Inventory.
US. EPA CERCLA Hazardou not applicable California Proposition	:	TSCA Inventory. tances (40 CFR 302) Not applicable
US. EPA CERCLA Hazardou not applicable California Proposition 65 SARA Title III Section 302 E:	: xtreme	TSCA Inventory. tances (40 CFR 302) Not applicable
US. EPA CERCLA Hazardou not applicable California Proposition 65 SARA Title III Section 302 E:	: xtreme identif	TSCA Inventory. tances (40 CFR 302) Not applicable ely Hazardous Substance fied under this section, this product is Not Applicable under this regulatio
US. EPA CERCLA Hazardou not applicable California Proposition 65 SARA Title III Section 302 E2 Unless specific chemicals are SARA Title III Section 313 To	: xtreme identif oxic C	TSCA Inventory. tances (40 CFR 302) Not applicable ely Hazardous Substance fied under this section, this product is Not Applicable under this regulatio
US. EPA CERCLA Hazardou not applicable California Proposition 65 SARA Title III Section 302 E2 Unless specific chemicals are SARA Title III Section 313 To	: xtreme identif oxic C	TSCA Inventory. tances (40 CFR 302) Not applicable ely Hazardous Substance fied under this section, this product is Not Applicable under this regulatio hemicals:
US. EPA CERCLA Hazardou not applicable California Proposition 65 SARA Title III Section 302 E: Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are	: identif oxic C identif	TSCA Inventory. tances (40 CFR 302) Not applicable ely Hazardous Substance fied under this section, this product is Not Applicable under this regulatio hemicals: fied under this section, this product is Not Applicable under this regulatio

PolyOne

MATERIAL SAFETY DATA SHEET TPE-S F 85A-3E1678 Transparent

Version Number 1.1 Revision Date 01/21/2011 Page 6 of 6 Print Date 1/17/2012

 WHMIS Classification : D2B DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. 	
National Inventories:	
Australia AICS : Listed	
China IECS : Listed	
Europe EINECS : Listed	
Japan ENCS : Listed	
Korea KECI : Listed	
Philippines PICCS : Listed	
16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.