MATERIAL SAFETY DATA SHEET NN-000/05M NATURAL

Version Number 1.0 Revision Date 09/09/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NN-000/05M NATURAL
Product code	:	EM10007158
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Molybdenum (IV) sulfide	1317-33-5	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
	4. FIRST AID MEASURES		



MATERIAL SAFETY DATA SHEET NN-000/05M NATURAL

sion Date 09/09/2004	Page 2 Print Date 11/15/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET NN-000/05M NATURAL

Version Number 1.0 Revision Date 09/09/2004 Page 3 of 6 Print Date 11/15/2011

8. E	XPOSURE	CONTROLS / P	ERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respira	tory protecti	ve equipment normally r	equired.	
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations				industrial hygiene and s at the end of workday.	afety practice	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Molybdenum (IV) sulfide	0.5 mg/m3	Time Weighted (TWA)	-	Respirable fraction. as Mo	ACGIH	
	9. PHYSIC	CAL AND CHEM	IICAL PRO	PERTIES		
Form	: Solid	1	Evapor	ration rate : Not	applicable	
Appearance		ets, slabs		2	determined	
Color		PIGMENT	Bulk d		established	
Odor		: Very faint			applicable	
Melting point/range		determined			applicable	
Boiling Point:		applicable	pH	: Not	applicable	
Water solubility	: Insol	uble				
	10. 8	STABILITY ANI) REACTIV	TTY		
Stability	: S	table.				
Stability Hazardous Polymerizatior		table. Vill not occur.				
·	1 : W	Vill not occur.	ecomposition	ı, do not overheat.		
Hazardous Polymerization	1 : W : T	Vill not occur.	-			

PolyOne

MATERIAL SAFETY DATA SHEET NN-000/05M NATURAL

Version Number 1.0

Revision Date 09/09/2004

Page 4 of 6 Print Date 11/15/2011

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
1317-33-5 Molybdenum (IV) sulfide		de Irritant	Eyes, Skin.		
	12 ECOLOC	ICAL INFORMATIO	N		
	12. ECOLOG	ACAL INFORMATIO	11		
Persistence and degradab	pility : Not readily	biodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potenti		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: Not applica	able			
	13. DISPOSA	L CONSIDERATION	S		
Product	possible rec generator o classificatio	cycling is preferred to d	e product can be recycled. Where isposal or incineration. The responsibility for proper waste isposal in accordance with and local regulations.		
Contaminated packaging	has the resp and disposa	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSP	ORT INFORMATION	N		
U.S. DOT Classification	: Not regulat	ed for transportation.			
ICAO/IATA (air)	: Refer to spe	ecific regulation.			
IMO / IMDG (maritime)	: Refer to spo	ecific regulation.			
	15. REGULA	TORY INFORMATIC	DN		
US Regulations:					
		4/6			

PolyOne.

MATERIAL SAFETY DATA SHEET NN-000/05M NATURAL

sion Number 1.0 ision Date 09/09/2004		Page 5 0 Print Date 11/15/20
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se I	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET NN-000/05M NATURAL

Version Number 1.0 Revision Date 09/09/2004 Page 6 of 6 Print Date 11/15/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.