MATERIAL SAFETY DATA SHEET **PC-15MCF/000 NATURAL**

Version Number 1.0 Revision Date 09/09/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	PC-15MCF/000 NATURAL		
Product code	:	EM10007192		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon	7440-44-0	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

PolyOne.

MATERIAL SAFETY DATA SHEET **PC-15MCF/000 NATURAL**

sion Date 09/09/2004	Page 2 Print Date 11/15/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET **PC-15MCF/000 NATURAL**

Version Number 1.0 Revision Date 09/09/2004 Page 3 of 6 Print Date 11/15/2011

Respiratory protection	: N	lo personal respiratory	protecti	ve equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L				
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance wi Vash hands before brea		industrial hygiene and at the end of workday.	safety practice
Engineering measures		leat only in areas with a ppropriate exhaust vent		iate exhaust ventilation. at machinery.	. Provide
Exposure limit(s)				·	
Components	Value	Exposure time		Exposure type	List:
Carbon	2 mg/m3	Time Weighted Ave (TWA):		Dust.	ACGIH
	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICA	AL PRC	PERTIES	
Form	: Solic	1	Evanor	ration rate : No	t applicable
Appearance		ets, slabs			t determined
Color		PIGMENT	Bulk d	5	t established
Odor	: Very	y faint			t applicable
Melting point/range	: Not	determined	Vapou	r density : No	t applicable
Boiling Point:		applicable	pН	: No	t applicable
Water solubility	: Insol	uble			
	10. 5	STABILITY AND RE	ACTIV	TTY	
Stability	: S	table.			
Hazardous Polymerizatior	1 : V	Vill not occur.			
Conditions to avoid	: T	o avoid thermal decom	positior	n, do not overheat.	
Incompatible Materials	: S	trong acids, oxidizing	and re	ducing agents	
Hazardous decomposition	· C	arbon dioxide (CO2)	carbon r	nonoxide (CO), oxides	of nitrogen

3/6

PolyOne

MATERIAL SAFETY DATA SHEET PC-15MCF/000 NATURAL

Version Number 1.0

Revision Date 09/09/2004

Page 4 of 6 Print Date 11/15/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ				
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or circulatory system.				
	12. ECOLOG	ICAL INFORMATION	1				
Persistence and degrad	ability : Not readily	biodegradable.					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.					
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.					
Additional advice	: Not applica	ıble					
	13. DISPOSA	L CONSIDERATIONS	5				
Product Contaminated packagir	possible red generator o classificatio applicable f ng : Recycling i has the resp and disposa	thermoplastic plastics the product can be recycled. Where ecycling is preferred to disposal or incineration. The of waste material has the responsibility for proper waste ion, transportation and disposal in accordance with a federal, state/provincial and local regulations. is preferred when possible. The generator of waste material sponsibility for proper waste classification, transportation sal in accordance with applicable federal, state/provincial regulations.					
	14. TRANSP	ORT INFORMATION					
U.S. DOT Classificatio	n : Not regulat	ed for transportation.					
ICAO/IATA (air)	: Refer to spe	: Refer to specific regulation.					
IMO / IMDG (maritime	e) : Refer to spo	ecific regulation.					
	15 DECHLA	FORY INFORMATION	NI				

PolyOne.

MATERIAL SAFETY DATA SHEET **PC-15MCF/000 NATURAL**

		16. OTHER INFORMATION		-
Philippines PICCS	:	Listed		
Korea KECI	:	Listed		
Japan ENCS	:	Not determined		
Europe EINECS	:	Listed		
China IECS	:	Listed		
Australia AICS	:	Listed		
National Inventories:				
DSL	:	All components of this product are on the Canadian Substances List (DSL) or are exempt.	n Domest	ic
WHMIS Classification	:	Not controlled.		
Not applicable				
National Pollutant Releas	se I	nventory (NPRI)		
Not applicable Canadian Regulations:				
SARA Title III Section 313 Tox	ic (Chemicals:		
Not applicable				
SARA Title III Section 302 Extra	rem	ely Hazardous Substance		
California Proposition 65	:	WARNING! This product contains a chemical kno California to cause cancer.	wn to the	e State o
Not applicable				
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
TSCA Status	:	All components of this product are listed on or exem Inventory.	npt from t	the TSC
OSHA Status	:	Classified as hazardous based on components.		
US Regulations:				



MATERIAL SAFETY DATA SHEET **PC-15MCF/000 NATURAL**

Version Number 1.0 Revision Date 09/09/2004 Page 6 of 6 Print Date 11/15/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.