MATERIAL SAFETY DATA SHEET

IT40-016 NATURAL

Version Number 1.0 Revision Date 09/24/2004

Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone number | : | Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|---|
| Product name | : | IT40-016 NATURAL |
| Product code | : | EM10007321 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|-----------|----------|
| Calcium carbonate | 1317-65-3 | 30 - 60 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | |
|---|--|--|
| Acute exposure | | |
| Inhalation Ingestion Eyes Skin | Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | |
| Medical Conditions Aggravated by Exposure: | : None known. | |
| 4. FIRST AID MEASURES | | |



MATERIAL SAFETY DATA SHEET IT40-016 NATURAL

| ion Number 1.0 sion Date 09/24/2004 | Page 2 Print Date 11/16/ |
|--|--|
| | |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature | Not applicable Not applicable Not applicable |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |

PolyOne.

MATERIAL SAFETY DATA SHEET *IT40-016 NATURAL*

Version Number 1.0 Revision Date 09/24/2004 Page 3 of 6 Print Date 11/16/2011

| | AI OSUKE | CONTROLS / PERSON | ALIKOILUIK | 511 | |
|--|---|---|--|---|---|
| Respiratory protection | : N | lo personal respiratory pro | otective equipment | normally r | equired. |
| Eye/Face Protection | : S | afety glasses with side-sh | ields. | | |
| Hand protection | : P | rotective gloves. | | | |
| Skin and body protection | : Long sleeved clothing. | | | | |
| Additional Protective Measures | : S | afety shoes. | | | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practi- Wash hands before breaks and at the end of workday. | | | | |
| Engineering measures | | leat only in areas with app ppropriate exhaust ventila | | entilation. | Provide |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | Exposure | e type | List: |
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable | | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total d | | OSHA Z1 |
| | 9. PHYSIC | CAL AND CHEMICAL | | | ODINIZI |
| Form | 9. PHYSIC | CAL AND CHEMICAL | PROPERTIES | | |
| Appearance | : Solic : Pelle | CAL AND CHEMICAL 1 E ets, slabs S | PROPERTIES vaporation rate pecific Gravity: | : Not : Not | applicable determined |
| Appearance Color | : Solic : Pelle : NO I | CAL AND CHEMICAL 1 E ets, slabs S PIGMENT B | PROPERTIES vaporation rate pecific Gravity: ulk density | : Not : Not : Not | applicable determined established |
| Appearance Color Odor | : Solic : Pelle : NO I : Very | CAL AND CHEMICAL I E ets, slabs S PIGMENT B 7 faint V | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure | : Not : Not : Not : Not | applicable determined established applicable |
| Appearance Color Odor Melting point/range | : Solic : Pelle : NO I : Very : Note | CAL AND CHEMICAL E E ets, slabs S PIGMENT B V faint V determined V | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure apour density | : Not : Not : Not : Not : Not | applicable determined established applicable applicable |
| Appearance Color Odor | : Solic : Pelle : NO I : Very : Note | CAL AND CHEMICAL t E ets, slabs S PIGMENT B v faint V determined V applicable p | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure apour density | : Not : Not : Not : Not : Not | applicable determined established applicable |
| Appearance Color Odor Melting point/range Boiling Point: | : Solic : Pelle : NO I : Very : Not c : Not a : Insol | CAL AND CHEMICAL1Eets, slabsSPIGMENTB7 faintVdeterminedVapplicablepluble | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure apour density H | : Not : Not : Not : Not : Not | applicable determined established applicable applicable |
| Appearance Color Odor Melting point/range Boiling Point: Water solubility | : Solic : Pelle : NO I : Very : Not c : Not a : Insol 10. S | CAL AND CHEMICAL I E ets, slabs S PIGMENT B r faint V determined V applicable pl luble STABILITY AND REAC | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure apour density H | : Not : Not : Not : Not : Not | applicable determined established applicable applicable |
| Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability | : Solic : Pelle : NO I : Very : Not c : Not a : Insol 10. S : S | CAL AND CHEMICAL The Exts, slabs Signed PIGMENT Bigger of faint V determined V applicable pigger luble STABILITY AND REACT table. | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure apour density H | : Not : Not : Not : Not : Not | applicable determined established applicable applicable |
| Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatior | : Solic : Pelle : NO I : Very : Not c : Not c : Insol 10. S : S | CAL AND CHEMICAL d E ets, slabs S PIGMENT B 7 faint V determined V applicable p uble STABILITY AND REAC table. Vill not occur. | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure apour density H | : Not : Not : Not : Not : Not | applicable determined established applicable applicable |
| Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatior Conditions to avoid | : Solic : Pelle : NO I : Very : Not o : Not o : Insol 10. S : S n : W : T | CAL AND CHEMICAL 1 E ets, slabs S PIGMENT B 7 faint V determined V applicable pl luble STABILITY AND REAC table. Vill not occur. Yo avoid thermal decomponent | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure apour density H CTIVITY | : Not : Not : Not : Not | applicable determined established applicable applicable |
| Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatior | : Solic : Pelle : NO I : Very : Not o : Not o : Insol 10. S : S n : W : T | CAL AND CHEMICAL d E ets, slabs S PIGMENT B 7 faint V determined V applicable p uble STABILITY AND REAC table. Vill not occur. | PROPERTIES vaporation rate pecific Gravity: ulk density apor pressure apour density H CTIVITY | : Not : Not : Not : Not | applicable determined established applicable applicable |

PolyOne

MATERIAL SAFETY DATA SHEET

IT40-016 NATURAL

Version Number 1.0 Revision Date 09/24/2004

Page 4 of 6 Print Date 11/16/2011

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

_

_

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|-----------|-------------------|------------------|---------------------------------|
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory system. |

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : Not applicable |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Not regulated for transportation. |
| ICAO/IATA (air) | : Refer to specific regulation. |
| IMO / IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |

MATERIAL SAFETY DATA SHEET IT40-016 NATURAL

Version Number 1.0 Page 5 of 6 Revision Date 09/24/2004 Print Date 11/16/2011 **OSHA Status** Classified as hazardous based on components. : **TSCA Status** All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : WARNING! This product contains a chemical known to the State of 65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI) Chemical Name CAS-No. Weight % NPRI ID# Fatty acids, C8-18 and C18-unsatd., zinc salts 67762-34-9 0.10 241 WHMIS Classification Not controlled. : DSL DSL status has not been determined. Quantity use in Canada may be ÷ restricted by regulations. National Inventories: Australia AICS : Not determined China IECS Not determined : Europe EINECS Not determined : Japan ENCS Not determined : Korea KECI Not determined : **Philippines PICCS** : Not determined

PolyOne

MATERIAL SAFETY DATA SHEET *IT40-016 NATURAL*

Version Number 1.0 Revision Date 09/24/2004

Page 6 of 6 Print Date 11/16/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belie at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.