MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 311N LT TITANIUM

Version Number 1.0 Revision Date 02/02/2005 Page 1 of 5 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).				
Product name	:	GF 600 A 33 HS7 311N LT TITANIUM				
Product code	:	EM10007937				
Chemical Name	:	Mixture				
CAS-No.	:	Mixture				
Product Use	:	Industrial Applications				

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	:	Inhalation, Ingestion, Skin contact	
Acute exposure			
Inhalation Ingestion Eyes Skin	:	Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	:	Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	:	None known.	
		A FIDST AID MEASUDES	T

4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 311N LT TITANIUM

sion Number 1.0 ision Date 02/02/2005	Page 2 Print Date 11/17/2					
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.					
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.					
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.					
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.					
	5. FIRE-FIGHTING MEASURES					
Flash point	: Not applicable					
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	 Not applicable Not applicable Not applicable 					
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.					
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.					
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 					
	6. ACCIDENTAL RELEASE MEASURES					
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.					
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.					
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.					
	7. HANDLING AND STORAGE					
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.					
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8. EXPO	OSURE CONTROLS / PERSONAL PROTECTION					

PolyOne

MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 311N LT TITANIUM

Version Number 1.0 Revision Date 02/02/2005

products

Page 3 of 5 Print Date 11/17/2011

Respiratory protection	:	No personal respiratory	protective equipment n	ormally required.	
Eye/Face Protection	:	Safety glasses with side	-shields.		
Hand protection	:	Protective gloves.			
Skin and body protection	:	Long sleeved clothing.			
Additional Protective Measures	:	Safety shoes.			
General Hygiene Considerations	:	Handle in accordance w Wash hands before brea			
Engineering measures	:	Heat only in areas with appropriate exhaust ven		ntilation. Provide	
Exposure limit(s)					
There are no known hazardous	com	ponents above regulatory	thresholds in this prod	uct.	
9. P	ΉY	SICAL AND CHEMIC	AL PROPERTIES		-
Appearance Color Odor Melting point/range Boiling Point:	: T. : V : N : N	ellets, Slabs	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable Not applicable 	
	1). STABILITY AND RE	EACTIVITY		-
Stability	:	Stable.			
Stability Hazardous Polymerization	:	Stable. Will not occur.			
	::		nposition, do not overhe	eat.	

Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

12. ECOLOGICAL INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 311N LT TITANIUM

Version Number 1.0 Revision Date 02/02/2005 Page 4 of 5 Print Date 11/17/2011

Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: Not applicable				
	13. DISPOSAL CONSIDERATIONS				
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPORT INFORMATION				
U.S. DOT Classification	: Not regulated for transportation.				
ICAO/IATA (air)	: Refer to specific regulation.				
IMO / IMDG (maritime)	: Refer to specific regulation.				
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.				
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous	Substances (40 CFR 302)				
Not applicable					

PolyOne.

MATERIAL SAFETY DATA SHEET GF 600 A 33 HS7 311N LT TITANIUM

vision Date 02/02/2005				Prin	Page t Date 11/17	
California Proposition 65	:	This product does no	t contain a substa	ance listed by C	alifornia Prop	65.
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substar	ice			
SARA Title III Section 313 To:	xic (Chemicals:				
Not applicable Canadian Regulations:						
National Pollutant Relea	se Ii	nventory (NPRI)	GAGN	XX : 1 : 0/		
Chemical Name Zinc stearate			CAS-No. 557-05-1	Weight % 0.10	NPRI ID# 231	
WHMIS Classification	:	Not controlled. All components of t Substances List (DS)			Domestic	
National Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Not determined				
Europe EINECS	:	Not determined				
Japan ENCS	:	Not determined				
Korea KECI	:	Not determined				
Philippines PICCS	:	Not determined				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.