## MATERIAL SAFETY DATA SHEET X15502003612 NATURAL

Version Number 1.1 Revision Date 05/11/2005 Page 1 of 6 Print Date 11/18/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X15502003612 NATURAL
Product code	:	EM10008338
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	471-34-1	5 - 10

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



# MATERIAL SAFETY DATA SHEET X15502003612 NATURAL

sion Date 05/11/2005	Page 2 Print Date 11/18/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

# MATERIAL SAFETY DATA SHEET X15502003612 NATURAL

Version Number 1.1 Revision Date 05/11/2005 Page 3 of 6 Print Date 11/18/2011

Respiratory protection	: N	lo personal respiratory	protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side	-shields		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance wave Vash hands before brea		industrial hygiene and s tt the end of workday.	afety practice
Engineering measures		leat only in areas with a ppropriate exhaust ven		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Ave (TWA):	erage		ACGIH
	9. PHYSIC	CAL AND CHEMICA	AL PRO	PERTIES	
Form	: Solid	1	Evene	ration rate : Not	applicable
Appearance		ets, Slabs			applicable determined
Color		PIGMENT	Bulk d		established
Odor	: Very				applicable
Melting point/range		determined			applicable
Boiling Point:		applicable	рН		applicable
Water solubility	: Insol				
	10. 8	STABILITY AND RE	ACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid	: T	o avoid thermal decom	positio	n, do not overheat.	
Incompatible Materials	: S	trong acids, oxidizing	and re	ducing agents	
	: C			nonoxide (CO), oxides	<b>.</b>

3/6

PolyOne

## MATERIAL SAFETY DATA SHEET X15502003612 NATURAL

#### Version Number 1.1 Revision Date 05/11/2005

Page 4 of 6 Print Date 11/18/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.

LC50 / LD50

\_

\_

This product contains the following components which, in their pure form, have the following toxicity data:

· · · · · · · · · · · · · · · · · · ·				
CAS-No.	Chemical Name	Route	Value	Species
471-34-1 C	Calcium carbonate	Oral LD50	6,450 mg/kg	rat
	12. ECOLOGIO	CAL INFORMAT	ION	
Persistence and degradabi	ility : Not readily b	iodegradable.		
Environmental Toxicity	: Chemicals ar polymer mat	•	ble as they are bound	d within the
Bioaccumulation Potentia	l : Chemicals ar polymer matr		ble as they are bound	d within the
Additional advice	: Not applicable	le		
	13. DISPOSAL	CONSIDERATIO	DNS	
Product	possible recy generator of classification	cling is preferred to waste material has t , transportation and	the product can be disposal or incinera he responsibility for disposal in accorda al and local regulati	tion. The proper waste nce with
Contaminated packaging	has the respo	nsibility for proper in accordance with	sible. The generator waste classification, applicable federal, s	transportation
	14. TRANSPO	RT INFORMATI	ON	
U.S. DOT Classification	: Not regulated	l for transportation.		
ICAO/IATA (air)	: Refer to spec	ific regulation.		

PolyOne.

# MATERIAL SAFETY DATA SHEET X15502003612 NATURAL

Version Number 1.1 Revision Date 05/11/2005 Page 5 of 6 Print Date 11/18/2011

	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr Not applicable	rem	ely Hazardous Substance
SARA Title III Section 313 Tox	tic C	Chemicals:
Not applicable	tic C	Chemicals:
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas		
Not applicable Canadian Regulations:		
Not applicable Canadian Regulations: National Pollutant Releas Not applicable		nventory (NPRI)
Not applicable Canadian Regulations: National Pollutant Releas Not applicable	se Iı	nventory (NPRI)
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification	se Iı :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL	se Iı :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories:	se Iı : :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS	se Iı : :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	se In : : :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined Not determined

PolyOne.

## MATERIAL SAFETY DATA SHEET X15502003612 NATURAL

Version Number 1.1 Revision Date 05/11/2005 Page 6 of 6 Print Date 11/18/2011

Philippines PICCS

: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.