#### MATERIAL SAFETY DATA SHEET

## EXP 800-260-1

Version Number 1.0 Revision Date 05/20/2005 Page 1 of 6 Print Date 11/18/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXP 800-260-1
Product code	:	EM10008576
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
4,4'-Thiobis(6-tert-butyl-m-cresol)	96-69-5	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure		
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	



# MATERIAL SAFETY DATA SHEET

## EXP 800-260-1

sion Date 05/20/2005		Page 2 Print Date 11/18/2			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: :	Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.			
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	•	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>			
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET

## EXP 800-260-1

Version Number 1.0 Revision Date 05/20/2005 Page 3 of 6 Print Date 11/18/2011

Respiratory protection	: N	o personal respirator	y protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with sid	le-shields		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				l industrial hygiene and at the end of workday.	safety practice
Engineering measures		eat only in areas with ppropriate exhaust ve		iate exhaust ventilation at machinery.	. Provide
Exposure limit(s)					
Components	Value	Exposure tim	le	Exposure type	List:
4,4'-Thiobis(6-tert-but yl-m-cresol)	10 mg/m3	Time Weighted A (TWA):		Dust.	ACGIH
	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	CAL PRO	PERTIES	
Farma	. Calid		E	notion note No	
Form Appearance	: Solid · Pelle	ts, Slabs			ot applicable of determined
Color		PIGMENT	Bulk d		ot established
Odor		faint			ot applicable
Melting point/range		letermined			ot applicable
Boiling Point:		applicable	рН		ot applicable
Water solubility	: Insol	uble			
	<b>10.</b> S	TABILITY AND R	EACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	ı : W	/ill not occur.			
Conditions to avoid	: T	o avoid thermal deco	mpositio	n, do not overheat.	
Incompatible Materials	: S	trong acids, oxidizin	g and re	ducing agents	
				nonoxide (CO), oxides	

3/6



### MATERIAL SAFETY DATA SHEET

## EXP 800-260-1

## Version Number 1.0

Revision Date 05/20/2005

Page 4 of 6 Print Date 11/18/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
96-69-5	4,4'-Thiobis(6-tert-butyl-m -cresol)	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
96-69-5	4,4'-Thiobis(6-tert-butyl-m	Oral LD50	2,345 mg/kg	rat
	-cresol)			

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

EXP 800-260-1			
Version Number 1.0 Revision Date 05/20/2005		Page 5 of 6 Print Date 11/18/2011	_
U.S. DOT Classification	:	Not regulated for transportation.	
ICAO/IATA (air)	:	Refer to specific regulation.	
IMO / IMDG (maritime)	:	Refer to specific regulation.	
	1	5. REGULATORY INFORMATION	•
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	Not applicable	
SARA Title III Section 302 Extr Not applicable	rem	ely Hazardous Substance	
SARA Title III Section 313 Tox	ic (	Chemicals:	
Not applicable Canadian Regulations:			
National Pollutant Release	se I	nventory (NPRI)	
Not applicable			
WHMIS Classification	:	D2B	
WHMIS Ingredient Discl	losi	ire List	
CAS-No.			
96-69-5			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	

PolvOne

## MATERIAL SAFETY DATA SHEET

## EXP 800-260-1

Version Number 1.0 Revision Date 05/20/2005 Page 6 of 6 Print Date 11/18/2011

China IECS:ListedEurope EINECS:ListedJapan ENCS:Not determinedKorea KECI:Not determinedPhilippines PICCS:Listed

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.