MATERIAL SAFETY DATA SHEET **PP 301 SHI G**

Version Number 1.2 Revision Date 12/19/2006 Page 1 of 7 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PP 301 SHI G
Product code	:	EM10008660
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Eyes, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Avoid skin contact. Product contains unreacted organic peroxides which may cause mild skin irritation.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: Individuals with chronic respiratory disorders (i.e. asthma, chronic bronchitis, etc.) may be adversely affected by any airborne contaminant.



MATERIAL SAFETY DATA SHEET **PP 301 SHI G**

Version Number 1.2 Revision Date 12/19/2006 Page 2 of 7 Print Date 11/25/2011

		4. FIRST AID MEASURES	
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	:		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.	
	5	5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.	
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. AC	CCIDENTAL RELEASE MEASURES	
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption	

2/7

PolyOne.

MATERIAL SAFETY DATA SHEET **PP 301 SHI G**

Version Number 1.2 Revision Date 12/19/2006 Page 3 of 7 Print Date 11/25/2011

and contamination. Keep in a dry, cool place. Keep away from heat. Excessive storage temperature and humidity can degrade product performance. Store below 149 °F (65 °C). Rotate stock. Product shelf life is normally 1 year maximum.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. During processing and cross-linking, product can give off by-products such as alcohols, acetophenone, alpha-methylstyrene, acetone, methane, and ethane. By-product vapors may be flammable. User must provide necessary precautions such as adequate ventilation to prevent accumulation and ignition of vapors. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average	as Sb	ACGIH
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets NO PIGMENT characteristic Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	::	Not applicable Not determined Not established Not applicable Not applicable Not applicable
--	---	---	----	---

PolyOne

MATERIAL SAFETY DATA SHEET **PP 301 SHI G**

Version Number 1.2 Revision Date 12/19/2006

Page 4 of 7 Print Date 11/25/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: strong acids, oxidizing agents, reducing agents
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Traces of alcohols, acetophenone, alpha-methylstyrene, acetone, methane, ethane, or other byproducts may be liberated during processing or decomposition.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

PolyOne

MATERIAL SAFETY DATA SHEET **PP 301 SHI G**

Version Number 1.2 Revision Date 12/19/2006 Page 5 of 7 Print Date 11/25/2011

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

: Not readily biodegradable.		
Chemicals are not readily available as they are bound within the polymer matrix.		
: Chemicals are not readily available as they are bound within the polymer matrix.		
: Not applicable		
13. DISPOSAL CONSIDERATIONS		
: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
14. TRANSPORT INFORMATION		
Not regulated for transportation.		
: Refer to specific regulation.		
: Refer to specific regulation.		
15. REGULATORY INFORMATION		
: Classified as hazardous based on components.		
: All components of this product are listed on or exempt from the TSCA Inventory.		



MATERIAL SAFETY DATA SHEET **PP 301 SHI G**

Version Number 1.2 Revision Date 12/19/2006 Page 6 of 7 Print Date 11/25/2011

Not applicable						
California Proposition 65		This product con cause cancer.	tains a che	mical kno	wn to the St	ate of
SARA Title III Section 302 E	xtremely Hazardous	Substance				
Unless specific chemicals are	identified under this	section, this prod	uct is Not A	Applicable	e under this i	regula
SARA Title III Section 313 To Unless specific chemicals are Chemical Name	identified under this	CAS	S-No.	Weigh	t %	egula
ANTIMONY COMPOUND	DS	1309	-64-4	5.00 -	10.00	
-	ease Inventory (NPR	D				
Canadian Regulations: National Pollutant Rele Chemical Name Antimony trioxide	ease Inventory (NPR	I) CAS-No. 1309-64-4		ght % - 10.00	NPRI ID#	<u>ŧ</u>
National Pollutant Rele		CAS-No.				ŧ
Chemical Name Antimony trioxide WHMIS Classification WHMIS Ingredient Dis CAS-No.	n : D2A	CAS-No.				ŧ
National Pollutant Rele Chemical Name Antimony trioxide WHMIS Classification WHMIS Ingredient Dis	n : D2A sclosure List : All of the co Inventories o product is on	CAS-No.	product are vever, at lea -Domestic	- 10.00 listed on t ast one con	17 the Canadian mponent of	nthis
National Pollutant Rele Chemical Name Antimony trioxide WHMIS Classification WHMIS Ingredient Dis CAS-No. 1309-64-4 DSL	n : D2A sclosure List : All of the co Inventories o product is on	CAS-No. 1309-64-4 mponents of this p r are exempt. How the Canadian Nor	product are vever, at lea -Domestic	- 10.00 listed on t ast one con	17 the Canadian mponent of	nthis
National Pollutant Rele Chemical Name Antimony trioxide WHMIS Classification WHMIS Ingredient Dis CAS-No. 1309-64-4	n : D2A sclosure List : All of the co Inventories o product is on	CAS-No. 1309-64-4	product are vever, at lea -Domestic	- 10.00 listed on t ast one con	17 the Canadian mponent of	nthis
National Pollutant Rele Chemical Name Antimony trioxide WHMIS Classification WHMIS Ingredient Dis CAS-No. 1309-64-4 DSL National Inventories:	n : D2A sclosure List : All of the co Inventories o product is on Quantity use	CAS-No. 1309-64-4	product are vever, at lea -Domestic	- 10.00 listed on t ast one con	17 the Canadian mponent of	nthis



MATERIAL SAFETY DATA SHEET **PP 301 SHI G**

Version Number 1.2 Revision Date 12/19/2006 Page 7 of 7 Print Date 11/25/2011

Japan ENCS : Not determined

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.