MATERIAL SAFETY DATA SHEET **GRV-UR-040-CU-NAT**

Version Number 1.0 Revision Date 07/12/2005

Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GRV-UR-040-CU-NAT
Product code	:	EM10008801
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Copper	7440-50-8	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				
	4. FIRST AID MEASURES				



MATERIAL SAFETY DATA SHEET **GRV-UR-040-CU-NAT**

sion Date 07/12/2005	Page : Print Date 11/18/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 7 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET GRV-UR-040-CU-NAT

Version Number 1.0 Revision Date 07/12/2005 Page 3 of 6 Print Date 11/18/2011

Respiratory protection	: N	o personal respir	atory protecti	ve equipment normally re	equired.		
Eye/Face Protection	: Safety glasses with side-shields.						
			i side silieids	•			
Hand protection		rotective gloves.					
Skin and body protection	: L	ong sleeved cloth	ning.				
Additional Protective Measures	: S	afety shoes.					
General Hygiene Considerations				l industrial hygiene and sa at the end of workday.	fety practice		
Engineering measures		eat only in areas		iate exhaust ventilation. at machinery.	Provide		
Exposure limit(s)							
Components	Value	Exposure	e time	Exposure type	List:		
Copper	1 mg/m3	PEL		Dust and mist. as Cu	OSHA Z1		
	0.2 mg/m3	Time Weighted Average (TWA):		Fume. as Cu	ACGIH		
1 mg/m3		Time Weighted Average (TWA):		Dust and mist. as Cu	ACGIH		
	9. PHYSIC	CAL AND CHE	MICAL PRO	PERTIES			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: NO I : Very : Not c	ts, Slabs PIGMENT faint letermined applicable	Specif Bulk d Vapor Vapou	ic Gravity: : Not ensity : Not pressure : Not r density : Not	applicable determined established applicable applicable applicable		
	10. S	TABILITY AN	D REACTIV	VITY			
Stability	: Si	table.					
Hazardous Polymerization	n : W	ill not occur.					
Conditions to avoid	: T	o avoid thermal o	lecomposition	n, do not overheat.			
Incompatible Materials	: S	trong acids, oxid	lizing and re	ducing agents			



MATERIAL SAFETY DATA SHEET GRV-UR-040-CU-NAT

Version Number 1.0

Revision Date 07/12/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-50-8	Copper	Irritant	Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system, Liver, Kidney.

12. ECOLOGICAL INFORMA	ATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET **GRV-UR-040-CU-NAT**

Version Number 1.0 Revision Date 07/12/2005 Page 5 of 6 Print Date 11/18/2011

	15	S. REGULATOR	Y INFORMAT	ION			
US Regulations:							
OSHA Status	:	Classified as haz	zardous based on	componer	nts.		
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous	s Subs	stances (40 CFR 3	302)				
Not applicable							
California Proposition 65	:	Not applicable					
SARA Title III Section 302 Ex Not applicable	trem	ely Hazardous Su	bstance				
CADA THE HIGH AND 212 T							
SAKA 11tie III Section 313 To	oxic C	Chemicals:					
Chemical Name	oxic C	Chemicals:	CAS-		Weight		
		Chemicals:	CAS- 7440-5			% · 100.00	
Chemical Name COPPER Canadian Regulations:							
Chemical Name COPPER Canadian Regulations: National Pollutant Relea			7440-5	50-8	60.00 -	- 100.00	
Chemical Name COPPER Canadian Regulations:				50-8 Weigh	60.00 -		
COPPER Canadian Regulations: National Pollutant Relea Chemical Name	ase Ir	Not controlled.	7440-5 CAS-No.	0-8 Weigt 60.00	60.00 - nt % - 100.00	NPRI ID# 71	
Chemical Name COPPER Canadian Regulations: National Pollutant Relea Chemical Name Copper WHMIS Classification DSL	ase Ir	Not controlled.	7440-5 CAS-No. 7440-50-8 s of this product a	0-8 Weigt 60.00	60.00 - nt % - 100.00	NPRI ID# 71	
Chemical Name COPPER Canadian Regulations: National Pollutant Relex Chemical Name Copper WHMIS Classification DSL National Inventories:	ase Ir	Not controlled. All components Substances List	7440-5 CAS-No. 7440-50-8 s of this product a	0-8 Weigt 60.00	60.00 - nt % - 100.00	NPRI ID# 71	
Chemical Name COPPER Canadian Regulations: National Pollutant Rele Chemical Name Copper WHMIS Classification DSL National Inventories: Australia AICS	ase Ir	Not controlled. All components Substances List	7440-5 CAS-No. 7440-50-8 s of this product a	0-8 Weigt 60.00	60.00 - nt % - 100.00	NPRI ID# 71	

POLYONE CORPO		PolyOne.			
MATERIAL SAFETY DATA GRV-UR-040-CU-N					
Version Number 1.0 Revision Date 07/12/2005				Print Date	Page 6 of 6 11/18/2011
Korea KECI	:	Listed			
Philippines PICCS	S :	Listed			
		16. OTHER	INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.