PolvOne

MATERIAL SAFETY DATA SHEET X15502007001 BLACK

Version Number 1.2 Revision Date 04/08/2013

Page 1 of 6 Print Date 4/8/2013

1. POLYONE CORPORATI 33587 Walker Road, Avoi	ION	UCT AND COMPANY IDENTIFICATION OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X15502007001 BLACK
Product code	:	EM10008896
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X15502007001 BLACK

Version Number 1.2 Revision Date 04/08/2013 Page 2 of 6 Print Date 4/8/2013

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Elemmehle Limite		
Flammable Limits Upper explosion limit		not applicable
Lower explosion limit	:	not applicable
Auto-ignition temperature	•	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET X15502007001 BLACK

Version Number 1.2 Revision Date 04/08/2013 Page 3 of 6 Print Date 4/8/2013

8.1	EXPOSURE	CONTROLS/P	ERSONAL I	PROTECTION	
Respiratory protection	: N	lo personal respir	atory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with	n side-shields		
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations				l industrial hygiene and eaks and at the end of w	
Engineering measures		leat only in areas ppropriate exhaus		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure	e time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL		Total dust.	OSHA Z1
	10 mg/m3	Time Weighte		i oturi dubt.	MX OEL
	10 mg/m3	(TWA			WIX OLL
	20 mg/m3	Short Term Exp	,		MX OEL
	20 mg/m3	(STEI			MA OEL
		(511)	<i>_)</i> .		
	9. PHYSIC	CAL AND CHE	MICAL PRO	PERTIES	
Form	: solid		Evapor	ration rate : No	t applicable
Appearance		ts, Slabs	Specifi		t determined
Colour	: BLA		Bulk d		t established
Odour	: very			•	applicable
Melting point/range	•	determined		-	applicable
Boiling Point:	: not a	pplicable	pH	•	applicable
Water solubility	: insol	uble			
	10. 8	STABILITY AN	D REACTIV	TTY	
Stability	: T	he product is stat	ble if stored a	nd handled as prescribe	d.
Hazardous Polymerization	n : V	Vill not occur.			
Conditions to avoid	: T	o avoid thermal c	lecomposition	n, do not overheat.	
Incompatible Materials	: S	trong acids, oxid	izing and re	ducing agents	

PolvOne

MATERIAL SAFETY DATA SHEET X15502007001 BLACK

Version Number 1.2 Revision Date 04/08/2013 Page 4 of 6 Print Date 4/8/2013

Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

_

_

This product contains the following components which in their pure form have the following characteristics:

CAC N					
CAS-No.	Che	mical Name	Effect	Target Organ	
1317-65-3	Calcium o	arbonate	Irritant	Eyes, Skin.	
			Systemic effects	Eyes, Skin, Respiratory system.	
]	2. ECOLOGIO	CAL INFORMATION	1	
Persistence and degrad	lability :	Not readily b	iodegradable.		
Environmental Toxicit	ty :	Chemicals are polymer matr		as they are bound within the	
Bioaccumulation Poter	ntial :	Chemicals are polymer matri	2	as they are bound within the	
Additional advice	:	not applicable	2		
	-	13. DISPOSAL	CONSIDERATIONS	5	
Product	:	Like most the possible recy generator of v classification	ermoplastic plastics the cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with	
	:	Like most the possible recy generator of v classification applicable fee Recycling is p material has t transportation	ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible he responsibility for pr	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste oper waste classification, lance with applicable federal,	
Product Contaminated packagi	: ng :	Like most the possible recyc generator of v classification applicable fee Recycling is p material has t transportation state/provinci	ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible he responsibility for pr and disposal in accord	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste oper waste classification, lance with applicable federal,	
	ng :	Like most the possible recy generator of v classification applicable fee Recycling is material has t transportatior state/provinci	ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible he responsibility for pr n and disposal in accord al and local regulations	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste oper waste classification, lance with applicable federal,	

IMO/IMDG (maritime) : Refer to specific regulation.

olvOn<u>e</u>

Page 5 of 6 Print Date 4/8/2013

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET X15502007001 BLACK

Version Number 1.2 Revision Date 04/08/2013

15. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS : Listed **Europe EINECS** : Listed Japan ENCS : Listed

MATERIAL SAFETY DATA SHEET X15502007001 BLACK

Version Number 1.2 Revision Date 04/08/2013 Page 6 of 6 Print Date *4/8/2013*

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.