MATERIAL SAFETY DATA SHEET V0022G-2 NATURAL

Version Number 1.5 Revision Date 05/20/2009

Page 1 of 7 Print Date 1/7/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	V0022G-2 NATURAL
Product code	:	EM10009565
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Benzenepropanoic acid, 3,5-bis(1,1- dimethylethyl)-4-hydroxy-,2-[3-[3,5-bis(1,1- dimethylethyl)-4-hydroxyphenyl]-1- oxopropyl]hydrazide	32687-78-8	1 - 5
Silica, amorphous, diatomaceous earth	68855-54-9	0.1 - 1
Antimony trioxide	1309-64-4	10 - 30
Decabromodiphenyl oxide	1163-19-5	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact

Acute exposure

Inhalation	: Particulates, like other inert materials can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET V0022G-2 NATURAL

Version Number 1.5 Revision Date 05/20/2009 Page 2 of 7 Print Date 1/7/2012

Medical Conditions Aggravated by Exposure:	: None known.		
Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits			
Upper explosion limit	: Not applicable		
Lower explosion limit	: Not applicable		
Autoignition temperature	: Not applicable		
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		

PolyOne.

MATERIAL SAFETY DATA SHEET V0022G-2 NATURAL

Version Number 1.5 Revision Date 05/20/2009		Page 3 of 7 Print Date 1/7/2012
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
Silica, amorphous, diatomaceous earth	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Solidpellets, Slabs

Evaporation rate Specific Gravity Not applicableNot determined

MATERIAL SAFETY DATA SHEET V0022G-2 NATURAL

Version Number 1.5 Revision Date 05/20/2009

Color Odour Melting point/range Boiling Point: Water solubility	 NO PIGMENT Very faint Not determined Not applicable Insoluble 	Bulk density Vapour pressure Vapour density pH	 Not established Not applicable Not applicable Not applicable
	10. STABILITY ANI) REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: To avoid thermal de	ecomposition, do not over	heat.
Incompatible Materials	: Strong acids, oxidi	zing and reducing agents	5

Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:


CAS-No.	Chemical Name	Effect	Target Organ
32687-78-8	Benzenepropanoic acid,	Chronic effects	Liver.
	3,5-bis(1,1-		
	dimethylethyl)-4-hydroxy-		
	,2-[3-[3,5-bis(1,1-		
	dimethylethyl)-4-		
	hydroxyphenyl]-1-		
	oxopropyl]hydrazide		
68855-54-9	Silica, amorphous,	Irritant	Eyes, Skin, Respiratory
	diatomaceous earth		system.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.
1163-19-5	Decabromodiphenyl oxide	Systemic effects	Liver, Kidney.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species

<u>PolyOne</u>



MATERIAL SAFETY DATA SHEET V0022G-2 NATURAL

Version Number 1.5 Revision Date 05/20/2009

Page 5 of 7 Print Date 1/7/2012

32687-78-8	Benzenepropanoic acid, 3,5-bis(1,1- dimethylethyl)-4-hydroxy- ,2-[3-[3,5-bis(1,1- dimethylethyl)-4- hydroxyphenyl]-1- oxopropyllbydrazida	Oral LD50	> 7,000 mg/kg	rat
1309-64-4	oxopropyl]hydrazide Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat
1163-19-5	Decabromodiphenyl oxide	Oral LD50	> 5 gm/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

Additional Health Hazard Information:

Decabromodiphenyl oxide 1163-19-5 A halogenated aromatic with some potential for hazardous exposure via inhalation or ingestion. Acute toxicity is low - oral LD50 in rats >50 mg/L. Studies on rats at high feeding levels indicate some potential for liver and kidney effects from chronic overexposure as well as thyroid toxicity.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS

PolyOne.

MATERIAL SAFETY DATA SHEET V0022G-2 NATURAL

Version Nu Revision Da	mber 1.5 ate 05/20/2009				Pi	Page 6 of 7 rint Date 1/7/2012	
Product	t	po ge cla	ossible reconcrator of assification	cycling is preferred f waste material has on, transportation ar	es the product can be re- to disposal or incinerat s the responsibility for p ad disposal in accordan cial and local regulatio	ion. The proper waste ce with	
Contan	Contaminated packaging :			Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. 7	FRANSP	ORT INFORMAT	TION		
U.S. DO	OT Classification	: No	ot regulat	ed for transportation	n.		
ICAO/I	ICAO/IATA (air) : 1			Refer to specific regulation.			
IMO / I	IMO / IMDG (maritime) : Re			Refer to specific regulation.			
		15 R	EGUL A'	TORY INFORMA	TION		
	mulations	10110					
	gulations:	~					
	OSHA Status : Classified as hazardous based on components.						
	TSCA Status		ll compo SCA Inve		t are listed on or exempt	pt from the	
US. EP	A CERCLA Hazard	ous Substan	ces (40 C	CFR 302)			
	Chemical Name	CAS-No.	I	RQ for component	RQ for	7	
-	Arsenic	7440-38-2		001 lbs	Mixture/Product 2,049 LB	-	
	Ai seine	7440-30-2		01 103	2,047 LD]	
	California Propositi 65			G! This product con to cause cancer.	atains a chemical know	n to the State of	
SARA	Title III Section 302	Extremely	Hazardou	us Substance			
Unless	specific chemicals a	re identified	l under th	is section, this prod	uct is Not Applicable ı	under this regulation	
SARA	Title III Section 313	Toxic Cher	nicals:				
				6/7			

MATERIAL SAFETY DATA SHEET V0022G-2 NATURAL

Version Number	er 1.5
Revision Date	05/20/2009

Page 7 of 7 Print Date 1/7/2012

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	10.00 - 30.00
DECABROMODIPHENYL OXIDE	1163-19-5	30.00 - 60.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Antimony trioxide	1309-64-4	10.00 - 30.00	
Decabromodiphenyl oxide	1163-19-5	30.00 - 60.00	

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-64-4	

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.