PolvOne

### MATERIAL SAFETY DATA SHEET

### Syncure V0022G-6

Version Number 1.1 Revision Date 08/23/2007 Page 1 of 7 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	Syncure V0022G-6	
Product code	:	EM10010227	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Benzenepropanoic acid,	32687-78-8	1 - 5
3,5-bis(1,1-dimethylethyl)-4-hydroxy-,2-[3-[		
3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]		
-1-oxopropyl]hydrazide		
Decabromodiphenyl oxide	1163-19-5	30 - 60
Antimony trioxide	1309-64-4	10 - 30

#### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	
----------------------------	--

: Inhalation, Ingestion, Skin contact

#### Acute exposure

Inhalation	: Particulates, like other inert materials can be mechanically irritating.
Ingestion Eyes	<ul><li>May be harmful if swallowed.</li><li>Particulates, like other inert materials can be mechanically irritating.</li></ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET Syncure V0022G-6

Version Number 1.1 Revision Date 08/23/2007 Page 2 of 7 Print Date 11/30/2011

Medical Conditions       : None known.         Aggravated by Exposure:				
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits				
Upper explosion limit	: Not applicable			
Lower explosion limit	: Not applicable			
Autoignition temperature	: Not applicable			
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen			
Hazards	(NOx), other hazardous materials, and smoke are all possible.			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			



# MATERIAL SAFETY DATA SHEET Syncure V0022G-6

			Print D	Page Date 11/30/
Handling		ake measures to prevent the bunch is a reas with appropriate experiences with appropriate experiences and the second seco		narge. Heat
Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practic
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
			5	
Exposure limit(s)			,	
	Value		-	List:
Exposure limit(s) Components Antimony trioxide	Value 0.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type as Sb	List: MX OEI
Components		Exposure time Time Weighted Average	Exposure type	MX OEI
Components	0.5 mg/m3	Exposure time Time Weighted Average (TWA): Time Weighted Average	Exposure type as Sb	MX OEI ACGIH
Components	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA):	Exposure type as Sb as Sb as Sb	MX OEI ACGIH
Components Antimony trioxide	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Exposure type as Sb as Sb as Sb PERTIES	MX OEI ACGIH OSHA Z
Components Antimony trioxide	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Exposure type as Sb as Sb as Sb PERTIES ration rate : Not	List: MX OEI ACGIH OSHA Z
Components Antimony trioxide	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Exposure type as Sb as Sb as Sb PERTIES ration rate : Not c Gravity : Not	MX OEI ACGIH OSHA Z
Components Antimony trioxide Form Appearance	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : NO H	Exposure time Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO t Evapor ts, Slabs Specifi PIGMENT Bulk d	Exposure type as Sb as Sb as Sb PERTIES ration rate : Not c Gravity : Not ensity : Not	MX OEI ACGIH OSHA Z applicable determined established
Components Antimony trioxide Form Appearance Color	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : NO I : Very	Exposure time         Time Weighted Average         (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         ts, Slabs       Specifi         PIGMENT       Bulk d         faint       Vapou	Exposure type as Sb as Sb as Sb PERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not	MX OEI ACGIH OSHA Z applicable determined established applicable
Components Antimony trioxide Form Appearance Color Odour	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : NO I : Very : Not of	Exposure time         Time Weighted Average         (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         ts, Slabs       Specifi         PIGMENT       Bulk d         faint       Vapou	Exposure type         as Sb         as Sb         as Sb         as Sb         perform the second sec	MX OEI ACGIH OSHA Z applicable determined established
Components Antimony trioxide Form Appearance Color Odour Melting point/range	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : NO I : Very : Not of	Exposure time         Time Weighted Average         (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts, Slabs       Specifi         PIGMENT       Bulk d         faint       Vapou         determined       Vapou         applicable       pH	Exposure type         as Sb         as Sb         as Sb         as Sb         perform the second sec	MX OEI ACGIH OSHA Z applicable determined established applicable applicable
Components Antimony trioxide Form Appearance Color Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : NO H : Very : Not c : Insol	Exposure time         Time Weighted Average         (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts, Slabs       Specifi         PIGMENT       Bulk d         faint       Vapou         determined       Vapou         applicable       pH	Exposure type as Sb as Sb as Sb DPERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not r density : Not : Not	MX OEI ACGIH OSHA Z applicable determined established applicable applicable
Components Antimony trioxide Form Appearance Color Odour Melting point/range Boiling Point:	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solic : pelle : NO I : Very : Not c : Not a : Insol 10. S	Exposure time         Time Weighted Average         (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts, Slabs       Specifi         PIGMENT       Bulk d         r faint       Vapou         applicable       pH         uble       Name	Exposure type as Sb as Sb as Sb DPERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not r density : Not : Not	MX OEI ACGIH OSHA Z applicable determined established applicable applicable
Components Antimony trioxide Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 9. PHYSIC : Solid : pelle : NO I : Very : Not a : Insol 10. S : S	Exposure time         Time Weighted Average         (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         1       Evapor         ts, Slabs       Specifi         PIGMENT       Bulk d         faint       Vapou         determined       Vapou         applicable       pH         uble       STABILITY AND REACTIV	Exposure type as Sb as Sb as Sb DPERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not r density : Not : Not	MX OEI ACGIH OSHA Z applicable determined established applicable applicable

PolyOne.

## MATERIAL SAFETY DATA SHEET Syncure V0022G-6

Version Number 1.1 Revision Date 08/23/2007

Page 4 of 7 Print Date 11/30/2011

Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
32687-78-8	Benzenepropanoic acid,	Chronic effects	Liver.
	3,5-bis(1,1-dimethylethyl)		
	-4-hydroxy-,2-[3-[3,5-bis(		
	1,1-dimethylethyl)-4-hydr		
	oxyphenyl]-1-oxopropyl]h		
	ydrazide		
1163-19-5	Decabromodiphenyl oxide	Systemic effects	Liver, Kidney.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
32687-78-8	Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl) -4-hydroxy-,2-[3-[3,5-bis( 1,1-dimethylethyl)-4-hydr oxyphenyl]-1-oxopropyl]h ydrazide	Oral LD50	> 7,000 mg/kg	rat
1163-19-5	Decabromodiphenyl oxide	Oral LD50	> 5 gm/kg	rat
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CA	S-No.	Chemical Name	OSHA	IARC	NTP
1309-64-	4 Anti	mony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

## MATERIAL SAFETY DATA SHEET Syncure V0022G-6

Version Number 1.1 Revision Date 08/23/2007

Page 5 of 7 Print Date 11/30/2011

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Decabromodiphenyl oxide 1163-19-5 A halogenated aromatic with some potential for hazardous exposure via inhalation or ingestion. Acute toxicity is low - oral LD50 in rats >50 mg/L. Studies on rats at high feeding levels indicate some potential for liver and kidney effects from chronic overexposure as well as thyroid toxicity.

### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
	: Refer to specific regulation.
ICAO/IATA (air)	

Polv<u>One</u>

## MATERIAL SAFETY DATA SHEET Syncure V0022G-6

Version Number 1.1 Revision Date 08/23/2007

Page 6 of 7 Print Date 11/30/2011

#### **15. REGULATORY INFORMATION**

US Regulations:

OSHA Status : Classified as hazardous based on components.

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component	RQ for
			Mixture/Product
Antimony trioxide	1309-64-4	1,000 lbs	4,103 LB

California Proposition 65

: WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	10.00 - 30.00
DECABROMODIPHENYL OXIDE	1163-19-5	30.00 - 60.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Antimony trioxide	1309-64-4	10.00 - 30.00	17
Decabromodiphenyl oxide	1163-19-5	30.00 - 60.00	79

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.

POLYONE CORPORATION

PolyOne

## MATERIAL SAFETY DATA SHEET

## Syncure V0022G-6

Version Number 1.1 Revision Date 08/23/2007 Page 7 of 7 Print Date 11/30/2011

1309-64-4 DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Not determined		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination

with any other materials or in any process, unless specified in the text.