PolyOne

# MATERIAL SAFETY DATA SHEET ITW PPFR-3011 BLACK

Version Number 1.5 Revision Date 03/17/2014

Page 1 of 7 Print Date 3/22/2014

1. PRODUCT AND COMPANY IDENTIFICATION				
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	ITW PPFR-3011 BLACK		
Product code	:	EM10010815		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use		Industrial Applications		

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Tetrabromobisphenol A - bis-2,3-	21850-44-2	10 - 30
dibromopropyl ether		
Antimony trioxide	1309-64-4	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Eyes, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Avoid skin contact. Product contains unreacted organic peroxides which may cause mild skin irritation.

PolyOne.

# MATERIAL SAFETY DATA SHEET ITW PPFR-3011 BLACK

Version Number 1.5 Revision Date 03/17/2014 Page 2 of 7 Print Date 3/22/2014

Medical Conditions: Individuals with chronic respiratory disorders (i.e. asthma, chronic bronchitis, etc.) may be adversely affected by any airborne contaminant.		
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne	
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.	

POLYONE CORPORATION

PolyOne.

# MATERIAL SAFETY DATA SHEET *ITW PPFR-3011 BLACK*

sion Number 1.5 ision Date 03/17/2014		Page 3 Print Date 3/22/2
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. Keep away from heat. Excessive storage temperature and humidity can degrade product performance. Store below 149 °F (65 °C). Rotate stock. Product shelf life is normally 1 year maximum.
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required wher handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. During processing and cross-linking, product can give off by-products such as alcohols, acetophenone, alpha-methylstyrene, acetone, methane, and ethane. By-product vapors may be flammable. User must provide necessary precautions such as adequate ventilation to prevent accumulation and ignition of vapors. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.
Exposure limit(s)		

PolyOne

## MATERIAL SAFETY DATA SHEET ITW PPFR-3011 BLACK

Version Number 1.5 Revision Date 03/17/2014 Page 4 of 7 Print Date 3/22/2014

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets</li> <li>BLACK</li> <li>characteristic</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not established</li><li>not applicable</li></ul>	
	10. STABILITY AND	O REACTIVITY		
Stability	: The product is stable if stored and handled as prescribed.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid		Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.		
Incompatible Materials	: Strong acids, Oxidi	Strong acids, Oxidizing agents, Reducing agents		
Hazardous decomposition products	(NOx), other hazard of alcohols, acetoph	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Trace of alcohols, acetophenone, alpha-methylstyrene, acetone, methane, ethane, or other byproducts may be liberated during processing or		

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
21850-44-2	Tetrabromobisphenol A - bis-2,3-dibromopropyl ether	Irritant	Eyes, Skin.

## MATERIAL SAFETY DATA SHEET ITW PPFR-3011 BLACK

### Version Number 1.5

Revision Date 03/17/2014

Page 5 of 7 Print Date 3/22/2014

1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne.

# MATERIAL SAFETY DATA SHEET ITW PPFR-3011 BLACK

Version Number 1.5 Revision Date 03/17/2014 Page 6 of 7 Print Date 3/22/2014

14. TRANSPORT INFORMATION						
U.S. DOT Classification	:	Not regulated for tran	nsportation.			
ICAO/IATA	:	Refer to specific regu	lation.			
IMO/IMDG (maritime)	:	Refer to specific regu	ilation.			
	15	. REGULATORY IN	FORMATI	ON		
US Regulations:						
OSHA Status	:	Classified as hazardo	ous based on o	componen	ts.	
TSCA Status	:	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardo	us Sub	stances (40 CFR 302)				
not applicable						
California Proposition	n :			ns a chemi	cal know	wn to the State of
65 SARA Title III Section 302 I		California to cause ca	ancer.	ns a chem	cal knov	wn to the State of
65	Extrem	California to cause ca	ancer. Ice			
65 SARA Title III Section 302 I Unless specific chemicals are SARA Title III Section 313 T	Extrem e identi Foxic C	California to cause ca ely Hazardous Substan fied under this section, Chemicals:	ancer. ace , this product	is Not Ap	plicable	under this regula
65 SARA Title III Section 302 I Unless specific chemicals are	Extrem e identi Foxic C	California to cause ca ely Hazardous Substan fied under this section, Chemicals:	ancer. ace , this product	is Not Ap	plicable	under this regula
65 SARA Title III Section 302 I Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are	Extrem e identi Foxic C e identi	California to cause ca ely Hazardous Substan fied under this section, Chemicals:	ancer. 	is Not Ap is Not Ap is Not Ap	plicable	under this regulations in the second se
65 SARA Title III Section 302 I Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name	Extrem e identi Foxic C e identi	California to cause ca ely Hazardous Substan fied under this section, Chemicals:	ancer. hce , this product , this product CAS-N	is Not Ap is Not Ap is Not Ap	plicable plicable Weight	under this regulations in the second se
65 SARA Title III Section 302 I Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ANTIMONY COMPOUN Canadian Regulations: National Pollutant Ref	Extrem e identi Foxic C e identi DS	California to cause ca ely Hazardous Substan fied under this section, Chemicals: fied under this section,	nce , this product , this product CAS-N 1309-64	is Not Ap is Not Ap io. i-4	plicable plicable Weight 5.00 -	under this regula under this regula t percent 10.00
65 SARA Title III Section 302 I Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ANTIMONY COMPOUN Canadian Regulations:	Extrem e identi Foxic C e identi DS	California to cause ca ely Hazardous Substan fied under this section, Chemicals: fied under this section, wentory (NPRI)	ancer. hce , this product , this product CAS-N	is Not Ap is Not Ap is Not Ap	plicable plicable Weight 5.00 -	under this regulations in the second se

PolyOne

## MATERIAL SAFETY DATA SHEET ITW PPFR-3011 BLACK

Version Number 1.5 Revision Date 03/17/2014

\_\_\_\_

Page 7 of 7 Print Date 3/22/2014

	WHMIS Classification	:	D2A				
	WHMIS Ingredient Disclosure List						
	CAS-No. 1309-64-4						
	DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.				
Natio	nal Inventories:						
	Australia AICS	:	Not determined				
	China IECS	:	Not determined				
	Europe EINECS	:	Listed				
	Japan ENCS	:	Not determined				
	Korea KECI	:	Not determined				
	Philippines PICCS	:	Not determined				
			16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.