## MATERIAL SAFETY DATA SHEET GMF 604 40 UV DX9 BLACK

Version Number 1.0 Revision Date 10/26/2006 Page 1 of 6 Print Date 11/25/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone:number | Product Stewardship (440) 930-1395<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--------------------------------------|---|
| Product name                         | GMF 604 40 UV DX9 BLACK   |
| Product code                         | EM10011436  |
| Chemical Name                        | Mixture   |
| CAS-No.                              | Mixture   |
| Product Use                          | Industrial Applications   |

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components   | CAS-No.   | Weight % |
|--------------|-----------|----------|
| Carbon black | 1333-86-4 | 5 - 10   |

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

| Routes of Exposure: : Inhalation, Ingestion, Skin contact |  |  |
|---|--|--|
| Acute exposure  |  |  |
| Inhalation<br>Ingestion<br>Eyes<br>Skin                   | <ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul> |  |
| Chronic exposure  | : Refer to Section 11 for Toxicological Information.   |  |
| Medical Conditions<br>Aggravated by Exposure:             | : None known.  |  |

PolyOne.

# MATERIAL SAFETY DATA SHEET **GMF 604 40 UV DX9 BLACK**

Version Number 1.0 Revision Date 10/26/2006 Page 2 of 6 Print Date 11/25/2011

|                                     | 4. FIRST AID MEASURES  |      |
|-------------------------------------|--|------|
| Inhalation                          | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.                  | s of |
| Ingestion                           | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   | 3    |
| Eyes                                | : Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.                                     | r at |
| Skin                                | : Wash off with soap and plenty of water. If skin irritation persists medical attention.   | seel |
|                                     | 5. FIRE-FIGHTING MEASURES  |      |
| Flash point                         | : Not applicable   |      |
| Flammable Limits                    |  |      |
| Upper explosion limit               | : Not applicable   |      |
| Lower explosion limit               | : Not applicable   |      |
| Autoignition temperature            | : Not applicable   |      |
| Suitable extinguishing media        | : Carbon dioxide blanket, water spray, dry powder, foamnone.   |      |
| Special Fire Fighting<br>Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.                               | ve   |
| Unusual Fire/Explosion<br>Hazards   | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroger (NOx), other hazardous materials, and smoke are all possible.   | l    |
|                                     | 5. ACCIDENTAL RELEASE MEASURES   |      |
| Personal precautions                | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |      |
| Environmental precautions           | : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.   | not  |
| Methods for cleaning up             | : Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods. |      |
|                                     | 7. HANDLING AND STORAGE  |      |
| Handling                            | : Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.  | at   |
| Storage                             | : Keep containers dry and tightly closed to avoid moisture absorption  | m    |

PolyOne.

# MATERIAL SAFETY DATA SHEET **GMF 604 40 UV DX9 BLACK**

Version Number 1.0 Revision Date 10/26/2006 Page 3 of 6 Print Date 11/25/2011

| 8. H  | EXPOSURE   | CONTROLS / P   | ERSONAL                                   | PROTECTION  |   |
|---|--|--|---|---|---|
| Respiratory protection  | : N  | lo personal respira  | atory protecti                            | ve equipment normally r   | equired.                                |
| Eye/Face Protection   | : S  | afety glasses with   | side-shields                              |   |   |
| Hand protection   | : P  | rotective gloves.  |   |   |   |
| Skin and body protection  | : L  | ong sleeved cloth  | ing.                                      |   |   |
| Additional Protective<br>Measures   | : S  | afety shoes.   |   |   |   |
| General Hygiene<br>Considerations   |  |  |   | industrial hygiene and sa<br>at the end of workday.                             | afety practice.                         |
| Engineering measures  |  | leat only in areas ppropriate exhaus   |   | iate exhaust ventilation.<br>at machinery.                                      | Provide                                 |
| Exposure limit(s)   |  |  |   |   |   |
| Components  | Value  | Exposure   | time                                      | Exposure type   | List:                                   |
| Carbon black  | 3.5 mg/m3  | Time Weighter  | d Average                                 | Total dust. as carbon   | ACGIH                                   |
|   |  | (TWA   |   | black   |   |
|   | 3.5 mg/m3  | PEL:   |   | Total dust. as carbon<br>black  | OSHA Z1                                 |
|   | 9. PHYSIC  | CAL AND CHEM   | AICAL PRO                                 | PERTIES   |   |
|   | : Solic  | 1  | Euopo                                     | ration rate : Not   | annliaghla                              |
| Form  |  |  |   |   | applicable                              |
| Form  |  | -  |   |   | determined                              |
| Appearance  | : Pelle  | ets, Slabs   | Specifi                                   | ic Gravity: : Not   | determined<br>established               |
|   | : Pelle<br>: BLA   | ets, Slabs<br>CK   | Specif:<br>Bulk d                         | ic Gravity: : Not<br>ensity : Not   | established                             |
| Appearance<br>Color<br>Odor   | : Pelle<br>: BLA<br>: Very   | ets, Slabs   | Specifi<br>Bulk d<br>Vapor                | ic Gravity: : Not<br>ensity : Not<br>pressure : Not                             | established<br>applicable               |
| Appearance<br>Color<br>Odor<br>Melting point/range  | : Pelle<br>: BLA<br>: Very<br>: Not  | ets, Slabs<br>CK<br>7 faint<br>determined  | Specifi<br>Bulk d<br>Vapor<br>Vapou       | ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not          | established<br>applicable<br>applicable |
| Appearance<br>Color<br>Odor   | : Pelle<br>: BLA<br>: Very<br>: Not  | ets, Slabs<br>CK<br>7 faint<br>determined<br>applicable  | Specifi<br>Bulk d<br>Vapor                | ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not          | established<br>applicable               |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:                                  | : Pelle<br>: BLA<br>: Very<br>: Not a<br>: Not a                                     | ets, Slabs<br>CK<br>7 faint<br>determined<br>applicable  | Specifi<br>Bulk d<br>Vapor<br>Vapou<br>pH | ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not<br>: Not | established<br>applicable<br>applicable |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:                                  | : Pelle<br>: BLA<br>: Very<br>: Not e<br>: Not e<br>: Insol                          | ets, Slabs<br>CK<br>faint<br>determined<br>applicable<br>luble   | Specifi<br>Bulk d<br>Vapor<br>Vapou<br>pH | ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not<br>: Not | established<br>applicable<br>applicable |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility              | : Pelle<br>: BLA<br>: Very<br>: Not (<br>: Not ;<br>: Insol                          | ets, Slabs<br>CK<br>7 faint<br>determined<br>applicable<br>luble<br>STABILITY ANI                            | Specifi<br>Bulk d<br>Vapor<br>Vapou<br>pH | ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not<br>: Not | established<br>applicable<br>applicable |
| Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability | : Pelle<br>: BLA<br>: Very<br>: Not (<br>: Not :<br>: Insol<br>10. §<br>: S<br>n : V | ets, Slabs<br>CK<br>faint<br>determined<br>applicable<br>luble<br>STABILITY ANI<br>table.<br>Vill not occur. | Specifi<br>Bulk d<br>Vapor<br>Vapou<br>pH | ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not<br>: Not | established<br>applicable<br>applicable |

### MATERIAL SAFETY DATA SHEET GMF 604 40 UV DX9 BLACK

Version Number 1.0 Revision Date 10/26/2006 Page 4 of 6 Print Date 11/25/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.   | Chemical Name | Effect           | Target Organ              |
|-----------|---------------|------------------|---------------------------|
| 1333-86-4 | Carbon black  | Systemic effects | Eyes, Respiratory system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No.   | Chemical Name | Route       | Value         | Species |
|-----------|---------------|-------------|---------------|---------|
| 1333-86-4 | Carbon black  | Oral LD50   | >15,400 mg/kg | rat     |
|           |               | Dermal LD50 | > 3 gm/kg     | rabbit  |

### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

### **12. ECOLOGICAL INFORMATION**

| Persistence and degradability | Not readily biodegradable.   |  |
|-------------------------------|--|--|
| Environmental Toxicity        | Chemicals are not readily available as they are bound within the polymer matrix.   |  |
| Bioaccumulation Potential     | Chemicals are not readily available as they are bound within the polymer matrix.   |  |
| Additional advice             | Not applicable   |  |
|                               | 13. DISPOSAL CONSIDERATIONS  |  |
| Product                       | Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The |  |

PolyOne.

# MATERIAL SAFETY DATA SHEET **GMF 604 40 UV DX9 BLACK**

| /ersion Number 1.0<br>Revision Date 10/26/2006 | Page 5 of 6<br>Print Date <i>11/25/2011</i>  |
|--|--|
|  | generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.   |
| Contaminated packaging                         | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
|  | 14. TRANSPORT INFORMATION  |
| U.S. DOT Classification                        | : Not regulated for transportation.  |
| ICAO/IATA (air)                                | : Refer to specific regulation.  |
| IMO / IMDG (maritime)                          | : Refer to specific regulation.  |
|  | 15. REGULATORY INFORMATION   |
| US Regulations:                                |  |
| OSHA Status                                    | : Classified as hazardous based on components.   |
| TSCA Status                                    | : All components of this product are listed on or exempt from the TSCA Inventory.  |
| US. EPA CERCLA Hazardou                        | s Substances (40 CFR 302)  |
| Not applicable                                 |  |
|  |  |
| California Proposition<br>65                   | : Not applicable   |
| SARA Title III Section 302 E                   | xtremely Hazardous Substance   |
| Unless specific chemicals are                  | identified under this section, this product is Not Applicable under this regulation  |
| SARA Title III Section 313 T                   | oxic Chemicals:  |
| Unless specific chemicals are                  | identified under this section, this product is Not Applicable under this regulation  |
| Canadian Regulations:                          |  |
|  |  |
|  |  |

PolyOne

## MATERIAL SAFETY DATA SHEET GMF 604 40 UV DX9 BLACK

| Version Number 1.0<br>Revision Date 10/26/2006 |  | Page 6 of 6<br>Print Date 11/25/2011 |
|--|--|--------------------------------------|
| National Pollutant Release                     | nventory (NPRI)  |                                      |
| Chemical Name                                  | CAS-No. Weight   | % NPRI ID#                           |
| Zinc stearate                                  | 557-05-1 0.10 - 1  |                                      |
| WHMIS Classification                           | D2A  |                                      |
| WHMIS Ingredient Disclos                       | ure List   |                                      |
| CAS-No.<br>1333-86-4                           |  |                                      |
| DSL  | All components of this product are on the Ca<br>Substances List (DSL) or are exempt. | anadian Domestic                     |
| National Inventories:                          |  |                                      |
| Australia AICS                                 | Not determined   |                                      |
| China IECS                                     | Not determined   |                                      |
| Europe EINECS                                  | Listed   |                                      |
| Japan ENCS                                     | Not determined   |                                      |
| Korea KECI                                     | Not determined   |                                      |
| Philippines PICCS                              | Not determined   |                                      |
|  | 16. OTHER INFORMATION  |                                      |
|  |  |                                      |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.