MATERIAL SAFETY DATA SHEET GRV-NJ-080-W-NAT

Version Number 1.1 Revision Date 12/12/2006

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GRV-NJ-080-W-NAT
Product code	:	EM10011545
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Tungsten	7440-33-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	outes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **GRV-NJ-080-W-NAT**

Version Number 1.1 Revision Date 12/12/2006 Page 2 of 6 Print Date 11/25/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	eł
	5. FIRE-FIGHTING MEASURES	_
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	e
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	l

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET GRV-NJ-080-W-NAT

Version Number 1.1 Revision Date 12/12/2006 Page 3 of 6 Print Date 11/25/2011

0, 1	XPOSURE	CONTROLS / PERSON	AL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with appr ppropriate exhaust ventilat		ation. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure typ	be List:		
Tungsten	5 mg/m3	Time Weighted Averag (TWA):	e as W	ACGIH		
	10 mg/m3	Short Term Exposure Lin (STEL):	nit as W	ACGIH		
	9. PHYSIO	CAL AND CHEMICAL F	PROPERTIES			
	: Solic		Evaporation rate : Not applicable			
Form	 Dolle 	ets, Slabs Sp	Specific Gravity: : Not determined			
Appearance			Bulk density : Not established			
Appearance Color	: NO I	PIGMENT Bu				
Appearance Color Odor	: NO I : Very	PIGMENT Bu v faint Va	por pressure :	Not applicable		
Appearance Color Odor Melting point/range	: NO I : Very : Not o	PIGMENT Bu 7 faint Va determined Va	por pressure : pour density :	Not applicable Not applicable		
Appearance Color Odor Melting point/range Boiling Point:	: NO : Very : Not : Not	PIGMENTBu7 faintVadeterminedVaapplicablepH	por pressure : pour density :	Not applicable		
Appearance Color Odor Melting point/range	: NO I : Very : Not o	PIGMENTBu7 faintVadeterminedVaapplicablepH	por pressure : pour density :	Not applicable Not applicable		
Appearance Color Odor Melting point/range Boiling Point:	: NO I : Very : Not o : Not a : Insol	PIGMENTBu7 faintVadeterminedVaapplicablepH	por pressure : pour density : :	Not applicable Not applicable		
Appearance Color Odor Melting point/range Boiling Point:	: NO 1 : Very : Not 0 : Not 3 : Insol	PIGMENT Bu v faint Va determined Va applicable pH luble	por pressure : pour density : :	Not applicable Not applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: NO 1 : Very : Not 6 : Not 3 : Insol 10. 5 : S	PIGMENT Bu y faint Va determined Va applicable pH luble STABILITY AND REAC	por pressure : pour density : :	Not applicable Not applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: NO 1 : Very : Not 2 : Not 3 : Insol 10. § : S n : V	PIGMENT Bu y faint Va determined Va applicable pH luble STABILITY AND REAC table.	por pressure : pour density : TIVITY	Not applicable Not applicable Not applicable		

MATERIAL SAFETY DATA SHEET GRV-NJ-080-W-NAT

Version Number 1.1

Revision Date 12/12/2006

Page 4 of 6 Print Date 11/25/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-33-7	Tungsten	Systemic effects	Eyes, Skin, Respiratory system, blood and blood forming system.

Additional Health Hazard Information:

Tungsten 7440-33-7 Prolonged or repeated breathing of this material may result in chronic bronchitis. Exposure to freshly formed fumes from heated metal may cause "metal fume fever".

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

MATERIAL SAFETY DATA SHEET **GRV-NJ-080-W-NAT**

sion Number 1.1 ision Date 12/12/2006	Page 5 c Print Date 11/25/20
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	ubstances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ex	emely Hazardous Substance
Unless specific chemicals are i	entified under this section, this product is Not Applicable under this regulati
SARA Title III Section 313 To	c Chemicals:
Unless specific chemicals are i	entified under this section, this product is Not Applicable under this regulati
Canadian Regulations:	
National Pollutant Rele	e Inventory (NPRI)
Not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed

PolyOne

MATERIAL SAFETY DATA SHEET GRV-NJ-080-W-NAT

Version Number 1.1 Revision Date 12/12/2006 Page 6 of 6 Print Date 11/25/2011

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.