PolvOne

## MATERIAL SAFETY DATA SHEET **PP-0110071 BLACK**

Version Number 1.2 Revision Date 03/18/2014

Page 1 of 6 Print Date 3/22/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PP-0110071 BLACK
Product code	:	EM10011949
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Carbon	7440-44-0	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Eyes, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Avoid skin contact. Product contains unreacted organic peroxides which may cause mild skin irritation.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET **PP-0110071 BLACK**

Version Number 1.2 Revision Date 03/18/2014 Page 2 of 6 Print Date 3/22/2014

Medical Conditions: Individuals with chronic respiratory disorders (i.e. asthma, chronic bronchitis, etc.) may be adversely affected by any airborne contaminant.			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES		
Flash point	: not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	5. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat		



# MATERIAL SAFETY DATA SHEET **PP-0110071 BLACK**

sion Date 03/18/2014		Page Print Date 3/22/	
		ith components approach contilation	
	only in areas w	ith appropriate exhaust ventilation.	
Storage	and contaminat Excessive stora performance.	is dry and tightly closed to avoid moisture absorption tion. Keep in a dry, cool place. Keep away from hea age temperature and humidity can degrade product Store below 149 $^{\circ}$ F (65 $^{\circ}$ C). Rotate stock. Product mally 1 year maximum.	
8. EX	POSURE CONTROL	S/PERSONAL PROTECTION	
Respiratory protection	handling the pr	spiratory protective equipment normally required whe oduct itself. See "Engineering Measures" section autions to be taken when heating or processing this	
Eye/Face Protection	: Safety glasses	with side-shields	
Hand protection	: Protective glov	es	
Skin and body protection	: Long sleeved c	lothing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		rdance with good industrial hygiene and safety hands before breaks and at the end of workday.	
Engineering measures	processing and as alcohols, ace and ethane. By necessary preca accumulation a appropriate res	Heat only in areas with appropriate exhaust ventilation. During processing and cross-linking, product can give off by-products such as alcohols, acetophenone, alpha-methylstyrene, acetone, methane, and ethane. By-product vapors may be flammable. User must provide necessary precautions such as adequate ventilation to prevent accumulation and ignition of vapors. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.	
Exposure limit(s)			
y	PHYSICAL AND CI	HEMICAL PROPERTIES	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets</li> <li>BLACK</li> <li>characteristic</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	Evapouration rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable	

PolyOne

## MATERIAL SAFETY DATA SHEET **PP-0110071 BLACK**

Version Number 1.2 Revision Date 03/18/2014

\_

Page 4 of 6 Print Date 3/22/2014

	10. STABILITY AND REACTIVITY
Stability	: The product is stable if stored and handled as prescribed.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Strong acids, Oxidizing agents, Reducing agents
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Traces of alcohols, acetophenone, alpha-methylstyrene, acetone, methane, ethane, or other byproducts may be liberated during processing or decomposition.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or
			circulatory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7440-44-0	Carbon	Oral LD50	10,000 mg/kg	rat

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS

PolyOne.

# MATERIAL SAFETY DATA SHEET **PP-0110071 BLACK**

waste material has the responsibility for proper on, transportation and disposal in accordance with l, state/provincial and local regulations. waste material has the responsibility for proper on, transportation and disposal in accordance with l, state/provincial and local regulations. INFORMATION
on, transportation and disposal in accordance with l, state/provincial and local regulations. INFORMATION transportation.
transportation.
-
regulation
regulation.
regulation.
Y INFORMATION
ardous based on components.
of this product are listed on or exempt from the
02)
ostance
tion, this product is Not Applicable under this regulation
tion, this product is Not Applicable under this regulation
tion, this product is Not Applicable under this regulation

PolyOne

## MATERIAL SAFETY DATA SHEET **PP-0110071 BLACK**

Version Number 1.2 Revision Date 03/18/2014 Page 6 of 6 Print Date <u>3/22/2</u>014

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.