MATERIAL SAFETY DATA SHEET LC-30NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007

Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	LC-30NCF/000 NATURAL		
Product code	:	EM10012278		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon	7440-44-0	10 - 30
Nickel	7440-02-0	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET LC-30NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007 Page 2 of 6 Print Date 11/26/2011

	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive 		
Special Fire Fighting Procedures	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		

PolyOne.

MATERIAL SAFETY DATA SHEET LC-30NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007 Page 3 of 6 Print Date 11/26/2011

8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		afety practice
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Carbon	2 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
NY 1 1	15 mg/m3	PEL:	Total dust.	OSHA Z1
Nickel	1 mg/m3 1.5 mg/m3	PEL: Time Weighted Average	as Ni Inhalable fraction. as	OSHA Z1 ACGIH
		(TWA):	Ni	
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Form	: Solid	l Evano	ration rate : Not	applicable
Appearance				determined
Color				established
Odor	•			applicable
Melting point/range		-		applicable
Boiling Point:		applicable pH	: Not	applicable
Water solubility	: Insol	uble		
	10. S	STABILITY AND REACTIV	VITY	
Stability	: S	table.		
Hazardous Polymerizatio	n : W	/ill not occur.		
Conditions to avoid	: T	o avoid thermal decompositio	n, do not overheat.	

MATERIAL SAFETY DATA SHEET LC-30NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007 Page 4 of 6 Print Date 11/26/2011

Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or
			circulatory system.
7440-02-0	Nickel	Systemic effects	Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
7440-02-0	Nickel	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Nickel 7440-02-0 Skin sensitizer "nickel itch", with pulmonary, brain, liver, kidney and muscle effects

	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	Not applicable

PolyOne

MATERIAL SAFETY DATA SHEET LC-30NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007 Page 5 of 6 Print Date 11/26/2011

Product	possible generate classific	e recycling is preferred or of waste material has ation, transportation ar	es the product can be recycled. Whe to disposal or incineration. The s the responsibility for proper waste ad disposal in accordance with cial and local regulations.			
Contaminated packagin	has the and disp	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRAN	SPORT INFORMAT	TON			
U.S. DOT Classification	n : Not reg	ulated for transportation	n.			
ICAO/IATA (air)	: Refer to	specific regulation.				
IMO / IMDG (maritime) : Refer to	specific regulation.				
	15. REGU	LATORY INFORMA	TION			
US Regulations:						
OSHA Status	: Classifi	ed as hazardous based o	on components.			
TSCA Status	: All con Invento		t are listed on or exempt from the TSO			
US. EPA CERCLA Haz	zardous Substances (4	0 CFR 302)				
Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product			
Nickel	7440-02-0	100 lbs	741 LB			
Chemical Name Nickel		CAS-No. 7440-02-0	7440-02-0 100 lbs			
California Propo 65		ING! This product con tia to cause cancer.	tains a chemical known to the State			
	Cumon					
SARA Title III Section	302 Extremely Hazar	dous Substance				

MATERIAL SAFETY DATA SHEET LC-30NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007

Page 6 of 6 Print Date 11/26/2011

SARA Title III Section 313 Toxic Chemicals:

 Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

 Chemical Name
 CAS-No.
 Weight %

 NICKEL
 7440-02-0
 10.00 - 30.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Nickel	7440-02-0	10.00 - 30.00	168

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

:

CAS-No.	
7440-02-0	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.