MATERIAL SAFETY DATA SHEET LC-40NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007

Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LC-40NCF/000 NATURAL
Product code	:	EM10012279
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon	7440-44-0	10 - 30
Nickel	7440-02-0	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET LC-40NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007 Page 2 of 6 Print Date 11/26/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	•	Not applicable
Autoignition temperature	•	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET LC-40NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007 Page 3 of 6 Print Date 11/26/2011

8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION					
Respiratory protection	: N	o personal respiratory protect	ive equipment normally r	equired.				
Eye/Face Protection	: S	: Safety glasses with side-shields.						
Hand protection	: P	rotective gloves.						
Skin and body protection	: L	ong sleeved clothing.						
Additional Protective Measures	: S	afety shoes.						
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		afety practice.				
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide				
Exposure limit(s)								
Components	Value	Exposure time	Exposure type	List:				
Carbon	2 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH				
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1				
	15 mg/m3	PEL:	Total dust.	OSHA Z1				
Nickel	1 mg/m3 1.5 mg/m3	PEL: Time Weighted Average	as Ni Inhalable fraction. as	OSHA Z1 ACGIH				
		(TWA):	Ni					
	9. PHYSIC	CAL AND CHEMICAL PRO	DPERTIES					
Form	: Solid	Fyano	ration rate : Not	applicable				
Appearance				determined				
Color				established				
Odor	•			applicable				
Melting point/range				applicable				
Boiling Point:		applicable pH	: Not	applicable				
Water solubility	: Insol	uble						
	10. S	TABILITY AND REACTIV	/ITY					
Stability	: S	table.						
Hazardous Polymerizatio	n : W	/ill not occur.						
Conditions to avoid	: T	o avoid thermal decompositio	n, do not overheat.					

MATERIAL SAFETY DATA SHEET LC-40NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007 Page 4 of 6 Print Date 11/26/2011

Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or
			circulatory system.
7440-02-0	Nickel	Systemic effects	Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
7440-02-0	Nickel	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Nickel 7440-02-0 Skin sensitizer "nickel itch", with pulmonary, brain, liver, kidney and muscle effects

	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	Not applicable

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET LC-40NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007 Page 5 of 6 Print Date 11/26/2011

Product	:	possit genera classit	ble recycling is preferred ator of waste material has fication, transportation a	ics the product can be recycled. Wh I to disposal or incineration. The as the responsibility for proper waste and disposal in accordance with ncial and local regulations.		
Contaminated pack	aging :	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		14. TRA	ANSPORT INFORMA	TION		
U.S. DOT Classific	ation :	Not re	egulated for transportation	on.		
ICAO/IATA (air)	:	Refer	to specific regulation.			
IMO / IMDG (mari	time) :	Refer	to specific regulation.			
	1	5. REG	ULATORY INFORM	ATION		
US Regulations:						
OSHA Statu	ıs :	Classi	fied as hazardous based	on components.		
TSCA Statu	s :	All co Invent		ct are listed on or exempt from the TS	SCA	
US. EPA CERCLA	Hazardous Sul	ostances	(40 CFR 302)			
Chemical Na	ime CAS-	No.	RQ for component	RQ for Mixture/Product		
Nickel	7440-	02-0	100 lbs	556 LB		
California P 65	roposition :		NING! This product co ornia to cause cancer.	ntains a chemical known to the State	e of	
SARA Title III Sec	tion 302 Extrem	nely Haz	ardous Substance			
				duct is Not Applicable under this reg	1.	

MATERIAL SAFETY DATA SHEET LC-40NCF/000 NATURAL

Version Number 1.0 Revision Date 02/15/2007

Page 6 of 6 Print Date 11/26/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulationChemical NameCAS-No.Weight %NICKEL7440-02-010.00 - 30.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Nickel	7440-02-0	10.00 - 30.00	168

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

:

CAS-No.	
7440-02-0	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.