MATERIAL SAFETY DATA SHEET K 6300-A50 NATURAL

Version Number 1.0 Revision Date 02/26/2007

Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	K 6300-A50 NATURAL
Product code	:	EM10012369
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET K 6300-A50 NATURAL

Version Number 1.0 Revision Date 02/26/2007 Page 2 of 6 Print Date 11/26/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	3
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	seek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	n

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET *K 6300-A50 NATURAL*

Version Number 1.0 Revision Date 02/26/2007

_

Page 3 of 6 Print Date 11/26/2011

	a	nd contamination. Keep in a d	ry, coor place.		
8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Respiratory protection	: N	to personal respiratory protecti	ve equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
- · ·					
Engineering measures Exposure limit(s)		Ieat only in areas with appropri ppropriate exhaust ventilation a		Provide	
Exposure limit(s)	a	ppropriate exhaust ventilation a	at machinery.		
Exposure limit(s) Components	a Value	ppropriate exhaust ventilation a	at machinery. Exposure type	List:	
Exposure limit(s)	a Value 5 mg/m3	ppropriate exhaust ventilation a Exposure time PEL:	at machinery. Exposure type Respirable fraction.	List: OSHA Z1	
Exposure limit(s) Components	a Value	ppropriate exhaust ventilation a Exposure time PEL: PEL: Time Weighted Average	at machinery. Exposure type	List:	
Exposure limit(s) Components	a Value 5 mg/m3 15 mg/m3	ppropriate exhaust ventilation a Exposure time PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit	at machinery. Exposure type Respirable fraction.	List: OSHA Z1 OSHA Z1	
Exposure limit(s) Components	a Value 5 mg/m3 15 mg/m3 10 mg/m3	ppropriate exhaust ventilation a Exposure time PEL: PEL: Time Weighted Average (TWA):	at machinery. Exposure type Respirable fraction.	List: OSHA Z1 OSHA Z1 MX OEL	
Exposure limit(s) Components Calcium carbonate	a Value 5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	ppropriate exhaust ventilation a Exposure time PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL):	at machinery. Exposure type Respirable fraction. Total dust.	List: OSHA Z1 OSHA Z1 MX OEL MX OEL	
Exposure limit(s) Components Calcium carbonate	a Value 5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	ppropriate exhaust ventilation a Exposure time PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): PEL:	at machinery. Exposure type Respirable fraction. Total dust. Respirable fraction.	List: OSHA Z1 OSHA Z1 MX OEL MX OEL OSHA Z1	
Exposure limit(s) Components Calcium carbonate	a Value 5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 5 mg/m3 15 mg/m3	ppropriate exhaust ventilation a Exposure time PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): PEL: PEL: Time Weighted Average	at machinery. Exposure type Respirable fraction. Total dust. Respirable fraction. Total dust.	List: OSHA Z1 OSHA Z1 MX OEL MX OEL OSHA Z1 OSHA Z1	

9. PHYSICAL AND CHEMICAL PROPERTIES

Time Weighted Average

(TWA):

- Form Appearance Color Odor Melting point/range Boiling Point:
- Solid
 Pellets, Slabs
 NO PIGMENT
 Very faint
 Not determined
 Not applicable

0.025

mg/m3

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH

Respirable fraction.

Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable

ACGIH

MATERIAL SAFETY DATA SHEET K 6300-A50 NATURAL

Version Number 1.0 Revision Date 02/26/2007 Page 4 of 6 Print Date 11/26/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Strong acids, oxidizing and reducing agents
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No. Chemical Name OSHA IARC	NTP

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long-term exposure may cause coughing, chest pain, diminished chest expansion and possibly silicosis, which is a scarring of the lungs.

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET K 6300-A50 NATURAL

rsion Number 1.0 vision Date 02/26/2007	Page 5 o Print Date 11/26/20
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
U.S. DOT Classification ICAO/IATA (air)	Not regulated for transportation.Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
ICAO/IATA (air)	Refer to specific regulation.Refer to specific regulation.
ICAO/IATA (air) IMO / IMDG (maritime)	 Refer to specific regulation. Refer to specific regulation. 15. REGULATORY INFORMATION
ICAO/IATA (air) IMO / IMDG (maritime) US Regulations:	Refer to specific regulation.Refer to specific regulation.
ICAO/IATA (air) IMO / IMDG (maritime) US Regulations: OSHA Status	 Refer to specific regulation. Refer to specific regulation. 15. REGULATORY INFORMATION Classified as hazardous based on components. All components of this product are listed on or exempt from the TSCA Inventory.
ICAO/IATA (air) IMO / IMDG (maritime) US Regulations: OSHA Status TSCA Status	 Refer to specific regulation. Refer to specific regulation. 15. REGULATORY INFORMATION Classified as hazardous based on components. All components of this product are listed on or exempt from the TSCA Inventory.

PolvOne

MATERIAL SAFETY DATA SHEET K 6300-A50 NATURAL

Version Number 1.0 Revision Date 02/26/2007 Page 6 of 6 Print Date 11/26/2011

SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation			
SARA Title III Section 313 Toxic Chemicals:			
Unless specific chemicals are ic	lenti	fied under this section, this product is Not Applicable under this regulation	
Canadian Regulations:			
National Pollutant Relea	se Iı	aventory (NPRI)	
Not applicable			
WHMIS Classification	:	D2A	
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.	
National Inventories:			
Australia AICS	:	Not determined	
China IECS	:	Not determined	
Europe EINECS	:	Not determined	
Japan ENCS	:	Not determined	
Korea KECI	:	Not determined	
Philippines PICCS	:	Not determined	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.