MATERIAL SAFETY DATA SHEET **PF 0003/12 NA**

Version Number 1.1 Revision Date 05/24/2007

Page 1 of 6 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PF 0003/12 NA
Product code	:	EM10012971
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Eyes, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Avoid skin contact. Product contains unreacted organic peroxides which may cause mild skin irritation.
Chronic exposure Medical Conditions Aggravated by Exposure:	 Refer to Section 11 for Toxicological Information. Individuals with chronic respiratory disorders (i.e. asthma, chronic bronchitis, etc.) may be adversely affected by any airborne contaminant.



MATERIAL SAFETY DATA SHEET **PF 0003/12 NA**

Version Number 1.1 Revision Date 05/24/2007 Page 2 of 6 Print Date 11/28/2011

Inhalation	ove	ve to fresh air in case of accidental inhalation of fumes from rheating or combustion. When symptoms persist or in all cases of bt seek medical advice.		
Ingestion		not induce vomiting without medical advice. When symptoms sist or in all cases of doubt seek medical advice.		
Eyes		se immediately with plenty of water, also under the eyelids, for at t 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FI	RE-FIGHTING MEASURES		
Flash point	: Not	applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	: Not	applicable applicable relevant		
Suitable extinguishing media		bon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	pres	face self-contained breathing apparatus (SCBA) used in positive ssure mode should be worn to prevent inhalation of airborne taminants.		
Unusual Fire/Explosion Hazards		bon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen 0x), other hazardous materials, and smoke are all possible.		
	ACCII	DENTAL RELEASE MEASURES		
Personal precautions		ar appropriate personal protection during cleanup, such as ervious gloves, boots and coveralls.		
Environmental precautions		uld not be released into the environment. The product should not llowed to enter drains, water courses or the soil.		
Methods for cleaning up	plas	an up promptly by sweeping or vacuum. Package all material in tic, cardboard or metal containers for disposal. Refer to Section 13 his MSDS for proper disposal methods.		
	7. H	ANDLING AND STORAGE		
Handling		e measures to prevent the build up of electrostatic charge. Heat y in areas with appropriate exhaust ventilation.		
Storage	: Kee	p containers dry and tightly closed to avoid moisture absorption		

PolyOne

MATERIAL SAFETY DATA SHEET **PF 0003/12 NA**

Version Number 1.1 Revision Date 05/24/2007 Page 3 of 6 Print Date 11/28/2011

and contamination. Keep in a dry, cool place. Keep away from heat. Excessive storage temperature and humidity can degrade product performance. Store below 149 °F (65 °C). Rotate stock. Product shelf life is normally 1 year maximum.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.	
Eye/Face Protection	:	Safety glasses with side-shields	
Hand protection	:	Protective gloves	
Skin and body protection	:	Long sleeved clothing	
Additional Protective Measures	:	Safety shoes	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. During processing and cross-linking, product can give off by-products such as alcohols, acetophenone, alpha-methylstyrene, acetone, methane, and ethane. By-product vapors may be flammable. User must provide necessary precautions such as adequate ventilation to prevent accumulation and ignition of vapors. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color SolidpelletsNO PIGMENT

Evaporation rate Specific Gravity Bulk density Not applicableNot determinedNot established

MATERIAL SAFETY DATA SHEET **PF 0003/12 NA**

Version Number 1.1 Revision Date 05/24/2007

_

Page 4 of 6 Print Date 11/28/2011

Odour Melting point/range Boiling Point: Water solubility	characteristicNot determinedNot applicableInsoluble		Vapour pressure Vapour density pH	: :	Not applicable Not applicable Not applicable
	10). STABILITY AND RE	ACTIVITY		
Stability	:	Stable.			
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:	Keep away from oxidizide decomposition, do not o		me.	To avoid thermal
Incompatible Materials	:	Strong acids, Oxidizing	agents, Reducing agen	ts	
Hazardous decomposition products	:	Carbon dioxide (CO2), (NOx), other hazardous of alcohols, acetophenor ethane, or other byprodu decomposition.	materials, and smoke a ne, alpha-methylstyren	are a	all possible. Traces cetone, methane,

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET **PF 0003/12 NA**

sion Number 1.1 ision Date 05/24/2007		Page 5 Print Date 11/28/2			
Persistence and degradability	:	Not readily biodegradable.			
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	:	Not applicable			
	1.	3. DISPOSAL CONSIDERATIONS			
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	1	4. TRANSPORT INFORMATION			
U.S. DOT Classification	_				
U.S. DOT Classification	:	Not regulated for transportation.			
ICAO/IATA (air)	:	Refer to specific regulation.			
IMO / IMDG (maritime)	:	Refer to specific regulation.			
	15	REGULATORY INFORMATION			
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition	:	Not applicable			

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **PF 0003/12 NA**

Version Number 1.1 Revision Date 05/24/2007		Page 6 of 6 Print Date <i>11/28/2011</i>
65		
SARA Title III Section 302 Extr	-	
Unless specific chemicals are ide	ntified under the	is section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	Chemicals:	
Unless specific chemicals are ide	ntified under th	is section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Releas	Inventory (N	PRI)
Not applicable		
WHMIS Classification	: D2A	
		norte of this and but on an the Constitution Demostic
DSL		nents of this product are on the Canadian Domestic List (DSL) or are exempt.
National Inventories:		
Australia AICS	: Not detern	ined
China IECS	: Not detern	ined
Europe EINECS	: Listed	
Japan ENCS	: Not detern	ined
Korea KECI	: Not determ	ined
Philippines PICCS	: Not determ	ined
	16. OTH	CR INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.