## MATERIAL SAFETY DATA SHEET PC-20SS/000 HI NATURAL

Version Number 1.0 Revision Date 06/06/2007 Page 1 of 5 Print Date 11/29/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PC-20SS/000 HI NATURAL
Product code	:	EM10013042
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

## 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	outes of Exposure: : Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	

## 4. FIRST AID MEASURES

PolyOne.

# MATERIAL SAFETY DATA SHEET **PC-20SS/000 HI NATURAL**

sion Number 1.0 ision Date 06/06/2007	Page 2 Print Date <i>11/29/</i> 2		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>		
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXPC	SURE CONTROLS / PERSONAL PROTECTION		

PolyOne

# MATERIAL SAFETY DATA SHEET **PC-20SS/000 HI NATURAL**

Version Number 1.0 Revision Date 06/06/2007 Page 3 of 5 Print Date 11/29/2011

Respiratory protection	: No personal respira	atory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
-	C C	C C			
Skin and body protection	: Long sleeved cloud	Long sleeved clothing			
Additional Protective Measures	: Safety shoes	Safety shoes			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
There are no known hazardou	s components above regula	atory thresholds in this product.			
9.	PHYSICAL AND CHEM	AICAL PROPERTIES			
Form	: Solid	Evaporation rate : Not applicable			
Form Appearance	: Solid : pellets, Slabs	Evaporation rate : Not applicable Specific Gravity : Not determined			
Form Appearance Color	: Solid : pellets, Slabs : NO PIGMENT	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not established			
Form Appearance Color Odour	: Solid : pellets, Slabs : NO PIGMENT : Very faint	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicable			
Form Appearance Color Odour Melting point/range	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicable			
Form Appearance Color Odour Melting point/range	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY ANI	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal determined</li> </ul>	Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable         DREACTIVITY			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal determined</li> <li>Strong acids, oxiditien</li> <li>Carbon dioxide (COM)</li> </ul>	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable <b>DREACTIVITY</b>			

There are no known hazardous components above regulatory thresholds in this product.

## 12. ECOLOGICAL INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET **PC-20SS/000 HI NATURAL**

Version Number 1.0 Revision Date 06/06/2007 Page 4 of 5 Print Date 11/29/2011

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: Not applicable	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA (air)	: Refer to specific regulation.	
IMO / IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		

PolyOne.

# MATERIAL SAFETY DATA SHEET **PC-20SS/000 HI NATURAL**

Version Number 1.0 Revision Date 06/06/2007		Page 5 of 5 Print Date 11/29/2011				
California Proposition 65	: Not applicable					
SARA Title III Section 302 Extra	SARA Title III Section 302 Extremely Hazardous Substance					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
Canadian Regulations:						
National Pollutant Release Inventory (NPRI)						
Not applicable						
WHMIS Classification	: Not controlled.					
DSL	: DSL status has not been determined. Qua restricted by regulations.	ntity use in Canada may be				
National Inventories:						
Australia AICS	: Not determined					
China IECS	: Not determined					
Europe EINECS	: Not determined					
Japan ENCS	: Not determined					
Korea KECI	: Not determined					
Philippines PICCS	: Not determined					
	16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.