## MATERIAL SAFETY DATA SHEET XT-200-BU03-FR NATURAL

Version Number 1.1 Revision Date 05/08/2008

Page 1 of 6 Print Date 1/3/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XT-200-BU03-FR NATURAL
Product code	:	EM10013082
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Antimony trioxide	1309-64-4	1 - 5	

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET XT-200-BU03-FR NATURAL

Version Number 1.1 Revision Date 05/08/2008 Page 2 of 6 Print Date 1/3/2012

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits					
Upper explosion limit	•	Not applicable			
Lower explosion limit	:	Not applicable			
Autoignition temperature	:	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. A(	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

PolyOne.

# MATERIAL SAFETY DATA SHEET XT-200-BU03-FR NATURAL

Version Number 1.1 Revision Date 05/08/2008 Page 3 of 6 Print Date 1/3/2012

8.1	EXPOSURE	CONTROLS/P	ERSONAL I	PROTECTION		
Respiratory protection	: N	o personal respir	atory protecti	ve equipment norma	lly required.	
Eye/Face Protection	: Sa	afety glasses with	n side-shields			
Hand protection	: P1	rotective gloves				
Skin and body protection	: L	ong sleeved cloth	ning			
Additional Protective Measures	: Sa	afety shoes				
General Hygiene Considerations				industrial hygiene a eaks and at the end o		
Engineering measures		eat only in areas		ate exhaust ventilati at machinery.	on. Provide	
Exposure limit(s)						
Components	Value	Exposure	time	Exposure type	List:	
Antimony trioxide	0.5 mg/m3	Time Weighte (TWA	d Average	as Sb	MX OEL	
	0.5 mg/m3					
	0.5 mg/m3	PEL		as Sb	OSHA Z1	
	9. PHYSIC	CAL AND CHE	MICAL PRO	PERTIES		
Form	: Solid	l .	Evenor	ration rate :	Not applicable	
Appearance		ts, Slabs			Not determined	
Color		PIGMENT	Bulk d		Not established	
Odour	: Very			•	Not applicable	
Melting point/range		letermined		r density :	Not applicable	
Boiling Point:		applicable	pH		Not applicable	
Water solubility: Insoluble						
	10. S	TABILITY AN	D REACTIV	ITY		
Stability	: Si	table.				
Hazardous Polymerization	n : W	/ill not occur.				
Conditions to avoid	: T	o avoid thermal d	lecompositior	n, do not overheat.		

## MATERIAL SAFETY DATA SHEET XT-200-BU03-FR NATURAL

Version Number 1.1 Revision Date 05/08/2008 Page 4 of 6 Print Date 1/3/2012

Hazardous decomposition : products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

# MATERIAL SAFETY DATA SHEET XT-200-BU03-FR NATURAL

Version Number 1.1 Revision Date 05/08/2008 Page 5 of 6 Print Date 1/3/2012

Bioaccumulation Potential	•	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	Not applicable
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification		Not record for transmostation
	•	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
		fied under this section, this product is Not Applicable under this regula

PolyOne

## MATERIAL SAFETY DATA SHEET XT-200-BU03-FR NATURAL

Version Number 1.1 Revision Date 05/08/2008			Page 6 of 6 Print Date <i>1/3/2012</i>
SARA Title III Section 313 Te	oxic Chemicals:		
Unless specific chemicals are	identified under this section, this	s product is Not	Applicable under this regulation
Chemical Name		CAS-No.	Weight %
ANTIMONY COMPOUND	DS	1309-64-4	1.00 - 5.00
Canadian Regulations:			
National Pollutant Rele	ease Inventory (NPRI)		
Not applicable			
WHMIS Classification	n : D2A		
WHMIS Ingredient Dis	sclosure List		
CAS-No.			
1309-64-4			
DSL	: DSL status has not been restricted by regulations.	determined. Qu	antity use in Canada may be
National Inventories:			
Australia AICS	: Not determined		
China IECS	: Not determined		
Europe EINECS	: Not determined		
Japan ENCS	: Not determined		
Korea KECI	: Not determined		
Philippines PICCS	: Not determined		
	16. OTHER INFORM	ATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.