### MATERIAL SAFETY DATA SHEET PC-0629071 BLACK

Version Number 1.0 Revision Date 07/19/2007

Page 1 of 6 Print Date 11/30/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PC-0629071 BLACK
Product code	:	EM10013285
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon	7440-44-0	1 - 5
Carbon black	1333-86-4	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions	<ul> <li>Refer to Section 11 for Toxicological Information.</li> <li>None known.</li> </ul>
Aggravated by Exposure:	



# MATERIAL SAFETY DATA SHEET **PC-0629071 BLACK**

Version Number 1.0 Revision Date 07/19/2007 Page 2 of 6 Print Date 11/30/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point		Not applicable
r iash politi	·	
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET **PC-0629071 BLACK**

Version Number 1.0 Revision Date 07/19/2007

\_

\_

\_\_\_\_

Page 3 of 6 Print Date 11/30/2011

	aı	nd contamination. Keep	o in a d	ry, cool place.		
8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
Respiratory protection	: N	lo personal respiratory p	orotecti	ve equipment normally 1	equired.	
Eye/Face Protection	: S	afety glasses with side-s	shields			
Hand protection	: P:	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations						
Engineering measures		leat only in areas with a ppropriate exhaust venti		iate exhaust ventilation. at machinery.	Provide	
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Carbon black	3.5 mg/m3	Time Weighted Aver (TWA):	rage	2.1.000000000000	ACGIH	
	3.5 mg/m3	PEL:			OSHA Z1	
	3.5 mg/m3	Time Weighted Aver (TWA):	verage		MX OEL	
	7 mg/m3	Short Term Exposure (STEL):	Limit		MX OEL	
	9. PHYSIC	CAL AND CHEMICA	L PRC	PERTIES		
	<i><i>у</i>. ПП ()</i>					
Form	: Solid				applicable	
Appearance			Specific Gravity : Not determined			
Odour	: BLA : Very		Bulk d	2	established applicable	
Melting point/range				1	applicable	
Boiling Point:			рН		applicable	
Water solubility : Insoluble						
10. STABILITY AND REACTIVITY						
Stability	: S	table.				
Hazardous Polymerizatio	n : W	Vill not occur.				
Conditions to avoid : To avoid thermal decomposition, do not overheat.						
		3/6				

## MATERIAL SAFETY DATA SHEET PC-0629071 BLACK

Version Number 1.0 Revision Date 07/19/2007

Page 4 of 6 Print Date 11/30/2011

Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or
			circulatory system.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	Not applicable

PolyOne.

# MATERIAL SAFETY DATA SHEET **PC-0629071 BLACK**

Version Number 1.0 Revision Date 07/19/2007 Page 5 of 6 Print Date 11/30/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 F	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
SARA Title III Section 313 1	

PolyOne.

## MATERIAL SAFETY DATA SHEET **PC-0629071 BLACK**

Version Number 1.0 Revision Date 07/19/2007 Page 6 of 6 Print Date 11/30/2011

Unless specific chemicals are ide	entified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Releas	e Inventory (NPRI)
Not applicable	
WHMIS Classification	: D2A
WHMIS Ingredient Discl	osure List
CAS-No. 1333-86-4	
DSL	: DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.