MATERIAL SAFETY DATA SHEET

TPE-S 40A-3E1969 natural

Version Number 1.0 Revision Date 10/02/2007 Page 1 of 6 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	TPE-S 40A-3E1969 natural	
Product code	:	EM10013291	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **TPE-S 40A-3E1969 natural**

Version Number 1.0 Revision Date 10/02/2007 Page 2 of 6 Print Date 12/1/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	· at
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	eeł
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	ıot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material is plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio	n

PolyOne.

MATERIAL SAFETY DATA SHEET **TPE-S 40A-3E1969** natural

Version Number 1.0 Revision Date 10/02/2007 Page 3 of 6 Print Date 12/1/2011

8. E	EXPOSURE	CONTROLS / PERSONA	L PROTECTION		
Respiratory protection	: N	lo personal respiratory prote	ective equipment normally	required.	
Eye/Face Protection	: S	Safety glasses with side-shields			
Hand protection	: P	Protective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		landle in accordance with go Vash hands before breaks an		safety practice.	
Engineering measures		leat only in areas with appro ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	10 mg/m3	Time Weighted Average (TWA):		MX OEL	
	20 mg/m3	Short Term Exposure Lim (STEL):	it	MX OEL	
	9. PHYSI	CAL AND CHEMICAL P	ROPERTIES		
-	a 11				
Form	: Solid			t applicable t determined	
Appearance Color	-	-	•	t established	
				t applicable	
Udour				t applicable	
Odour Melting point/range		applicable pH		t applicable	
Melting point/range		luble		11	
	. 11150				
Melting point/range Boiling Point:		STABILITY AND REACT			
Melting point/range Boiling Point:	10. 9	STABILITY AND REACT	<u>1V11 Y</u>		
Melting point/range Boiling Point: Water solubility	10. S		11111		

PolyOne.

MATERIAL SAFETY DATA SHEET **TPE-S 40A-3E1969 natural**

sion Number 1.0 ision Date 10/02/20)07			Page 4 Print Date 12/1/2
Incompatible Materi	als	: Strong acids,	oxidizing and reduc	ing agents
-		-	-	
Hazardous decompo products	sition			noxide (CO), oxides of nitrogen and smoke are all possible.
	11	. TOXICOLOG	GICAL INFORMAT	ION
This mixture has not health data for the in <u>Toxicity Overview</u>				sure effects listed are based on exi
	s the followin	ng components v	which in their pure form	n have the following characteristic
CAS-No.		mical Name	Effect	Target Organ
1317-65-3	Calcium	carbonate	Irritant	Eyes, Skin.
			Systemic effects	Eyes, Skin, Respiratory system
		12. ECOLOGI	CAL INFORMATIO	N
Environmental Toxio Bioaccumulation Por Additional advice Product	tential	 polymer math Chemicals ar polymer math Not applicab 13. DISPOSAL Like most the possible recy generator of classification 	ix. e not readily available ix. le CONSIDERATION ermoplastic plastics th cling is preferred to di waste material has the	e product can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
		14. TRANSPO	RT INFORMATION	N
U.S. DOT Classifica	tion	: Not regulated	l for transportation.	
ICAO/IATA (air)				
ICAO/IATA (air)	:	Refer to spec	ific regulation.	

PolyOne.

MATERIAL SAFETY DATA SHEET **TPE-S 40A-3E1969** natural

Version Number 1.0 Revision Date 10/02/2007 Page 5 of 6 Print Date 12/1/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	Classified as hazardous based on components
	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition	: Not applicable
65	
SARA Title III Section 302 Extr	remely Hazardous Substance
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	tic Chemicals:
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release	se Inventory (NPRI)
Not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined

MATERIAL SAFETY DATA SHEET **TPE-S 40A-3E1969** natural

Version Number 1.0 Revision Date 10/02/2007

Page 6 of 6 Print Date 12/1/2011

Korea KECI

: Not determined

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.