## MATERIAL SAFETY DATA SHEET **PE-0827071 NATURAL**

Version Number 1.0 Revision Date 08/27/2007

Page 1 of 5 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PE-0827071 NATURAL
Product code	:	EM10013538
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	tes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			

### 4. FIRST AID MEASURES



# MATERIAL SAFETY DATA SHEET **PE-0827071 NATURAL**

sion Number 1.0 ision Date 08/27/2007	Page 2 Print Date 11/30/2		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>		
Special Fire Fighting Procedures	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>		
Unusual Fire/Explosion Hazards	(NOx), other hazardous materials, and smoke are all possible.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXPC	SURE CONTROLS / PERSONAL PROTECTION		

PolyOne

## MATERIAL SAFETY DATA SHEET **PE-0827071 NATURAL**

Version Number 1.0 Revision Date 08/27/2007 Page 3 of 5 Print Date 11/30/2011

Respiratory protection	: No personal respira	atory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: Protective gloves					
-	-					
Skin and body protection	: Long sleeved clothing					
Additional Protective Measures	: Safety shoes	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
There are no known hazardou	s components above regula	atory thresholds in this product.				
	1 0	j i i i i i i i i i i i i i i i i i i i				
9.	PHYSICAL AND CHEM	AICAL PROPERTIES				
9. Form Appearance	: Solid : pellets, Slabs	Evaporation rate : Not applicable Specific Gravity : Not determined				
Form Appearance Color	: Solid : pellets, Slabs : NO PIGMENT	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not established				
Form Appearance Color Odour	: Solid : pellets, Slabs : NO PIGMENT : Very faint	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicable				
Form Appearance Color Odour Melting point/range	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicable				
Form Appearance Color Odour	: Solid : pellets, Slabs : NO PIGMENT : Very faint	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicable				
Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable				
Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable				
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY ANI	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable				
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable				
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal determined</li> </ul>	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable				
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>Solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal determined</li> <li>Strong acids, oxiditien</li> <li>Carbon dioxide (COM)</li> </ul>	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable <b>D REACTIVITY</b>				

There are no known hazardous components above regulatory thresholds in this product.

### **12. ECOLOGICAL INFORMATION**

## MATERIAL SAFETY DATA SHEET **PE-0827071 NATURAL**

Version Number 1.0 Page 4 of 5 Print Date 11/30/2011 Revision Date 08/27/2007 Persistence and degradability : Not readily biodegradable. Environmental Toxicity Chemicals are not readily available as they are bound within the : polymer matrix. **Bioaccumulation Potential** : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : Not applicable 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging Recycling is preferred when possible. The generator of waste material : has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) Refer to specific regulation. : IMO / IMDG (maritime) Refer to specific regulation. • **15. REGULATORY INFORMATION US Regulations: OSHA Status** There are no known hazardous components above regulatory : thresholds in this product. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable

PolyOne

## MATERIAL SAFETY DATA SHEET **PE-0827071 NATURAL**

ersion Number 1.0			Drint Data	Page 5 of
evision Date 08/27/2007			Print Date	11/30/201
California Proposition 65	:	Not applicable		
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Unless specific chemicals are id	ent	ified under this section, this product is Not Ap	plicable under tl	his regulatio
SARA Title III Section 313 Tox	tic (	Chemicals:		
Unless specific chemicals are id	lent	ified under this section, this product is Not Ap	plicable under th	his regulatio
Canadian Regulations:				
National Pollutant Relea	se I	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the C Substances List (DSL) or are exempt.	anadian Domes	tic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Listed		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.