## MATERIAL SAFETY DATA SHEET **PF-40CF/000 NATURAL**

Version Number 1.0 Revision Date 09/06/2007

Page 1 of 6 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PF-40CF/000 NATURAL
Product code	:	EM10013590
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon	7440-44-0	30 - 60
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>
Aggravated by Exposure:	

PolyOne.

# MATERIAL SAFETY DATA SHEET **PF-40CF/000 NATURAL**

Version Number 1.0 Revision Date 09/06/2007 Page 2 of 6 Print Date 11/30/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positir pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	n

PolyOne.

## MATERIAL SAFETY DATA SHEET PF-40CF/000 NATURAL

Version Number 1.0 Revision Date 09/06/2007

\_

Page 3 of 6 Print Date 11/30/2011

and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
Respiratory protection	: N	lo personal respiratory pro	tective equipment no	rmally r	equired.	
Eye/Face Protection	: S	afety glasses with side-shi	elds			
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		Iandle in accordance with g Vash hands before breaks a			afety practice.	
Engineering measures		leat only in areas with app ppropriate exhaust ventilat		ilation.	Provide	
Exposure limit(s)						
Components	Value	Exposure time	Exposure ty	уре	List:	
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	ge -		ACGIH	
	15 mg/m3	PEL:	Total dust	t.	OSHA Z1	
	10 mg/m3	Time Weighted Averag (TWA):	ge as Ti		MX OEL	
	20 mg/m3	Short Term Exposure Lin (STEL):	mit as Ti		MX OEL	
9. PHYSICAL AND CHEMICAL PROPERTIES						
	9. 11130	CAL AND CHEMICAL	FROFER TIES			
Form	: Solic	i Ev	aporation rate	: Not	applicable	
Appearance	: pelle	ets, Slabs Sp	ecific Gravity		determined	
Color			ılk density		established	
Odour			apour pressure		applicable	
Melting point/range			apour density		applicable	
Boiling Point: Water solubility	: Not a : Insol	applicable pH	1	: Not	applicable	
water solubility	. 111501	luble				
	10. 5	STABILITY AND REAC	TIVITY			
Stability	: S	table.				
Hazardous Polymerization	n : V	Vill not occur.				
Conditions to avoid	: T	o avoid thermal decompos	sition, do not overhea	t.		

PolvUne

## MATERIAL SAFETY DATA SHEET **PF-40CF/000 NATURAL**

Version Number 1.0 Revision Date 09/06/2007 Page 4 of 6 Print Date 11/30/2011

Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or	
			circulatory system.	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: Not applicable				
13. DISPOSAL CONSIDERATIONS					
Product	: Like most thermoplastic plastics the product can be recycled. Where				

PolyOne.

# MATERIAL SAFETY DATA SHEET **PF-40CF/000 NATURAL**

Version Number 1.0 Revision Date 09/06/2007		Page 5 of 6 Print Date 11/30/2011
Contaminated packaging	:	possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification ICAO/IATA (air) IMO / IMDG (maritime)	:	Not regulated for transportation. Refer to specific regulation. Refer to specific regulation.
	15	5. REGULATORY INFORMATION
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 E	xtrem	ely Hazardous Substance
		fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T Unless specific chemicals are		Chemicals: fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		

PolyOne

# MATERIAL SAFETY DATA SHEET **PF-40CF/000 NATURAL**

Version Number 1.0 Revision Date 09/06/2007

\_

Page 6 of 6 Print Date 11/30/2011

National Pollutant Relea	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.