MATERIAL SAFETY DATA SHEET PC-1024071 BLACK

Version Number 1.0 Revision Date 11/01/2007

Page 1 of 6 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PC-1024071 BLACK
Product code	:	EM10013965
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **PC-1024071 BLACK**

Version Number 1.0 Revision Date 11/01/2007 Page 2 of 6 Print Date 12/2/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **PC-1024071 BLACK**

Version Number 1.0 Revision Date 11/01/2007 Page 3 of 6 Print Date 12/2/2011

0.1	XPOSURE	CONTROLS / PERSON	JAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory pro	otecti	ve equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shi	ields		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		andle in accordance with Vash hands before breaks			afety practice
Engineering measures		leat only in areas with app ppropriate exhaust ventila			Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Barium sulfate	10 mg/m3	Time Weighted Averag (TWA):	ge	¥	ACGIH
	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PRO	PERTIES	
Form					applicable
Form	: Solic	l Ev	vapoi	ration rate : Not	applicable determined
Appearance	: Solic : pelle	l Ev ts, Slabs SI	vapoi pecifi	ration rate : Not ic Gravity : Not	determined
	: Solic : pelle : BLA	l Ev ts, Slabs S _I CK Bu	vapoi pecifi ulk d	ration rate : Not ic Gravity : Not ensity : Not	determined established
Appearance Color Odour	: Solic : pelle : BLA : Very	l Ev ts, Slabs S _I CK Bi faint Vi	vapoi pecifi ulk d apou	ration rate : Not ic Gravity : Not ensity : Not r pressure : Not	determined established applicable
Appearance Color Odour Melting point/range	: Solic : pelle : BLA : Very : Not	l Ev ts, Slabs S _I CK Bi faint Vi	vapoi pecifi ulk d apou apou	ration rate : Not ic Gravity : Not ensity : Not r pressure : Not r density : Not	determined established applicable applicable
Appearance Color Odour Melting point/range Boiling Point:	: Solic : pelle : BLA : Very : Not	l Ev ts, Slabs Sp CK Bu faint Va determined Va applicable pH	vapoi pecifi ulk d apou apou	ration rate : Not ic Gravity : Not ensity : Not r pressure : Not r density : Not	determined established applicable
Appearance Color Odour	: Solic : pelle : BLA : Very : Not : Not : Insol	l Ev ts, Slabs Sp CK Bu faint Va determined Va applicable pH	vapor pecifi ulk d apou apou H	ration rate : Not ic Gravity : Not ensity : Not r pressure : Not r density : Not : Not	determined established applicable applicable
Appearance Color Odour Melting point/range Boiling Point:	: Solic : pelle : BLA : Very : Not : Not : Insol 10. S	l Ev ts, Slabs Sp CK Br faint Va determined Va applicable pH uble	vapor pecifi ulk d apou apou H	ration rate : Not ic Gravity : Not ensity : Not r pressure : Not r density : Not : Not	determined established applicable applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: Solic : pelle : BLA : Very : Not c : Not : : Insol 10. S : S	l Ev ts, Slabs Sp CK Br faint V determined V applicable pH uble	vapor pecifi ulk d apou apou H	ration rate : Not ic Gravity : Not ensity : Not r pressure : Not r density : Not : Not	determined established applicable applicable
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	: Solia : pelle : BLA : Very : Not a : Not a : Insol 10. § : S n : V	l Ev ts, Slabs Sp CK Bu faint Va determined Va applicable pH uble STABILITY AND REAC table.	vapon pecifi ulk d apou apou H	ration rate : Not ic Gravity : Not ensity : Not r pressure : Not r density : Not : Not	determined established applicable applicable

PolyOne

MATERIAL SAFETY DATA SHEET PC-1024071 BLACK

Version Number 1.0 Revision Date 11/01/2007

Page 4 of 6 Print Date 12/2/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET **PC-1024071 BLACK**

sion Date 11/01/2007		Page 5 Print Date 12/2/2
US Regulations:		
OSHA Status	Classified as hazardous based on component	ts.
TSCA Status	All components of this product are listed on Inventory.	or exempt from the TSCA
US. EPA CERCLA Hazardous	bstances (40 CFR 302)	
Not applicable		
California Proposition 65	Not applicable	
SARA Title III Section 302 Ext	nely Hazardous Substance	
Unless specific chemicals are id	tified under this section, this product is Not Ap	plicable under this regula
SARA Title III Section 313 Tox	Chemicals:	
	Chemicals: tified under this section, this product is Not Ap	plicable under this regula
Unless specific chemicals are id	tified under this section, this product is Not Ap	plicable under this regula
Unless specific chemicals are id Canadian Regulations:	tified under this section, this product is Not Ap	plicable under this regula
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas	tified under this section, this product is Not Ap	plicable under this regula
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable	tified under this section, this product is Not Ap Inventory (NPRI)	
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification	tified under this section, this product is Not Ap Inventory (NPRI) Not controlled. All components of this product are on the C	
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL	tified under this section, this product is Not Ap Inventory (NPRI) Not controlled. All components of this product are on the C	
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories:	tified under this section, this product is Not Ap Inventory (NPRI) Not controlled. All components of this product are on the C Substances List (DSL) or are exempt.	
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea: Not applicable WHMIS Classification DSL National Inventories: Australia AICS	tified under this section, this product is Not Ap Inventory (NPRI) Not controlled. All components of this product are on the C Substances List (DSL) or are exempt. Not determined	
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	tified under this section, this product is Not Ap Inventory (NPRI) Not controlled. All components of this product are on the C Substances List (DSL) or are exempt. Not determined Not determined	

PolyOne

MATERIAL SAFETY DATA SHEET PC-1024071 BLACK

Version Number 1.0 Revision Date 11/01/2007

Page 6 of 6 Print Date 12/2/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.