MATERIAL SAFETY DATA SHEET XT-545GF-AU00 NATURAL

Version Number 1.0 Revision Date 12/03/2007 Page 1 of 5 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XT-545GF-AU00 NATURAL
Product code	:	EM10014192
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

4. FIRST AID MEASURES

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **XT-545GF-AU00 NATURAL**

sion Number 1.0 ision Date 12/03/2007	Page 2 Print Date 12/2/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
r ash politi	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPO	OSURE CONTROLS / PERSONAL PROTECTION

PolyOne

MATERIAL SAFETY DATA SHEET XT-545GF-AU00 NATURAL

Version Number 1.0 Revision Date 12/03/2007 Page 3 of 5 Print Date 12/2/2011

Respiratory protection	: No personal respirato	ry protective equipment normally required.	
Eye/Face Protection	: Safety glasses with si	de-shields	
Hand protection	: Protective gloves	: Protective gloves	
Skin and body protection	: Long sleeved clothing	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		with good industrial hygiene and safety practice. reaks and at the end of workday.	
Engineering measures		th appropriate exhaust ventilation. Provide entilation at machinery.	
Exposure limit(s)			
There are no known hazardou	is components above regulate	bry thresholds in this product.	
9	PHYSICAL AND CHEMI	CAL PROPERTIES	
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 Solid pellets, Slabs NO PIGMENT Very faint Not determined Not applicable Insoluble 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable	
	10. STABILITY AND I	REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: To avoid thermal decomposition, do not overheat.		
Incompatible Materials	: Strong acids, oxidizi	: Strong acids, oxidizing and reducing agents	
Hazardous decomposition products), carbon monoxide (CO), oxides of nitrogen us materials, and smoke are all possible.	
	11. TOXICOLOGICAL I	NFORMATION	

There are no known hazardous components above regulatory thresholds in this product.

12. ECOLOGICAL INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET XT-545GF-AU00 NATURAL

Version Number 1.0 Revision Date 12/03/2007 Page 4 of 5 Print Date 12/2/2011

possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mat has the responsibility for proper waste classification, transportatio and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status OSHA Status : There are no known hazardous components above regulatory thresholds in this product.	Persistence and degradability	: Not readily biodegradable.
polymer matrix. polymer matrix. Additional advice : Not applicable 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. WI possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mat has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincia and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T. Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	Environmental Toxicity	
It It is not product It is not product can be recycled. With possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mather applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mather applicable federal, state/provinciand disposal in accordance with applicable federal, state/provinciand local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) :	Bioaccumulation Potential	
Product : Like most thermoplastic plastics the product can be recycled. Wi possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mat has the responsibility for proper waste classification, transportatio and disposal in accordance with applicable federal, state/provinci and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	Additional advice	: Not applicable
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste mathas the responsibility for proper waste classification, transportatic and disposal in accordance with applicable federal, state/provincia and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T. Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) : All Corporation is product and product		13. DISPOSAL CONSIDERATIONS
has the responsibility for proper waste classification, transportatio and disposal in accordance with applicable federal, state/provincia and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: . OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	Product	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T INVentory. US. EPA CERCLA Hazardous Substances (40 CFR 302)		14. TRANSPORT INFORMATION
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the Tanventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)		
IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the Transverory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	U.S. DOT Classification	: Not regulated for transportation.
I5. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the To Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	ICAO/IATA (air)	: Refer to specific regulation.
US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the T Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	IMO / IMDG (maritime)	: Refer to specific regulation.
OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the To Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)		15. REGULATORY INFORMATION
thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the To Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	US Regulations:	
Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	OSHA Status	1 0 .
	TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.
Not applicable	US. EPA CERCLA Hazardous	Substances (40 CFR 302)
	Not applicable	

MATERIAL SAFETY DATA SHEET XT-545GF-AU00 NATURAL

Version Number 1.0 Revision Date 12/03/2007 Page 5 of 5 Print Date 12/2/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All of the components

:	All of the components of this product are listed on the Canadian
	Inventories or are exempt. However, at least one component of this
	product is on the Canadian Non-Domestic Substances List (NDSL).
	Quantity use in Canada is restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.