## MATERIAL SAFETY DATA SHEET XT-500-CU05-HF BLACK

Version Number 1.3 Revision Date 03/18/2014

Page 1 of 5 Print Date 3/22/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XT-500-CU05-HF BLACK
Product code	:	EM10014193
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET XT-500-CU05-HF BLACK

Version Number 1.3 Revision Date 03/18/2014 Page 2 of 5 Print Date 3/22/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/5

PolyOne.

## MATERIAL SAFETY DATA SHEET **XT-500-CU05-HF BLACK**

Version Number 1.3 Revision Date 03/18/2014 Page 3 of 5 Print Date 3/22/2014

0. EAI	OSURE CONT	TROLS/PERSONAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety gla	: Safety glasses with side-shields			
Hand protection	: Protective	Protective gloves			
Skin and body protection	: Long slee	Long sleeved clothing			
Additional Protective Measures	: Safety sh	Safety shoes			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
•					
There are no known hazardou	s components ab	pove regulatory thresholds in this product.			
9.	PHYSICAL AN	ND CHEMICAL PROPERTIES			
		Even evention rate			
Eamo	· colid				
Form	: solid : pollets Slabs	Evapouration rate : Not applicable			
Appearance	: pellets, Slabs	s Specific Gravity : Not determined			
Appearance Colour	: pellets, Slabs : BLACK	s Specific Gravity : Not determined Bulk density : Not established			
Appearance Colour Odour	<ul><li>pellets, Slabs</li><li>BLACK</li><li>very faint</li></ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable			
Appearance Colour Odour Melting point/range	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determine</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Napour density : not applicable			
Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determint</li> <li>not applicable</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Napour density : not applicable			
Appearance Colour Odour Melting point/range	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determine</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Napour density : not applicable			
Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determint</li> <li>not applicable</li> <li>insoluble</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Napour density : not applicable			
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determint</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABIL	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable ned Vapour density : not applicable le pH : not applicable			
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determint</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABIL</b> <ul> <li>The prod</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable ned Vapour density : not applicable le pH : not applicable LITY AND REACTIVITY			
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determint</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABIL</b> <ul> <li>The prod</li> <li>Will not on</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable ned Vapour density : not applicable le pH : not applicable LITY AND REACTIVITY uct is stable if stored and handled as prescribed.			
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determint</li> <li>not applicable</li> <li>insoluble</li> <li>10. STABIL</li> <li>The prod</li> <li>Will not of</li> <li>To avoid</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable ned Vapour density : not applicable le pH : not applicable LITY AND REACTIVITY uct is stable if stored and handled as prescribed. occur. thermal decomposition, do not overheat.			
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determint</li> <li>not applicable</li> <li>insoluble</li> <li>10. STABIL</li> <li>The prod</li> <li>Will not of</li> <li>To avoid</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable ned Vapour density : not applicable le pH : not applicable LITY AND REACTIVITY uct is stable if stored and handled as prescribed.			
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>pellets, Slabs</li> <li>BLACK</li> <li>very faint</li> <li>Not determini</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABIL</b> <ul> <li>The proding</li> <li>Will not of</li> <li>To avoid</li> <li>Strong act</li> <li>Carbon di</li> </ul>	s Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable ned Vapour density : not applicable le pH : not applicable LITY AND REACTIVITY uct is stable if stored and handled as prescribed. occur. thermal decomposition, do not overheat.			

PolyOne.

# MATERIAL SAFETY DATA SHEET XT-500-CU05-HF BLACK

Version Number 1.3 Revision Date 03/18/2014 Page 4 of 5 Print Date 3/22/2014

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolvOn<u>e</u>

## **MATERIAL SAFETY DATA SHEET** XT-500-CU05-HF BLACK

Version Number 1.3 Revision Date 03/18/2014

Page 5 of 5 Print Date 3/22/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
nal Inventories:		

Nation

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.