## MATERIAL SAFETY DATA SHEET XPT0423082 BLACK

Version Number 1.0 Revision Date 04/24/2008

Page 1 of 6 Print Date 1/3/2012

## 1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XPT0423082 BLACK
Product code	:	EM10015061
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions Aggravated by Exposure:	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>

PolyOne.

# MATERIAL SAFETY DATA SHEET **XPT0423082 BLACK**

Version Number 1.0 Revision Date 04/24/2008 Page 2 of 6 Print Date 1/3/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **XPT0423082 BLACK**

Version Number 1.0 Revision Date 04/24/2008 Page 3 of 6 Print Date 1/3/2012

8. ]	EXPOSURE	CONTROLS/PERSON	IAL I	PROTECTION	
Respiratory protection	: N	lo personal respiratory pro	otecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-sh	ields		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		andle in accordance with ractice. Wash hands befo			
Engineering measures		leat only in areas with app ppropriate exhaust ventila			. Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Barium sulfate	10 mg/m3	Time Weighted Avera (TWA):	ge		ACGIH
	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PRC	PERTIES	
Form	: Solic	I E	vapor	ration rate : No	ot applicable
Appearance	: pelle				ot determined
Color	: BLA	CK B	ulk d	ensity : No	ot established
Odour	: Very				ot applicable
Melting point/range			-		ot applicable
Boiling Point:		applicable pl	H	: No	ot applicable
Water solubility	: Insol	uble			
	10. 5	STABILITY AND REA	CTIV	ITY	
	: S	table.			
Stability		Vill not occur.			
Stability Hazardous Polymerization	n : V				
		o avoid thermal decompo	osition	n, do not overheat.	

PolyOne

## MATERIAL SAFETY DATA SHEET XPT0423082 BLACK

### Version Number 1.0

Revision Date 04/24/2008

Page 4 of 6 Print Date 1/3/2012

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET **XPT0423082 BLACK**

sion Date 04/24/2008	Print Da	Page 5 ate 1/3/2
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on or exempt from TSCA Inventory.	n the
US. EPA CERCLA Hazardou	Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: Not applicable	
SARA Title III Section 302 E	remely Hazardous Substance	
Unless specific chemicals are	entified under this section, this product is Not Applicable under t	this regula
SARA Title III Section 313 T	ic Chemicals:	
	ic Chemicals: entified under this section, this product is Not Applicable under t	this regula
		this regula
Unless specific chemicals are	entified under this section, this product is Not Applicable under t	this regula
Unless specific chemicals are Canadian Regulations:	entified under this section, this product is Not Applicable under t	this regula
Unless specific chemicals are Canadian Regulations: National Pollutant Rele	entified under this section, this product is Not Applicable under t	this regula
Unless specific chemicals are Canadian Regulations: National Pollutant Rele Not applicable	entified under this section, this product is Not Applicable under t se Inventory (NPRI)	adian t of this
Unless specific chemicals are Canadian Regulations: National Pollutant Rele Not applicable WHMIS Classification	<ul> <li>entified under this section, this product is Not Applicable under the section of the se</li></ul>	adian t of this
Unless specific chemicals are Canadian Regulations: National Pollutant Rele Not applicable WHMIS Classification DSL	<ul> <li>entified under this section, this product is Not Applicable under the section of the se</li></ul>	adian t of this
Unless specific chemicals are Canadian Regulations: National Pollutant Rele Not applicable WHMIS Classification DSL National Inventories:	<ul> <li>entified under this section, this product is Not Applicable under the section of the se</li></ul>	adian t of this
Unless specific chemicals are Canadian Regulations: National Pollutant Rele Not applicable WHMIS Classification DSL National Inventories: Australia AICS	<ul> <li>entified under this section, this product is Not Applicable under the section of the se</li></ul>	adian t of this

## MATERIAL SAFETY DATA SHEET XPT0423082 BLACK

Version Number 1.0 Revision Date 04/24/2008

Page 6 of 6 Print Date 1/3/2012

Korea KECI

: Listed

: Not determined

Philippines PICCS

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.