# MATERIAL SAFETY DATA SHEET X AS-40CF/000 NATURAL SE

Version Number 1.4 Revision Date 05/11/2010 Page 1 of 6 Print Date 1/12/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X AS-40CF/000 NATURAL SE
Product code	:	EM10015707
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Carbon	7440-44-0	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET X AS-40CF/000 NATURAL SE

Version Number 1.4 Revision Date 05/11/2010 Page 2 of 6 Print Date 1/12/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit	:	not applicable
Lower explosion limit	:	not applicable
Autoignition temperature	÷	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET X AS-40CF/000 NATURAL SE

Version Number 1.4 Revision Date 05/11/2010 Page 3 of 6 Print Date 1/12/2012

0. EA	POSURE CONTROLS/PERSONAL PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
	• Solid Evaporation rate · Not applicable		
Form Appearance Colour Odour Melting point/range	: solidEvaporation rate: Not applicable: pellets, SlabsSpecific Gravity: Not determined: NO PIGMENTBulk density: Not established: very faintVapour pressure: not applicable: Not determinedVapour density: not applicable		
Form Appearance Colour Odour	: solidEvaporation rate: Not applicable: pellets, SlabsSpecific Gravity: Not determined: NO PIGMENTBulk density: Not established: very faintVapour pressure: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point:	: solidEvaporation rate: Not applicable: pellets, SlabsSpecific Gravity: Not determined: NO PIGMENTBulk density: Not established: very faintVapour pressure: not applicable: Not determinedVapour density: not applicable: not applicablepH: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point:	: solid Evaporation rate : Not applicable : pellets, Slabs Specific Gravity : Not determined : NO PIGMENT Bulk density : Not established : very faint Vapour pressure : not applicable : Not determined Vapour density : not applicable : not applicable pH : not applicable : insoluble		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: solidEvaporation rate: Not applicable: pellets, SlabsSpecific Gravity: Not determined: NO PIGMENTBulk density: Not established: very faintVapour pressure: not applicable: Not determinedVapour density: not applicable: not applicablepH: not applicable: insolubleInsoluble: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: solid       Evaporation rate       : Not applicable         : pellets, Slabs       Specific Gravity       : Not determined         : NO PIGMENT       Bulk density       : Not established         : very faint       Vapour pressure       : not applicable         : Not determined       Vapour density       : not applicable         : not applicable       pH       : not applicable         : insoluble       Inot applicable       : not applicable         : Stable       : Stable       : Stable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>solid Evaporation rate : Not applicable</li> <li>pellets, Slabs Specific Gravity : Not determined</li> <li>NO PIGMENT Bulk density : Not established</li> <li>very faint Vapour pressure : not applicable</li> <li>Not determined Vapour density : not applicable</li> <li>not applicable pH : not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AND REACTIVITY</b> <ul> <li>Stable</li> <li>Will not occur.</li> </ul>		

PolvOne

# MATERIAL SAFETY DATA SHEET X AS-40CF/000 NATURAL SE

Version Number 1.4 Revision Date 05/11/2010 Page 4 of 6 Print Date 1/12/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or circulatory system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7440-44-0	Carbon	Oral LD50	10,000 mg/kg	rat

	1	2. ECOLOGICAL INFORMATION
Persistence and degradability		Not readily biodegradable.
	•	
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	not applicable
	1	3. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	]	4. TRANSPORT INFORMATION
J.S. DOT Classification	:	Not regulated for transportation.
CAO/IATA	:	Refer to specific regulation.
MO/IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET X AS-40CF/000 NATURAL SE

/ersion Number 1.4 Revision Date 05/11/2010		Page 5 of 6 Print Date 1/12/2012
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	ic (	Chemicals:
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Releas	se I	nventory (NPRI)
not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined

PolyOne

# MATERIAL SAFETY DATA SHEET X AS-40CF/000 NATURAL SE

Version Number 1.4 Revision Date 05/11/2010 Page 6 of 6 Print Date 1/12/2012

Philippines PICCS

: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.