PolvOne

MATERIAL SAFETY DATA SHEET XGF 1200 A 20 HS BLACK 13

Version Number 1.2 Revision Date 04/10/2013 Page 1 of 6 Print Date 4/11/2013

| 1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 | | | |
|--|---|--|--|
| Telephone Emergency telephone number | : | 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | |
| Product name | : | XGF 1200 A 20 HS BLACK 13 | |
| Product code | : | EM10015777 | |
| Chemical Name | : | Mixture | |
| CAS-No. | : | Mixture | |
| Product Use | : | Industrial Applications | |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight percent |
|--------------|------------|----------------|
| Glass, oxide | 65997-17-3 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | |
|---|--|--|--|
| Acute exposure | | | |
| Inhalation Ingestion Eyes Skin | Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |
| Medical Conditions Aggravated by Exposure: | : None known. | | |

PolyOne.

MATERIAL SAFETY DATA SHEET XGF 1200 A 20 HS BLACK 13

Version Number 1.2 Revision Date 04/10/2013 Page 2 of 6 Print Date 4/11/2013

| | 4. FIRST AID MEASURES |
|---------------------------|---|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIREFIGHTING MEASURES |
| Flash point | : not applicable |
| | not applicable not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET XGF 1200 A 20 HS BLACK 13

Version Number 1.2 Revision Date 04/10/2013 Page 3 of 6 Print Date 4/11/2013

| Respiratory protection | : No personal respira | tory protective equipment | normally required. |
|---------------------------------------|--|--|---|
| Eye/Face Protection | : Safety glasses with side-shields | | |
| Hand protection | : Protective gloves | | |
| Skin and body protection | : Long sleeved clothing | | |
| Additional Protective Measures | : Safety shoes | | |
| General Hygiene Considerations | | ce with good industrial hyg ds before breaks and at the | |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | |
| Exposure limit(s) | | | |
| | : solid : pellets, Slabs : BLACK | Evaporation rate Specific Gravity Bulk density | Not applicableNot determinedNot established |
| Appearance Colour | | | |
| Odour | very faintNot determined | Vapour pressure | : not applicable |
| Melting point/range Boiling Point: | : not applicable | Vapour density pH | not applicablenot applicable |
| Water solubility | : insoluble | pm | . not applicable |
| | 10. STABILITY AND | REACTIVITY | |
| Stability | : The product is stabl | e if stored and handled as | prescribed. |
| Hazardous Polymerization | : Will not occur. | | |
| Conditions to avoid | : To avoid thermal decomposition, do not overheat. | | |
| Incompatible Materials | : Strong acids, oxidizing and reducing agents | | |
| Hazardous decomposition products | | 02), carbon monoxide (CO lous materials, and smoke | |
| | | | |

PolyOne

MATERIAL SAFETY DATA SHEET XGF 1200 A 20 HS BLACK 13

Version Number 1.2 Revision Date 04/10/2013 Page 4 of 6 Print Date *4/11/2013*

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | nemical Name Effect Target Organ | | | |
|--|--|--|---|-------------------------------------|--|
| | 12. ECOLOGIC | AL INFORMATI | ON | | |
| Persistence and degradabilit | y : Not readily bio | : Not readily biodegradable. | | | |
| Environmental Toxicity | | : Chemicals are not readily available as they are bound within the polymer matrix. | | | |
| Bioaccumulation Potential : Chemicals are not readily available as they are by polymer matrix. | | | e as they are bound | within the | |
| Additional advice | : not applicable | : not applicable | | | |
| | 13. DISPOSAL O | CONSIDERATIO | NS | | |
| Product | possible recycl generator of w classification, | ing is preferred to easte material has the transportation and eastern | he product can be re disposal or incinerat e responsibility for p lisposal in accordand l and local regulatio | ion. The proper waste ce with | |
| Contaminated packaging | material has th transportation | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | | |
| | 14. TRANSPOR | T INFORMATIC | N | | |
| U.S. DOT Classification | : Not regulated | for transportation. | | | |
| ICAO/IATA | : Refer to specif | ic regulation. | | | |
| IMO/IMDG (maritime) | : Refer to specif | ic regulation. | | | |
| | 15. REGULATO | RY INFORMATI | ON | | |
| US Regulations: | | | | | |
| OSHA Status | : Classified as h | azardous based on | components. | | |
| TSCA Status | : All componen TSCA Invento | 1 | re listed on or exemp | ot from the | |
| | | | | | |
| | | | | | |

PolvOne

MATERIAL SAFETY DATA SHEET XGF 1200 A 20 HS BLACK 13

Version Number 1.2 Revision Date 04/10/2013 Page 5 of 6 Print Date *4/11/2013*

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

| WHMIS Classification | : | Not controlled. |
|----------------------|---|--|
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |

National Inventories:

| Australia AICS | : Not determined |
|-------------------|------------------|
| China IECS | : Not determined |
| Europe EINECS | : Listed |
| Japan ENCS | : Not determined |
| Korea KECI | : Not determined |
| Philippines PICCS | : Not determined |
| | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET XGF 1200 A 20 HS BLACK 13

Version Number 1.2 Revision Date 04/10/2013 Page 6 of 6 Print Date *4/11/2013*

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.