## MATERIAL SAFETY DATA SHEET X80000705205 Black

#### Version Number 1.0 Revision Date 04/15/2009

Page 1 of 6 Print Date 1/7/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X80000705205 Black
Product code	:	EM10017448
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Eyes, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Avoid skin contact. Product contains unreacted organic peroxides which may cause mild skin irritation.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET X80000705205 Black

Version Number 1.0 Revision Date 04/15/2009 Page 2 of 6 Print Date 1/7/2012

Medical Conditions Aggravated by Exposure:	: Individuals with chronic respiratory disorders (i.e. asthma, chro bronchitis, etc.) may be adversely affected by any airborne contaminant.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	e
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat	



# MATERIAL SAFETY DATA SHEET X80000705205 Black

ion Number 1.0 sion Date 04/15/2009			Page 3 Print Date 1/7/2	
	only in areas wi	th appropriate exhaust ventila	ation	
	only in alcus wi	in appropriate exhaust ventur	ition.	
Storage	and contaminati Excessive stora performance. S	a dry and tightly closed to avoid on. Keep in a dry, cool place ge temperature and humidity tore below 149 °F (65 °C). Finally 1 year maximum.	e. Keep away from heat. can degrade product	
8. EX	POSURE CONTROLS	S/PERSONAL PROTECTIO	ON	
Respiratory protection	handling the pro	piratory protective equipment oduct itself. See "Engineering utions to be taken when heati	g Measures" section	
Eye/Face Protection	: Safety glasses v	Safety glasses with side-shields		
Hand protection	: Protective glove	es		
Skin and body protection	: Long sleeved cl	othing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	processing and as alcohols, ace and ethane. By- necessary preca accumulation an appropriate resp	eas with appropriate exhaust we cross-linking, product can give tophenone, alpha-methylstyre product vapors may be flamm utions such as adequate venti- nd ignition of vapors. Adequa- biratory protection may also be sure to processing vapors.	ve off by-products such ene, acetone, methane, hable. User must provide lation to prevent ate ventilation and/or	
Exposure limit(s)				
There are no known hazardo	us components above re	gulatory thresholds in this pro	oduct.	
9	. PHYSICAL AND CH	IEMICAL PROPERTIES		
Form	: Solid	Evaporation rate	: Not applicable	
Appearance	: pellets	Specific Gravity	: Not determined	
Color	: BLACK	Bulk density	: Not established	
Odour	: characteristic	Vapour pressure	: Not applicable	
Melting point/range	: Not determined	Vapour density	: Not applicable	
Boiling Point: Water solubility	: Not applicable : Insoluble	рН	: Not applicable	

PolyOne.

### MATERIAL SAFETY DATA SHEET X80000705205 Black

Version Number 1.0 Revision Date 04/15/2009

## Page 4 of 6 Print Date 1/7/2012

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Strong acids, Oxidizing agents, Reducing agents
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Trace of alcohols, acetophenone, alpha-methylstyrene, acetone, methane, ethane, or other byproducts may be liberated during processing or decomposition.
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product. <b>12. ECOLOGICAL INFORMATION</b>
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	<ul> <li>Chemicals are not readily available as they are bound within the polymer matrix.</li> </ul>
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	<ul> <li>13. DISPOSAL CONSIDERATIONS</li> <li>The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>
Product Contaminated packaging	: The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
	<ul> <li>The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with</li> </ul>
	<ul> <li>The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>

olyOne

## MATERIAL SAFETY DATA SHEET X80000705205 Black

Version Number 1.0 Page 5 of 6 Print Date 1/7/2012 Revision Date 04/15/2009 IMO / IMDG (maritime) : Refer to specific regulation. **15. REGULATORY INFORMATION** US Regulations: **OSHA Status** There are no known hazardous components above regulatory : thresholds in this product. **TSCA Status** All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : Not controlled. DSL DSL status has not been determined. Quantity use in Canada may be : restricted by regulations. National Inventories: Australia AICS : Not determined China IECS : Not determined **Europe EINECS** : Not determined

PolyOne.

## MATERIAL SAFETY DATA SHEET X80000705205 Black

Version Number 1.0 Revision Date 04/15/2009 Page 6 of 6 Print Date 1/7/2012

Japan ENCS

: Not determined

Korea KECI : Not determined

Philippines PICCS : Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.