MATERIAL SAFETY DATA SHEET **XGF 1054 33 HS Natural**

Version Number 1.0 Revision Date 08/31/2009

Page 1 of 6 Print Date 1/9/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:		Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XGF 1054 33 HS Natural
Product code	:	EM10018354
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **XGF 1054 33 HS Natural**

Version Number 1.0 Revision Date 08/31/2009 Page 2 of 6 Print Date 1/9/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit	•	not applicable
Lower explosion limit	:	not applicable
Autoignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **XGF 1054 33 HS Natural**

Version Number 1.0 Revision Date 08/31/2009 Page 3 of 6 Print Date 1/9/2012

8. EXI	POSURE CONTROLS/PEI	RSONAL PROTECTION			
Respiratory protection	: No personal respirato	ory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with s	ide-shields			
Hand protection	: Protective gloves	Protective gloves			
Skin and body protection	: Long sleeved clothin	Long sleeved clothing			
Additional Protective Measures	: Safety shoes	Safety shoes			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
	PHYSICAL AND CHEMI				
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable 	ICAL PROPERTIESEvaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable			
Form Appearance Colour Odour Melting point/range	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable			
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable			
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable			
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable			
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND Stable Will not occur. 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable			
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND Stable Will not occur. To avoid thermal decomposition 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableREACTIVITY			

PolyOne

MATERIAL SAFETY DATA SHEET **XGF 1054 33 HS Natural**

Version Number 1.0 Revision Date 08/31/2009 Page 4 of 6 Print Date 1/9/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
	12. ECOLOGIC	AL INFORMATIC	N			
Persistence and degradabilit	y : Not readily bio	odegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential	: Chemicals are polymer matrix	•	e as they are bound within the			
Additional advice	: not applicable					
	13. DISPOSAL	CONSIDERATION	IS			
Product	possible recycl generator of w classification,	ling is preferred to d aste material has the transportation and d	the product can be recycled. When isposal or incineration. The responsibility for proper waste isposal in accordance with and local regulations.			
Contaminated packaging	material has th transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPOR	T INFORMATIO	N			
U.S. DOT Classification	: Not regulated	for transportation.				
ICAO/IATA	: Refer to specif	ic regulation.				
IMO / IMDG (maritime)	: Refer to specif	ic regulation.				
	15. REGULATO	RY INFORMATIC	DN			
US Regulations:						
OSHA Status	: Classified as h	azardous based on c	omponents.			
TSCA Status	: All componen TSCA Invento		e listed on or exempt from the			

Poly<u>One</u>

MATERIAL SAFETY DATA SHEET XGF 1054 33 HS Natural

Version Number 1.0 Revision Date 08/31/2009 Page 5 of 6 Print Date 1/9/2012

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Maleic anhydride	108-31-6	0.10 - 1.00	
Zinc stearate	557-05-1	0.10 - 1.00	

Substances List (DSL) or are exempt.

WHMIS Classification : Not controlled.

DSL

All components of this product are on the Canadian Domestic :

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **XGF 1054 33 HS Natural**

Version Number 1.0 Revision Date 08/31/2009 Page 6 of 6 Print Date 1/9/2012

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.