## MATERIAL SAFETY DATA SHEET

#### X PK-1482306 Natural

Version Number 1.0 Revision Date 09/15/2009 Page 1 of 6 Print Date 1/9/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X PK-1482306 Natural
Product code	:	EM10018448
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Carbon	7440-44-0	1 - 5
Graphite	7782-42-5	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET X PK-1482306 Natural

Version Number 1.0 Revision Date 09/15/2009 Page 2 of 6 Print Date 1/9/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

### MATERIAL SAFETY DATA SHEET X PK-1482306 Natural

Version Number 1.0 Revision Date 09/15/2009 Page 3 of 6 Print Date 1/9/2012

8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothing			
Additional Protective Measures	: Sa	afety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with appropropropriate exhaust ventilation		Provide
Components Graphite	Value 2 mg/m3	Exposure time Time Weighted Average	Exposure type Respirable fraction.	List: ACGIH
Graphite	2 mg/m3	(TWA):	Respirable fraction.	ACOIII
	2.5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	2.5 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	0	Time Weighted Average		MX OEL
	2 mg/m3	• •		
	2 mg/m3 10 mg/m3	(TWA): Time Weighted Average		
	•	(TWA):	Respirable fraction.	MX OEL OSHA Z1
	10 mg/m3	(TWA): Time Weighted Average (TWA):	Respirable fraction. Total dust.	MX OEL OSHA Z1 OSHA Z1
	10 mg/m3 5 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA): PEL:	Total dust.	MX OEL OSHA Z1
Form	10 mg/m3 5 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Total dust.	MX OEL OSHA Z1 OSHA Z1
Form Appearance	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : solid	(TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo	Total dust. DPERTIES ration rate : Not	MX OEL OSHA Z1
	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : solid	(TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ts, Slabs Specif CK Bulk of	Total dust. <b>DPERTIES</b> oration rate       : Not         ic Gravity       : Not         lensity       : Not	MX OEL OSHA Z1 OSHA Z1
Appearance Colour Odour	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : solid : pellet : BLA4 : very	(TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ts, Slabs Specif CK Bulk of faint Vapou	Total dust. <b>OPERTIES</b> ration rate       : Not         Tic Gravity       : Not         lensity       : Not         ur pressure       : not	MX OEL OSHA Z1 OSHA Z1 OSHA Z1
Appearance Colour	10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : solid : pellet : BLA : very : Not c	(TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ts, Slabs Specif CK Bulk of faint Vapou	Total dust.         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not         ur pressure       : not         ur density       : not	MX OEL OSHA Z1 OSHA Z1 OSHA Z1

PolyOne

## MATERIAL SAFETY DATA SHEET X PK-1482306 Natural

Version Number 1.0 Revision Date 09/15/2009 Page 4 of 6 Print Date 1/9/2012

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or
			circulatory system.
7782-42-5	Graphite	Systemic effects	Respiratory system, heart or
			circulatory system.

12. ECOLOGICAL INFORMATION			
Persistence and degradability	v : Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: not applicable		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,		

state/provincial and local regulations.

PolyOne.

# MATERIAL SAFETY DATA SHEET X PK-1482306 Natural

Version Number 1.0 Revision Date 09/15/2009 Page 5 of 6 Print Date 1/9/2012

	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
not applicable	
California Propositior 65	n : Not applicable
California Propositior 65	n : Not applicable
65	n : Not applicable Extremely Hazardous Substance
65 SARA Title III Section 302 E	Extremely Hazardous Substance
65 SARA Title III Section 302 E Unless specific chemicals are	Extremely Hazardous Substance e identified under this section, this product is Not Applicable under this regulati
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T	Extremely Hazardous Substance e identified under this section, this product is Not Applicable under this regulati
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are	Extremely Hazardous Substance e identified under this section, this product is Not Applicable under this regulati Foxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Extremely Hazardous Substance e identified under this section, this product is Not Applicable under this regulati Foxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Extremely Hazardous Substance e identified under this section, this product is Not Applicable under this regulati Foxic Chemicals: e identified under this section, this product is Not Applicable under this regulati
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Rel	Extremely Hazardous Substance e identified under this section, this product is Not Applicable under this regulati Foxic Chemicals: e identified under this section, this product is Not Applicable under this regulation lease Inventory (NPRI)

PolyOne

## MATERIAL SAFETY DATA SHEET X PK-1482306 Natural

Version Number 1.0 Revision Date 09/15/2009 Page 6 of 6 Print Date 1/9/2012

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.