MATERIAL SAFETY DATA SHEET

X UR-09230901 White

Version Number 1.0 Revision Date 09/24/2009 Page 1 of 6 Print Date 1/9/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone | : | Product Stewardship (440) 930-1395 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|---|
| Product name | : | X UR-09230901 White |
| Product code | : | EM10018511 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight percent |
|------------------|------------|----------------|
| Titanium dioxide | 13463-67-7 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|--|
| Acute exposure | |
| Inhalation Ingestion Eyes Skin | Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure Medical Conditions Aggravated by Exposure: | Refer to Section 11 for Toxicological Information.None known. |
| | |

PolyOne.

MATERIAL SAFETY DATA SHEET X UR-09230901 White

Version Number 1.0 Revision Date 09/24/2009 Page 2 of 6 Print Date 1/9/2012

| | | 4. FIRST AID MEASURES |
|-------------------------------------|------|---|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | | 5. FIRE-FIGHTING MEASURES |
| Flash point | : | not applicable |
| Flammable Limits | | |
| Upper explosion limit | : | not applicable |
| Lower explosion limit | : | not applicable |
| Autoignition temperature | : | not applicable |
| Suitable extinguishing media | : | Carbon dioxide blanket, Water spray, Dry powder, Foam. |
| Special Fire Fighting Procedures | : | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. A | CCIDENTAL RELEASE MEASURES |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption |

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET X UR-09230901 White

Version Number 1.0 Revision Date 09/24/2009 Page 3 of 6 Print Date 1/9/2012

| 8.1 | EXPOSURE | CONTROLS/PERSONAL F | PROTECTION | | | |
|--|---|--|---|----------------------------|--|--|
| Respiratory protection | : N | : No personal respiratory protective equipment normally required. | | | | |
| Eye/Face Protection | : S | : Safety glasses with side-shields | | | | |
| Hand protection | : P | : Protective gloves | | | | |
| Skin and body protection | : L | : Long sleeved clothing | | | | |
| Additional Protective Measures | : S | : Safety shoes | | | | |
| General Hygiene Considerations | | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. | | | | |
| Engineering measures | | leat only in areas with appropri ppropriate exhaust ventilation a | | Provide | | |
| Exposure limit(s) | | | | | | |
| Components | Value | Exposure time | Exposure type | List: | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 | | |
| | | | Total dust. | OSHA Z1A | | |
| | 10 mg/m3 | Time Weighted Average (TWA): | Total dust. | | | |
| | 10 mg/m3 10 mg/m3 | (TWA): Time Weighted Average | as Ti | MX OEL | | |
| | - | (TWA): | | | | |
| | 10 mg/m3 20 mg/m3 | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): | as Ti as Ti | MX OEL | | |
| | 10 mg/m3 20 mg/m3 9. PHYSIC | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO | as Ti as Ti PERTIES | MX OEL MX OEL | | |
| Form | 10 mg/m3 20 mg/m3 9. PHYSIC : solid | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor | as Ti as Ti PERTIES ration rate : Not | MX OEL MX OEL | | |
| Appearance | 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts, Slabs Specifi | as Ti as Ti PERTIES ration rate : Not c Gravity : Not | MX OEL MX OEL | | |
| Appearance Colour | 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : NO I | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts, Slabs Specifi PIGMENT Bulk do | as Ti as Ti PERTIES ration rate : Noi c Gravity : Noi ensity : Noi | MX OEL MX OEL MX OEL | | |
| Appearance Colour Odour | 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : NO I : very | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts, Slabs Specifi PIGMENT Bulk do faint Vapour | as Ti as Ti PPERTIES ration rate : Noi c Gravity : Noi ensity : Noi r pressure : not | MX OEL MX OEL MX OEL | | |
| Appearance Colour Odour Melting point/range | 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : NO 1 : very : Not 0 | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts, Slabs Specifi PIGMENT Bulk defaint Vapour Vapour | as Ti as Ti PERTIES Tation rate : Not c Gravity : Not ensity : Not r pressure : not r density : not | MX OEL MX OEL MX OEL | | |
| Appearance Colour Odour Melting point/range Boiling Point: | 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : NO I : very : No t : ot a | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts, Slabs Specifi PIGMENT Bulk definit Vapour determined Vapour pplicable pH | as Ti as Ti PERTIES Tation rate : Not c Gravity : Not ensity : Not r pressure : not r density : not | MX OEL MX OEL MX OEL | | |
| Appearance Colour Odour Melting point/range | 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : NO 1 : very : Not 0 | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts, Slabs Specifi PIGMENT Bulk definit Vapour determined Vapour pplicable pH | as Ti as Ti PERTIES Tation rate : Not c Gravity : Not ensity : Not r pressure : not r density : not | MX OEL MX OEL MX OEL | | |
| Appearance Colour Odour Melting point/range Boiling Point: | 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : NO 1 : very : Not a : insol | (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts, Slabs Specifi PIGMENT Bulk definit Vapour determined Vapour pplicable pH | as Ti as Ti PERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : not r density : not : not | MX OEL MX OEL MX OEL | | |

MATERIAL SAFETY DATA SHEET X UR-09230901 White

 Version Number 1.0
 Page 4 of 6

 Revision Date 09/24/2009
 Print Date 1/9/2012

 Conditions to avoid
 : To avoid thermal decomposition, do not overheat.

Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Strong acids, oxidizing and reducing agents

Toxicity Overview

Incompatible Materials

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|------------------|------------------|---------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

:

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

| Persistence and degradability | Not readily biodegradable. | |
|-------------------------------|--|------|
| Environmental Toxicity | Chemicals are not readily available as they are bound within the polymer matrix. | |
| Bioaccumulation Potential | Chemicals are not readily available as they are bound within the polymer matrix. | |
| Additional advice | not applicable | |
| | 3. DISPOSAL CONSIDERATIONS | |
| Product | Like most thermoplastic plastics the product can be recycled. W | here |

PolyOne.

MATERIAL SAFETY DATA SHEET X UR-09230901 White

| generator of waste material ha classification, transportation a applicable federal, state/proviContaminated packaging:Recycling is preferred when p material has the responsibility | possible. The generator of waste y for proper waste classification, accordance with applicable federal, ulations. |
|--|--|
| generator of waste material has classification, transportation a applicable federal, state/provi Contaminated packaging : Recycling is preferred when p material has the responsibility transportation and disposal in state/provincial and local regulated U.S. DOT Classification : Not regulated for transportation ICAO/IATA : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. | as the responsibility for proper waste and disposal in accordance with incial and local regulations. possible. The generator of waste y for proper waste classification, accordance with applicable federal, ulations. |
| transportation and disposal in state/provincial and local regions 14. TRANSPORT INFORMA U.S. DOT Classification : Not regulated for transportation ICAO/IATA : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. | accordance with applicable federal, ulations. |
| U.S. DOT Classification: Not regulated for transportationICAO/IATA: Refer to specific regulation.IMO / IMDG (maritime): Refer to specific regulation. | |
| ICAO/IATA : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. | on. |
| IMO / IMDG (maritime) : Refer to specific regulation. | |
| | |
| 15. REGULATORY INFORM | |
| | ATION |
| US Regulations: | |
| OSHA Status : Classified as hazardous based | l on components. |
| TSCA Status : All components of this produ TSCA Inventory. | act are listed on or exempt from the |
| US. EPA CERCLA Hazardous Substances (40 CFR 302) | |
| not applicable | |
| | |
| California Proposition : Not applicable 65 | |
| SARA Title III Section 302 Extremely Hazardous Substance | |
| Unless specific chemicals are identified under this section, this pro- | oduct is Not Applicable under this regulation |
| SARA Title III Section 313 Toxic Chemicals: | |
| Unless specific chemicals are identified under this section, this pro- | oduct is Not Applicable under this regulation |
| Canadian Regulations: | |
| | |

PolyOne.

MATERIAL SAFETY DATA SHEET X UR-09230901 White

| Version Number 1.0 | |
|--------------------------|--|
| Revision Date 09/24/2009 | |

Page 6 of 6 Print Date 1/9/2012

| National Pollutant Release Inventory (NPRI) | | |
|---|---|--|
| not applicable | | |
| WHMIS Classification | : | D2A |
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories: | | |
| Australia AICS | : | Listed |
| China IECS | : | Not determined |
| Europe EINECS | : | Listed |
| Japan ENCS | : | Not determined |
| Korea KECI | : | Not determined |
| Philippines PICCS | : | Not determined |
| | | 16. OTHER INFORMATION |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.