PolvOne

MATERIAL SAFETY DATA SHEET X PC-151910201 BLACK

Version Number 1.1 Revision Date 04/10/2013

Page 1 of 6 Print Date 4/10/2013

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	X PC-151910201 BLACK	
Product code	:	EM10018852	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use		Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X PC-151910201 BLACK

Version Number 1.1 Revision Date 04/10/2013 Page 2 of 6 Print Date 4/10/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET X PC-151910201 BLACK

Version Number 1.1 Revision Date 04/10/2013 Page 3 of 6 Print Date 4/10/2013

8. EX	POSURE CONTROLS/PEF	RSONAL PROTECTIO	
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hy s before breaks and at th	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
Exposure mint(s)			
Q	PHYSICAL AND CHEMI	CAL PROPERTIES	
9	. PHYSICAL AND CHEMI	ICAL PROPERTIES	
Form	: solid	Evaporation rate	: Not applicable
Form Appearance	: solid : pellets, Slabs	Evaporation rate Specific Gravity	: Not determined
Form Appearance Colour	: solid : pellets, Slabs : BLACK	Evaporation rate Specific Gravity Bulk density	Not determinedNot established
Form Appearance Colour Odour	: solid : pellets, Slabs : BLACK : very faint	Evaporation rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishednot applicable
Form Appearance Colour Odour Melting point/range	 solid pellets, Slabs BLACK very faint Not determined 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	Not determinedNot establishednot applicablenot applicable
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable 	Evaporation rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishednot applicable
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	Not determinedNot establishednot applicablenot applicable
Form Appearance Colour Odour Melting point/range	 solid pellets, Slabs BLACK very faint Not determined not applicable 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot establishednot applicablenot applicable
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AND	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AND	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not determined Not established not applicable not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AND The product is stable Will not occur. 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not determined Not established not applicable not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AND The product is stable Will not occur. To avoid thermal decomposition 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY if stored and handled as	 Not determined Not established not applicable not applicable not applicable

PolyOne

MATERIAL SAFETY DATA SHEET X PC-151910201 BLACK

Version Number 1.1 Revision Date 04/10/2013 Page 4 of 6 Print Date 4/10/2013

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

I2. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : not applicable IDEPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.	CAS-No.	Chemical Name	Effect	Target Organ		
Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : not applicable 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the		12. ECOLOGICA	AL INFORMATI	ON		
polymer matrix. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : not applicable I3. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	Persistence and degradabili	ty : Not readily bio	degradable.			
Additional advice : not applicable III.DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Lost DOT Classification : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. OSHA Status : All components of this product are listed on or exempt from the	Environmental Toxicity					
It 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. I4. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	• •					
Product : Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	Additional advice	: not applicable				
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the		13. DISPOSAL (CONSIDERATIO	NS		
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	Product	possible recycl generator of w classification, t	ing is preferred to easte material has the transportation and eastern	disposal or incineration. The e responsibility for proper waste disposal in accordance with		
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	Contaminated packaging	material has th transportation	material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,			
ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the		14. TRANSPOR	T INFORMATIC	N		
IMO/IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	U.S. DOT Classification	: Not regulated f	for transportation.			
15. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	ICAO/IATA	: Refer to specif	ic regulation.			
US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	IMO/IMDG (maritime)	: Refer to specif	ic regulation.			
OSHA Status: Classified as hazardous based on components.TSCA Status: All components of this product are listed on or exempt from the		15. REGULATO	RY INFORMATI	ON		
TSCA Status : All components of this product are listed on or exempt from the	US Regulations:					
	OSHA Status	: Classified as h	azardous based on	components.		
	TSCA Status	1	1	re listed on or exempt from the		

PolvOne

MATERIAL SAFETY DATA SHEET X PC-151910201 BLACK

Version Number 1.1 Revision Date 04/10/2013 Page 5 of 6 Print Date 4/10/2013

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET X PC-151910201 BLACK

Version Number 1.1 Revision Date 04/10/2013 Page 6 of 6 Print Date 4/10/2013

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.