MATERIAL SAFETY DATA SHEET X PE154770101

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/20/2014

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X PE154770101
Product code	:	EM10019321
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components CAS-No. Weight percent

Components	CAS-No.	Weight percent
Dimethyldiphenylsiloxane	68083-14-7	1 - 5
	•	•

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X PE154770101

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/20/2014

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET X PE154770101

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 6 Print Date 3/20/2014

	POSURE CONTROLS/PI	ERSONAL PROTECTION
Respiratory protection	: No personal respira	tory protective equipment normally required.
Eye/Face Protection	: Safety glasses with	side-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved cloth	ing
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		ice with good industrial hygiene and safety industrial before breaks and at the end of workday.
Engineering measures		with appropriate exhaust ventilation. Provide t ventilation at machinery.
Exposure limit(s)		
9.	PHYSICAL AND CHEM	AICAL PROPERTIES
		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Form	· solid	
Form	: solid : pellets Slabs	Evapouration rate : Not applicable
Appearance	: pellets, Slabs	Evapouration rate : Not applicable Specific Gravity : Not determined
Appearance Colour	<ul><li>pellets, Slabs</li><li>NO PIGMENT</li></ul>	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established
Appearance Colour Odour	<ul><li>pellets, Slabs</li><li>NO PIGMENT</li><li>very faint</li></ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable
Appearance Colour Odour Melting point/range	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable
Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable
Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable
Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable
Appearance Colour Odour	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY ANIA	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY ANIA	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableDREACTIVITY
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>The product is stab</li> <li>Will not occur.</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableDREACTIVITY
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>The product is stab</li> <li>Will not occur.</li> <li>To avoid thermal d</li> </ul>	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable DREACTIVITY
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>The product is stab</li> <li>Will not occur.</li> <li>To avoid thermal d</li> <li>Strong acids, oxidi</li> <li>Carbon dioxide (CO</li> </ul>	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable <b>DREACTIVITY</b> le if stored and handled as prescribed.

PolyOne

## MATERIAL SAFETY DATA SHEET X PE154770101

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 6 Print Date 3/20/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68083-14-7	Dimethyldiphenylsiloxane	Irritant	Eyes.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
68083-14-7	Dimethyldiphenylsiloxane	LC50	18 gm/m3	rat

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET X PE154770101

ision Date 03/13/2014		Page 5 Print Date 3/20/2
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regula
		Themicals
SARA Title III Section 313 Tox		Inemicais.
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regula
Unless specific chemicals are id Canadian Regulations:	lenti	fied under this section, this product is Not Applicable under this regula
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas	lenti	fied under this section, this product is Not Applicable under this regula
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable	lenti se Iı	fied under this section, this product is Not Applicable under this regula nventory (NPRI)
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification	lenti se Iı	fied under this section, this product is Not Applicable under this regula nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL	lenti se Iı	fied under this section, this product is Not Applicable under this regula nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories:	lenti se Ii :	fied under this section, this product is Not Applicable under this regula nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS	lenti se Ii :	fied under this section, this product is Not Applicable under this regula nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	lenti se In : :	fied under this section, this product is Not Applicable under this regula nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed

PolyOne

## MATERIAL SAFETY DATA SHEET X PE154770101

Version Number 1.1 Revision Date 03/13/2014

Page 6 of 6 Print Date 3/20/2014

Philippines PICCS : Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.