PolvOne

MATERIAL SAFETY DATA SHEET

X NN-1542103 Black

Version Number 1.1 Revision Date 03/13/2014 Page 1 of 6 Print Date 3/20/2014

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X NN-1542103 Black
Product code	:	EM10019403
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Carbon	7440-44-0	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X NN-1542103 Black

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/20/2014

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET X NN-1542103 Black

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 6 Print Date 3/20/2014

ð. EA	POSURE CONTROLS/P	ERSONAL PROTECTIO	DN
Respiratory protection	: No personal respir	atory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with	n side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved cloth	ning	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hy nds before breaks and at th	
Engineering measures		with appropriate exhaust vote the state of t	
Exposure limit(s)			
•			
	P. PHYSICAL AND CHEM	MICAL PROPERTIES	
	PHYSICAL AND CHE : solid	Evapouration rate	: Not applicable
9 Form Appearance	: solid : pellets, Slabs	Evapouration rate Specific Gravity	: Not determined
9 Form Appearance Colour	: solid : pellets, Slabs : BLACK	Evapouration rate Specific Gravity Bulk density	Not determinedNot established
9 Form Appearance Colour Odour	: solid : pellets, Slabs : BLACK : very faint	Evapouration rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishednot applicable
9 Form Appearance Colour Odour Melting point/range	: solid : pellets, Slabs : BLACK : very faint : Not determined	Evapouration rate Specific Gravity Bulk density	 Not determined Not established not applicable not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishednot applicable
9 Form Appearance Colour Odour Melting point/range	: solid : pellets, Slabs : BLACK : very faint : Not determined	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not determined Not established not applicable not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	 Not determined Not established not applicable not applicable not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	: Not determined : Not established : not applicable : not applicable : not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Stability Hazardous Polymerization	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. To avoid thermal compared 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH D REACTIVITY ole if stored and handled as	: Not determined : Not established : not applicable : not applicable : not applicable prescribed.

PolyOne.

MATERIAL SAFETY DATA SHEET X NN-1542103 Black

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 6 Print Date 3/20/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or circulatory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7440-44-0	Carbon	Oral LD50	10,000 mg/kg	rat

	12. ECOI	LOGICAL INFORMAT	TION			
Persistence and degradabilit	y : Not rea	adily biodegradable.				
Environmental Toxicity		cals are not readily availater matrix.	able as they are boun	nd within the		
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: not app	not applicable				
	13. DISP	OSAL CONSIDERATI	ONS			
Product Contaminated packaging	possibl genera classifi applica : Recycl materia transpo	nost thermoplastic plastics le recycling is preferred to tor of waste material has ication, transportation and able federal, state/provinc ling is preferred when pose al has the responsibility feortation and disposal in ac rovincial and local regula	o disposal or inciner the responsibility fo d disposal in accorda cial and local regulat ssible. The generato or proper waste class ccordance with appli	ation. The r proper waste ance with ions. or of waste sification,		
	14. TRA	NSPORT INFORMAT	ION			
U.S. DOT Classification	: Not reg	gulated for transportation	•			
ICAO/IATA	: Refer t	to specific regulation.				
IMO/IMDG (maritime)	: Refer t	to specific regulation.				
	15. REGU	JLATORY INFORMAT	TION			

PolyOne.

MATERIAL SAFETY DATA SHEET X NN-1542103 Black

sion Number 1.1 vision Date 03/13/2014				Page 5
			F	Print Date 3/20/2
US Regulations:				
-				
OSHA Status	: Classified as	hazardous based on	components.	
TSCA Status	: All compone TSCA Invent	ents of this product a tory.	are listed on or exe	empt from the
US. EPA CERCLA Hazardou	us Substances (40 CF	TR 302)		
not applicable				
California Proposition	n : Not applicab	le		
65				
SARA Title III Section 302 F	Antropoly Hazardous	Substance		
SARA Title III Section 302 E	Extremely Hazardous	Substance		
SARA Title III Section 302 E Unless specific chemicals are	-		ct is Not Applicabl	le under this regul
	-		ct is Not Applicabl	le under this regul
Unless specific chemicals are	e identified under this		ct is Not Applicabl	le under this regul
Unless specific chemicals are SARA Title III Section 313 T	e identified under this Foxic Chemicals:	section, this produc		-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are	e identified under this Foxic Chemicals:	section, this produc		-
Unless specific chemicals are SARA Title III Section 313 T	e identified under this Foxic Chemicals:	section, this produc		-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Rel	e identified under this Foxic Chemicals: e identified under this	section, this products section, this products section, this products I)	ct is Not Applicabl	le under this regul
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	e identified under this Foxic Chemicals: e identified under this	section, this products section, this products section, this products and the section of the sect	et is Not Applicabl	-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Rel	e identified under this Foxic Chemicals: e identified under this	section, this products section, this products section, this products I)	ct is Not Applicabl	le under this regul

PolyOne.

MATERIAL SAFETY DATA SHEET X NN-1542103 Black

Version Number 1.1 Revision Date 03/13/2014

Page 6 of 6 Print Date 3/20/2014

Japan ENCS

: Not determined

Korea KECI : Not determined

Philippines PICCS : Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.