PolvOne

## MATERIAL SAFETY DATA SHEET X 15554-01-2

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/21/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X 15554-01-2
Product code	:	EM10019474
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Eyes, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Avoid skin contact. Product contains unreacted organic peroxides which may cause mild skin irritation.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



# MATERIAL SAFETY DATA SHEET **X 15554-01-2**

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/21/2014

Medical Conditions: Individuals with chronic respiratory disorders (i.e. asthma, chronic bronchitis, etc.) may be adversely affected by any airborne contaminant.		
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat	



# MATERIAL SAFETY DATA SHEET X 15554-01-2

ion Number 1.1 sion Date 03/13/2014		Page 3 Print Date 3/21/2	
	only in areas wi	th appropriate exhaust ventilation.	
Storage	: Keep containers and contaminat Excessive stora performance. S	s dry and tightly closed to avoid moisture absorption ion. Keep in a dry, cool place. Keep away from heat. ge temperature and humidity can degrade product tore below 149 °F (65 °C). Rotate stock. Product nally 1 year maximum.	
8. EX	POSURE CONTROLS	S/PERSONAL PROTECTION	
Respiratory protection	handling the pro-	piratory protective equipment normally required when oduct itself. See "Engineering Measures" section utions to be taken when heating or processing this	
Eye/Face Protection	: Safety glasses v	vith side-shields	
Hand protection	: Protective glove	28	
Skin and body protection	: Long sleeved cl	othing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		dance with good industrial hygiene and safety hands before breaks and at the end of workday.	
Engineering measures	processing and as alcohols, ace and ethane. By- necessary preca accumulation an appropriate resp	Heat only in areas with appropriate exhaust ventilation. During processing and cross-linking, product can give off by-products such as alcohols, acetophenone, alpha-methylstyrene, acetone, methane, and ethane. By-product vapors may be flammable. User must provide necessary precautions such as adequate ventilation to prevent accumulation and ignition of vapors. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.	
Exposure limit(s)			
9	. PHYSICAL AND CH	IEMICAL PROPERTIES	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>characteristic</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable	

PolyOne

## MATERIAL SAFETY DATA SHEET X 15554-01-2

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 6 Print Date 3/21/2014

Stability	: The product is stable if stored and handled as prescribed.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Strong acids, Oxidizing agents, Reducing agents
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Trace of alcohols, acetophenone, alpha-methylstyrene, acetone, methane, ethane, or other byproducts may be liberated during processing or decomposition.
	11. TOXICOLOGICAL INFORMATION

This product contains the following components which in their pure form have the following characteristics:

	12 ECOLOC		
	12, ECOLOG	ICAL INFORMATION	
Persistence and degradab	bility : Not readily	biodegradable.	
Environmental Toxicity	: Chemicals polymer ma	are not readily available as atrix.	they are bound within the
Bioaccumulation Potenti	ial : Chemicals polymer ma	are not readily available as atrix.	they are bound within the
Additional advice	: not applica	ble	
	13. DISPOSA	L CONSIDERATIONS	
Product	waste class		e responsibility for proper d disposal in accordance with d local regulations.
Contaminated packaging	waste class		e responsibility for proper d disposal in accordance with d local regulations.

PolyOne.

# MATERIAL SAFETY DATA SHEET X 15554-01-2

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 6 Print Date 3/21/2014

	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	as Substances (40 CFR 302)
not applicable	
California Proposition	n : Not applicable
65	
65 SARA Title III Section 302 E	Extremely Hazardous Substance
65 SARA Title III Section 302 E	
65 SARA Title III Section 302 E Unless specific chemicals are	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation Soxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation Soxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation Soxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation 'oxic Chemicals: identified under this section, this product is Not Applicable under this regulation
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Rel	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation 'oxic Chemicals: identified under this section, this product is Not Applicable under this regulation ease Inventory (NPRI)

PolyOne

## MATERIAL SAFETY DATA SHEET X 15554-01-2

#### Version Number 1.1 Revision Date 03/13/2014

Page 6 of 6 Print Date 3/21/2014

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.