## MATERIAL SAFETY DATA SHEET 2363-80A RO 20 for color match

Version Number 1.1 Revision Date 03/20/2014 Page 1 of 6 Print Date 3/24/2014

NEU

NEU Specialty Engineered N	Aaterials, LLC.		
15 Corporate Drive, North H	Haven, CT 06473		
Telephone Emergency telephone number			
Product name	: 2363-80A	RO 20 for color match	
Product code	: EM10020308		
Chemical Name	: Mixture		
CAS-No.	: Mixture		
Product Use	: Industrial Applications		
2. CON	<b>IPOSITION/INF</b>	ORMATION ON ING	REDIENTS
Components		CAS-No.	Weight percent
Barium sulfate		7727-43-7	10 - 30
	3. HAZARI	<b>OS IDENTIFICATION</b>	
product is based on indiv exposure as shipped is m	EMERG n evaluated as a w idual components inimal. However,	. All ingredients are bou some vapors may be read	led on the health effects of this and and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is m	EMERG n evaluated as a w ridual components inimal. However, the necessary pr s from exposure.	hole. Information provid All ingredients are bound some vapors may be reference recautions (mechanical v	and and potential for hazardous
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee	EMERG n evaluated as a w ridual components inimal. However, the necessary pr s from exposure.	hole. Information provid . All ingredients are bou , some vapors may be re-	and and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee	EMERG n evaluated as a w ridual components inimal. However, the necessary pr s from exposure.	hole. Information provid All ingredients are bound some vapors may be reference recautions (mechanical v	and and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	EMERGI n evaluated as a w ridual components inimal. However, the necessary pro- s from exposure. TS : Inhalation, : Particulates,	hole. Information provid All ingredients are bou some vapors may be re- recautions (mechanical v Ingestion, Skin contact	and and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	EMERGI n evaluated as a w idual components inimal. However, te the necessary pr s from exposure.	hole. Information provid All ingredients are bout some vapors may be re- recautions (mechanical w Ingestion, Skin contact , like other inert material nful if swallowed.	Ind and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating.
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMERGI n evaluated as a w idual components inimal. However, te the necessary pr s from exposure.	hole. Information provid All ingredients are bout some vapors may be re- recautions (mechanical w Ingestion, Skin contact , like other inert material nful if swallowed. , like other inert material	Ind and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating.
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	EMERGI n evaluated as a w idual components inimal. However, te the necessary pr s from exposure.	hole. Information provid All ingredients are bout some vapors may be re- recautions (mechanical w Ingestion, Skin contact , like other inert material nful if swallowed. , like other inert material	Ind and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating.
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMERGI n evaluated as a w ridual components inimal. However, te the necessary pr s from exposure. <b>TS</b> : Inhalation, : Particulates, : May be harr : Particulates, : Experience	hole. Information provid All ingredients are bout some vapors may be re- recautions (mechanical w Ingestion, Skin contact , like other inert material nful if swallowed. , like other inert material	Ind and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating. titis hazard from routine handling

## MATERIAL SAFETY DATA SHEET **2363-80A RO 20 for color match**

Version Number 1.1 Revision Date 03/20/2014 Page 2 of 6 Print Date 3/24/2014

NEU

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from
Innatation	overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

NEU Specialty Engineered Materials, LLC.

# MATERIAL SAFETY DATA SHEET **2363-80A RO 20 for color match**

Version Number 1.1 Revision Date 03/20/2014 Page 3 of 6 Print Date 3/24/2014

NEU

Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Barium sulfate	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH	
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH	
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1A	
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A	
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: NO I : very : Not o	ts, Slabs Speci PIGMENT Bulk faint Vapo letermined Vapo pplicable pH	fic Gravity: Notdensity: Notur pressure: notur density: not	applicable determined established applicable applicable applicable	
	10. 8	STABILITY AND REACTI	VITY		
Stability	: Т	he product is stable if stored a	and handled as prescribed	l.	

### NEU Specialty Engineered Materials, LLC.

### MATERIAL SAFETY DATA SHEET 2363-80A RO 20 for color match

Version Number 1.1 Revision Date 03/20/2014 Page 4 of 6 Print Date 3/24/2014

NFU

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

		cal Name	Effect	Target Organ		
7727-43-7	Barium sulfa	te	Irritant	Respiratory system.		
			Systemic effects	Eyes, Respiratory system.		
	12.	ECOLOGI	CAL INFORMATION	1		
Persistence and degradability		Not readily b	viodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Pot		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice		: not applicable				
	13.	DISPOSAL	CONSIDERATIONS	5		
Product		possible recy generator of classificatior	cling is preferred to dis waste material has the 1	product can be recycled. Wher posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.		
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14	. TRANSPO	RT INFORMATION			
U.S. DOT Classificat	ion :	Not regulated	l for transportation.			
		Refer to spec	ific regulation.			
ICAO/IATA	: .	iterer to spec	ine regulation.			

4/6

		Actorials LLC <b>NEU</b>		
NEU Specialty Engineered Materials, LLC.				
MATERIAL SAFETY DATA SHEET				
2363-80A RO 20	) for colo	r match		
Version Number 1.1 Revision Date 03/20/20	014	Page 5 of 6 Print Date <i>3/24/2014</i>		
IMO/IMDG (maritin	ne) :	Refer to specific regulation.		
	15	5. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	s :	Classified as hazardous based on components.		
TSCA Status	; :	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA	Hazardous Sub	stances (40 CFR 302)		
not appl	icable			
California Pr 65	oposition :	Not applicable		
SARA Title III Secti	ion 302 Extrem	ely Hazardous Substance		
Unless specific chem	nicals are identi	fied under this section, this product is Not Applicable under this regulation		
SARA Title III Secti	ion 313 Toxic C	Chemicals:		
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation				
Canadian Regulations:				
National Pollutant Release Inventory (NPRI)				
not applicable				
WHMIS Clas	ssification :	Not controlled.		
DSL	÷	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.		
National Inventories	:			
Australia AIG	CS :	Not determined		
China IECS	:	Listed		

NEU Specialty Engineered Materials, LLC.

### MATERIAL SAFETY DATA SHEET 2363-80A RO 20 for color match

Version Number 1.1 Revision Date 03/20/2014 Page 6 of 6 Print Date 3/24/2014

Europe EINECS : Listed

Japan ENCS: Not determinedKorea KECI: Listed

:

Philippines PICCS

#### **16. OTHER INFORMATION**

Not determined

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.