## MATERIAL SAFETY DATA SHEET 2363-80A RO 30 for color match

Version Number 1.1 Revision Date 03/20/2014 Page 1 of 6 Print Date 3/24/2014

NEU

NEU Specialty Engineered N	Aaterials, LLC.			
15 Corporate Drive, North H				
Telephone Emergency telephone number	· · · ·		ONE hrs for spill, leak, fire, exposur	
Product name	· 2363-80A	RO 30 for color match		
Product code	: EM100203			
Chemical Name	: Mixture			
CAS-No.	: Mixture			
Product Use	: Industrial	Applications		
2. CON	IPOSITION/INI	FORMATION ON ING	REDIENTS	
Components		CAS-No.	Weight percent	
Barium sulfate		7727-43-7	30 - 60	
3. HAZARDS IDENTIFICATION				
product is based on indiv	EMERG n evaluated as a v idual components	ENCY OVERVIEW whole. Information provid s. All ingredients are bou	led on the health effects of this and and potential for hazardous	
product is based on indiv exposure as shipped is m	EMERG n evaluated as a v idual components inimal. However te the necessary p s from exposure.	ENCY OVERVIEW whole. Information provid s. All ingredients are bout s, some vapors may be rel		
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee	EMERG n evaluated as a v idual components inimal. However te the necessary p s from exposure.	ENCY OVERVIEW whole. Information provid s. All ingredients are bou s, some vapors may be rel recautions (mechanical v	and and potential for hazardous eased upon heating and the end-	
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure:	EMERG n evaluated as a v idual components inimal. However the necessary p s from exposure. <b>FS</b> : Inhalation,	ENCY OVERVIEW whole. Information provid s. All ingredients are bou s, some vapors may be rel recautions (mechanical v	and and potential for hazardous eased upon heating and the end-	
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure	EMERG n evaluated as a v idual components inimal. However the necessary p s from exposure. FS : Inhalation, : Particulates	ENCY OVERVIEW whole. Information provid s. All ingredients are bou s, some vapors may be rel recautions (mechanical v	and and potential for hazardous eased upon heating and the end- entilation, respiratory protection,	
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation	EMERG n evaluated as a v idual components inimal. However the necessary p s from exposure. TS : Inhalation, : Particulates : May be har	ENCY OVERVIEW whole. Information provid s. All ingredients are bou s, some vapors may be rel recautions (mechanical v , Ingestion, Skin contact s, like other inert material mful if swallowed.	and and potential for hazardous eased upon heating and the end- entilation, respiratory protection,	
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation Ingestion	EMERG n evaluated as a v idual components inimal. However te the necessary p s from exposure.	ENCY OVERVIEW whole. Information provid s. All ingredients are bou s, some vapors may be rel recautions (mechanical v , ligestion, Skin contact s, like other inert material mful if swallowed. s, like other inert material	and and potential for hazardous eased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating.	
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMERG n evaluated as a v idual components inimal. However te the necessary p s from exposure. TS : Inhalation, : Particulates : May be har : Particulates : Experience	ENCY OVERVIEW whole. Information provid s. All ingredients are bou s, some vapors may be rel recautions (mechanical v , ligestion, Skin contact s, like other inert material mful if swallowed. s, like other inert material	Ind and potential for hazardous eased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating. titis hazard from routine handling	

## MATERIAL SAFETY DATA SHEET **2363-80A RO 30 for color match**

Version Number 1.1 Revision Date 03/20/2014 Page 2 of 6 Print Date 3/24/2014

NEU

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

NEU Specialty Engineered Materials, LLC.

# MATERIAL SAFETY DATA SHEET **2363-80A RO 30 for color match**

Version Number 1.1 Revision Date 03/20/2014 Page 3 of 6 Print Date 3/24/2014

NEU

Respiratory protection	: N	o personal respiratory protect	tive equipment normally i	required.	
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: H p <sup>1</sup>	andle in accordance with goo ractice. Wash hands before b	d industrial hygiene and s reaks and at the end of we	safety orkday.	
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Barium sulfate	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH	
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH	
	5 mg/m3 PEL:		Respirable fraction.	OSHA Z1	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1A	
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A	
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: NO I : very : Not o	ts, Slabs Speci PIGMENT Bulk faint Vapo letermined Vapo pplicable pH	fic Gravity: Notdensity: Notur pressure: notur density: not	applicable determined established applicable applicable applicable	
	10. 8	STABILITY AND REACTI	VITY		
Stability	: Т	he product is stable if stored a	and handled as prescribed	l.	

### NEU Specialty Engineered Materials, LLC.

### MATERIAL SAFETY DATA SHEET 2363-80A RO 30 for color match

Version Number 1.1 Revision Date 03/20/2014 Page 4 of 6 Print Date 3/24/2014

NFU

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

		cal Name	Effect	Target Organ		
7727-43-7 Barium s		te	Irritant	Respiratory system.		
			Systemic effects	Eyes, Respiratory system.		
	12.	ECOLOGI	CAL INFORMATION	1		
Persistence and degradability		Not readily b	viodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice		: not applicable				
	13.	DISPOSAL	CONSIDERATIONS	5		
Product	]	possible recy generator of classificatior	cling is preferred to dis waste material has the 1	product can be recycled. Wher posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.		
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14	. TRANSPO	RT INFORMATION			
U.S. DOT Classificat	ion :	Not regulated	l for transportation.			
		Refer to spec	ific regulation.			
ICAO/IATA	: .	iterer to spec	ine regulation.			

		Aterials IIC <b>NEU</b>		
IEU Specialty Engineered Materials, LLC.				
MATERIAL SAFETY DAT	A S	неет		
2363-80A RO 30 for co	olo	r match		
Version Number 1.1 Revision Date 03/20/2014		Page 5 of 6 Print Date 3/24/2014		
IMO/IMDG (maritime)	:	Refer to specific regulation.		
	15	5. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
not applicable				
California Proposition 65	:	Not applicable		
SARA Title III Section 302 Ex	trem	ely Hazardous Substance		
Unless specific chemicals are i	denti	fied under this section, this product is Not Applicable under this regulation		
SARA Title III Section 313 To	xic (	Chemicals:		
Unless specific chemicals are i	denti	fied under this section, this product is Not Applicable under this regulation		
Canadian Regulations:				
National Pollutant Release Inventory (NPRI)				
not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.		
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Listed		

NEU Specialty Engineered Materials, LLC.

### MATERIAL SAFETY DATA SHEET 2363-80A RO 30 for color match

Version Number 1.1 Revision Date 03/20/2014 Page 6 of 6 Print Date 3/24/2014

Europe EINECS:ListedJapan ENCS:Not determined

Korea KECI : Listed

:

Philippines PICCS

#### **16. OTHER INFORMATION**

Not determined

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.